

LABORATORY REPORT

NATIONAL LABS 3948 TRUST WAY

HAYWARD, CA 94545 Ph.: (800) 800-6060

Report Status: Final

Patient Name: BALBOA, LETICHA
Patient ID: 408EMR

DOB, Age, Sex: 8/25/1980 37 Female
Client: (1028) Lags Spine and Sportscare
Requested By: Latavia Esters (1619157831)

Medications:

Accession: 1709080051
Collect Date: 08/18/2017
Receive Date: 09/08/2017
Tested Date: 09/12/2017
Release Date: 09/12/2017

REPORT SUMMARY

UNEXPECTED: Inconsistent Results Based on Patient's Declared Medications			
Specimen ID	1709080051		
Collection Date	8/18/2017		
Hydrocodone	>2000		
Hydromorphone	204.8		
Norhydrocodone	>2000		

EXPECTED: Consistent Results of Declared Medications & Metabolites			
Specimen ID	1709080051		
Collection Date	8/18/2017		
NONE			

SPECIMEN VALIDITY RESULTS						
Urine - Creatinine (mg/dL)	95	Normal	80-200			
Urine - Oxidants (ug/mL)	2	Normal	0-200			
Urine - PH Level	8.3	Abnormal	4.7-7.8			
Urine - Specific Gravity Level	1.021	Normal	1.003-1.035			

REPORT DETAILS

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome	
Amphetamine					
Amphetamine		Negative	<20	Consistent	
Methylphenidate		Negative	<50	Consistent	
Norpseudoephedrine		Negative	<10	Consistent	
Ritalinic Acid		Negative	<50	Consistent	
Benzodiazepines					
7-Aminoclonazepam		Negative	<4	Consistent	
alpha-hydroxyalprazolam		Negative	<5	Consistent	
Alprazolam		Negative	<4	Consistent	
Clonazepam		Negative	<10	Consistent	
Diazepam		Negative	<5	Consistent	
Flurazepam		Negative	<0.5	Consistent	



LABORATORY REPORT

NATIONAL LABS 3948 TRUST WAY

3948 TRUST WAY HAYWARD, CA 94545 Ph.: (800) 800-6060

Report Status: Final

 Patient Name:
 BALBOA, LETICHA
 Accession:
 1709080051

 Patient ID:
 408EMR
 Collect Date:
 08/18/2017

 DOB, Age, Sex:
 8/25/1980 37 Female
 Receive Date:
 09/08/2017

 Client:
 (1028) Lags Spine and Sportscare
 Tested Date:
 09/12/2017

 Requested By:
 Latavia Esters (1619157831)
 Release Date:
 09/12/2017

Medications:

REPORT DETAILS

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
Lorazepam		Negative	<10	Consistent
Meprobamate		Negative	<50	Consistent
Nordiazepam		Negative	<5	Consistent
Oxazepam		Negative	<5	Consistent
Temazepam		Negative	<20	Consistent
Neuromodulatory				
Carisoprodol		Negative	<20	Consistent
Gabapentin		Negative	<50	Consistent
Opiates and Semisynthetic Opioids				
Codeine		Negative	<50	Consistent
Hydrocodone	>2000	Positive	<50	INCONSISTENT
Hydrocodone is also a metabolite of Codeine.	· ·	•		·
Hydromorphone	204.8	Positive	<50	INCONSISTENT
Hydromorphone is also a metabolite of Morphine, Hy	drocodone, Heroin, or 0	Codeine.		·
Morphine		Negative	<50	Consistent
Norhydrocodone	>2000	Positive	<10	INCONSISTENT
Norhydrocodone is a metabolite of Hydrocodone and	Codeine.	•		•
Noroxycodone		Negative	<10	Consistent
Oxycodone		Negative	<10	Consistent
Oxymorphone		Negative	<25	Consistent
Synthetic Opioids				
Buprenorphine Glucuronide		Negative	<10	Consistent
Buprenorphine		Negative	<10	Consistent
EDDP Percholate: Methadone Metabolite		Negative	<25	Consistent
Fentanyl		Negative	<2	Consistent
Meperidine		Negative	<10	Consistent
Methadone		Negative	<25	Consistent
Naloxone		Negative	<10	Consistent
Naltrexone		Negative	<20	Consistent
Norbuprenorphine		Negative	<30	Consistent
Normeperidine		Negative	<10	Consistent
Norbuprenorphine Glucuronide		Negative	<4	Consistent
Norfentanyl oxalate		Negative	<5	Consistent
Propoxyphene		Negative	<62.5	Consistent
Tapentadol		Negative	<20	Consistent
Tramadol HCL		Negative	<20	Consistent
Substances of Abuse		-		'
6-MAM: Heroin Metabolite		Negative	<10	Consistent



LABORATORY REPORT

NATIONAL LABS 3948 TRUST WAY

HAYWARD, CA 94545 Ph.: (800) 800-6060

Report Status: Final

Patient ID: BALBOA, LETICHA 408EMR

DOB, Age, Sex: 8/25/1980 37 Female
Client: (1028) Lags Spine and Sportscare

Requested By: Latavia Esters (1619157831)

Medications:

Accession: 1709080051
Collect Date: 08/18/2017
Receive Date: 09/08/2017
Tested Date: 09/12/2017

Release Date: 09/12/2017

REPORT DETAILS

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome	
Benzoylecgonine: Metabolite of Cocaine		Negative	<50	Consistent	
ETHYL GLUCURONIDE (EIA)		Negative	<500	Consistent	
JWH-018 pentanoic		Negative	<5	Consistent	
JWH-073 Butanoic		Negative	<5	Consistent	
JWH-073 hydroxybutyl		Negative	<5	Consistent	
Methylenedioxyamphetamine (MDA)		Negative	<100	Consistent	
Methylenedioxyethylamphetamine (MDEA)		Negative	<100	Consistent	
Methylenedioxymethamphetamine (MDMA)		Negative	<100	Consistent	
Mephedrone		Negative	<10	Consistent	
Methamphetamine		Negative	<100	Consistent	
PCP (Phencyclidine) (EIA)		Negative	<25	Consistent	
THC-COOH Glucuronide		Negative	<20	Consistent	
11 Carboxy THC		Negative	<10	Consistent	
Validity Tests EIA					
Urine - Creatinine (mg/dL)	95	Normal	80-200		
Urine - Oxidants (ug/mL)	2	Normal	0-200		
Urine - PH Level	8.3	Abnormal	4.7-7.8		
Urine - Specific Gravity Level	1.021	Normal	1.003-1.035		

^{***} Comments: Specimens received more than 3 days post collection may be compromised and not reflect actual concentration. This may limit detection of low levels. This test is not approved by the FDA for the treatment, diagnosis, or prevention, of any medical condition. It is performed for information and is intended for educational and research purposes only. Only a physician familiar with a Patient() 's individual medical history can make medical judgments and give that patient specific medical advice. results are not intended to be a substitute for consultation with a licensed health care provider.

Those analytes' test results, reported as detected by LC/MS, have not been approved by the FDA. The performance characteristics of the assays have been determined by National Labs in accordance with Clinical Laboratory Improvement Act of 1988 (CLIA '88) quidelines.

False positive and false negative test results do occur. A licensed health care provider must provide any interpretation or recommendation for treatment based upon test results. The results are not for use as evidence in civil or criminal cases. Specimens are not obtained under the guidelines required for secure collection and, therefore, cannot be used for employment purposes. The results are based upon the method used for testing and the sensitivity of that method. A negative result indicates that the drugs tested for were not detected at the sensitivity level used. Positive results may be possible with the same or subsequent specimens if testing is performed using a greater degree of sensitivity. Other factors that may affect the results include the type of drug; the amount, duration and time of last drug use; the body type and weight of the individual being testing; and, in the case of urine drug screens, the concentration, acidity, or alkalinity of the urine.