

NATIONAL LABS 3948 TRUST WAY

HAYWARD, CA 94545 Ph.: (800) 800-6060

Report Status: Final

Patient Name:Campos Encizo, MariaAccession:1704210021Patient ID:01191965MCCollect Date:04/18/2017DOB, Age, Sex:1/19/1965 52 FemaleReceive Date:04/21/2017Client:(1028) Lags Spine and SportscareTested Date:04/27/2017Requested By:Michael Hoosier (1952850604)Release Date:04/27/2017

Medications: Topiramate, Contin, Valium, Venlafaxine, Omeprazole

REPORT SUMMARY

UNEXPECTED: Inconsistent Results Based on Patient's Declared Medications					
Specimen ID	1704210021	1610070031			
Collection Date	4/18/2017	9/27/2016			
11 Carboxy THC	23.8	852			
Diazepam		15			
Morphine		>2000			
Nordiazepam		126			
Noroxycodone		1332			
Oxazepam		76.6			
Oxycodone		1239			
Oxymorphone		117			
Temazepam		65			
THC-COOH Glucuronide	>400	>400			

EXPECTED: Consistent Results of Declared Medications & Metabolites				
Specimen ID	1704210021	1610070031		
Collection Date	4/18/2017	9/27/2016		
Diazepam	14.7			
Hydromorphone	85.1			
Morphine	384.9			
Nordiazepam	50.3			

SPECIMEN VALIDITY RESULTS				
Urine - Creatinine (mg/dL)	119	Normal	80-200	
Urine - Oxidants (ug/mL)	13	Normal	0-200	
Urine - PH Level	5.8	Normal	4.7-7.8	
Urine - Specific Gravity Level	1.028	Normal	1.003-1.035	

REPORT DETAILS

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
Amphetamine				
Amphetamine		Negative	<20	Consistent



NATIONAL LABS 3948 TRUST WAY

3948 TRUST WAY HAYWARD, CA 94545 Ph.: (800) 800-6060

Report Status: Final

Patient Name:Campos Encizo, MariaAccession:1704210021Patient ID:01191965MCCollect Date:04/18/2017DOB, Age, Sex:1/19/1965 52 FemaleReceive Date:04/21/2017Client:(1028) Lags Spine and SportscareTested Date:04/27/2017Requested By:Michael Hoosier (1952850604)Release Date:04/27/2017

Medications: Topiramate, Contin, Valium, Venlafaxine, Omeprazole

REPORT DETAILS

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
Methylphenidate		Negative	<50	Consistent
Norpseudoephedrine		Negative	<10	Consistent
Ritalinic Acid		Negative	<50	Consistent
Benzodiazepines				•
7-Aminoclonazepam		Negative	<4	Consistent
alpha-hydroxyalprazolam		Negative	<5	Consistent
Alprazolam		Negative	<4	Consistent
Clonazepam		Negative	<10	Consistent
Diazepam	14.7	Positive	<5	Consistent
Flurazepam		Negative	<0.5	Consistent
Lorazepam		Negative	<10	Consistent
Meprobamate		Negative	<50	Consistent
Nordiazepam	50.3	Positive	<5	Consistent
Consistent because Nordiazepam is a metabolite of \	/alium	·		•
Oxazepam		Negative	<5	Consistent
Temazepam		Negative	<20	Consistent
Neuromodulatory		·		•
Carisoprodol		Negative	<20	Consistent
Gabapentin		Negative	<50	Consistent
Opiates and Semisynthetic Opioids				•
Codeine		Negative	<50	Consistent
Hydrocodone		Negative	<50	Consistent
Hydromorphone	85.1	Positive	<50	Consistent
Consistent because Hydromorphone is a metabolite	of Contin			
Morphine	384.9	Positive	<50	Consistent
Norhydrocodone		Negative	<10	Consistent
Noroxycodone		Negative	<10	Consistent
Oxycodone		Negative	<10	Consistent
Oxymorphone		Negative	<25	Consistent
Synthetic Opioids				
Buprenorphine Glucuronide		Negative	<10	Consistent
Buprenorphine		Negative	<10	Consistent
EDDP Percholate: Methadone Metabolite		Negative	<25	Consistent
Fentanyl		Negative	<2	Consistent
Meperidine		Negative	<10	Consistent
Methadone		Negative	<25	Consistent
Naloxone		Negative	<10	Consistent



NATIONAL LABS 3948 TRUST WAY

3948 TRUST WAY HAYWARD, CA 94545 Ph.: (800) 800-6060

Report Status: Final

Patient Name:Campos Encizo, MariaAccession:1704210021Patient ID:01191965MCCollect Date:04/18/2017DOB, Age, Sex:1/19/1965 52 FemaleReceive Date:04/21/2017Client:(1028) Lags Spine and SportscareTested Date:04/27/2017Requested By:Michael Hoosier (1952850604)Release Date:04/27/2017

Medications: Topiramate, Contin, Valium, Venlafaxine, Omeprazole

REPORT DETAILS

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
Naltrexone		Negative	<20	Consistent
Norbuprenorphine		Negative	<30	Consistent
Normeperidine		Negative	<10	Consistent
Norbuprenorphine Glucuronide		Negative	<4	Consistent
Norfentanyl oxalate		Negative	<5	Consistent
Propoxyphene		Negative	<62.5	Consistent
Tapentadol		Negative	<20	Consistent
Tramadol HCL		Negative	<20	Consistent
Substances of Abuse				
6-MAM: Heroin Metabolite		Negative	<10	Consistent
Benzoylecgonine: Metabolite of Cocaine		Negative	<50	Consistent
ETHYL GLUCURONIDE (EIA)		Negative	<500	Consistent
JWH-018 pentanoic		Negative	<5	Consistent
JWH-073 Butanoic		Negative	<5	Consistent
JWH-073 hydroxybutyl		Negative	<5	Consistent
Methylenedioxyamphetamine (MDA)		Negative	<100	Consistent
Methylenedioxyethylamphetamine (MDEA)		Negative	<100	Consistent
Methylenedioxymethamphetamine (MDMA)		Negative	<100	Consistent
Mephedrone		Negative	<10	Consistent
Methamphetamine		Negative	<100	Consistent
PCP (Phencyclidine) (EIA)		Negative	<25	Consistent
THC-COOH Glucuronide	>400	Positive	<20	INCONSISTENT
THC COOH Glucuronide is a metabolite of THC.				
11 Carboxy THC	23.8	Positive	<10	INCONSISTENT
THC COOH is a metabolite of THC.				
/alidity Tests EIA				
Urine - Creatinine (mg/dL)	119	Normal	80-200	
Urine - Oxidants (ug/mL)	13	Normal	0-200	
Urine - PH Level	5.8	Normal	4.7-7.8	
Urine - Specific Gravity Level	1.028	Normal	1.003-1.035	



Report Status: Final

NATIONAL LABS 3948 TRUST WAY

HAYWARD, CA 94545 Ph.: (800) 800-6060

Patient Name:Campos Encizo, MariaAccession:1704210021Patient ID:01191965MCCollect Date:04/18/2017DOB, Age, Sex:1/19/1965 52 FemaleReceive Date:04/21/2017Client:(1028) Lags Spine and SportscareTested Date:04/27/2017Requested By:Michael Hoosier (1952850604)Release Date:04/27/2017

Medications: Topiramate, Contin, Valium, Venlafaxine, Omeprazole

False positive and false negative test results do occur. A licensed health care provider must provide any interpretation or recommendation for treatment based upon test results. The results are not for use as evidence in civil or criminal cases. Specimens are not obtained under the guidelines required for secure collection and, therefore, cannot be used for employment purposes. The results are based upon the method used for testing and the sensitivity of that method. A negative result indicates that the drugs tested for were not detected at the sensitivity level used. Positive results may be possible with the same or subsequent specimens if testing is performed using a greater degree of sensitivity. Other factors that may affect the results include the type of drug; the amount, duration and time of last drug use; the body type and weight of the individual being testing; and, in the case of urine drug screens, the concentration, acidity, or alkalinity of the urine.

^{***} Comments: Specimens received more than 3 days post collection may be compromised and not reflect actual concentration. This may limit detection of low levels. This test is not approved by the FDA for the treatment, diagnosis, or prevention, of any medical condition. It is performed for information and is intended for educational and research purposes only. Only a physician familiar with a Patient() 's individual medical history can make medical judgments and give that patient specific medical advice: results are not intended to be a substitute for consultation with a licensed health care provider.

LAGS MEDICAL CENTERS

Muhammad A. Molani, MD Francis P. Lagattuta, MD

***This sheet provided at request of client for patient identification verification purposes only.

Not a National Labs report.***

CLIA Number: 05D1058036 801 East Chapel Street Santa Maria, CA 93454

Tel: (805) 928-7361

Fax: (805) 928-5742

Urine Drug Testing Report

Name:

CAMPOS ENCIZO, MARIA

Date Collected: 4/18/2017

Sample ID:

F5723

Date Tested:

4/19/2017

Date of Birth:

1/19/1965

Time Tested:

6:42:41 PM

Sex:

Female

Physician:

HOOSIER, M-PA

TEST	RESULT	CUTOFF CONC.
		:
6-AcetylMorphine	RESULT NEGATIVE	10 ng/mL
Amphetamines	RESULT NEGATIVE	1000 ng/mL
Benzodiazepine	RESULT POSITIVE	200 ng/mL
Buprenorphine	RESULT NEGATIVE	5 ng/mL
Cocaine Metabolite	RESULT NEGATIVE	300 ng/mL
Methadone	RESULT NEGATIVE	300 ng/mL
Opiate	RESULT POSITIVE	300 ng/mL
Oxycodone	RESULT NEGATIVE	300 ng/mL
THC	RESULT POSITIVE	50 ng/mL
Tramadol	RESULT NEGATIVE	200 ng/mL

Tests are performed by Enzyme Immunoassay Technique on Siemens VIVA-E (#1) analyzer.

