

Patient Name: Griego, Delores
Patient ID: 02091941DG
DOB, Age, Sex: 2/9/1941 76 Female
Client: (1028) Lags Spine and Sportscare
Requested By: Beth Brown (1184958837)
Medications:

Accession: 1708080033
Collect Date: 07/28/2017
Receive Date: 08/08/2017
Tested Date: 08/10/2017
Release Date: 08/10/2017

REPORT SUMMARY

UNEXPECTED: Inconsistent Results Based on Patient's Declared Medications

Specimen ID	1708080033
Collection Date	7/28/2017
ETHYL GLUCURONIDE (EIA)	>2000
Hydrocodone	>2000
Hydromorphone	73.7
Nordiazepam	7.8
Norhydrocodone	>2000
Oxazepam	16.5
Oxycodone	>2000
Oxymorphone	128.5

EXPECTED: Consistent Results of Declared Medications & Metabolites

Specimen ID	1708080033
Collection Date	7/28/2017
NONE	

SPECIMEN VALIDITY RESULTS

Urine - Creatinine (mg/dL)	198	Normal	80-200
Urine - Oxidants (ug/mL)	0	Normal	0-200
Urine - PH Level	7.8	Normal	4.7-7.8
Urine - Specific Gravity Level	1.028	Normal	1.003-1.035

REPORT DETAILS

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
Amphetamine				
Amphetamine		Negative	<20	Consistent
Methylphenidate		Negative	<50	Consistent
Norpseudoephedrine		Negative	<10	Consistent
Ritalinic Acid		Negative	<50	Consistent
Benzodiazepines				
7-Aminoclonazepam		Negative	<4	Consistent

Patient Name: Griego, Delores
Patient ID: 02091941DG
DOB, Age, Sex: 2/9/1941 76 Female
Client: (1028) Lags Spine and Sportscare
Requested By: Beth Brown (1184958837)
Medications:

Accession: 1708080033
Collect Date: 07/28/2017
Receive Date: 08/08/2017
Tested Date: 08/10/2017
Release Date: 08/10/2017

REPORT DETAILS

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
alpha-hydroxyalprazolam		Negative	<5	Consistent
Alprazolam		Negative	<4	Consistent
Clonazepam		Negative	<10	Consistent
Diazepam		Negative	<5	Consistent
Flurazepam		Negative	<0.5	Consistent
Lorazepam		Negative	<10	Consistent
Meprobamate		Negative	<50	Consistent
Nordiazepam	7.8	Positive	<5	INCONSISTENT
Nordiazepam positive can be from Nordiazepam or as a metabolite of Diazepam.				
Oxazepam	16.5	Positive	<5	INCONSISTENT
Oxazepam positive can be Oxazepam or as a metabolite of Temazepam, Nordiazepam, or Diazepam.				
Temazepam		Negative	<20	Consistent
Neuromodulatory				
Carisoprodol		Negative	<20	Consistent
Gabapentin		Negative	<50	Consistent
Opiates and Semisynthetic Opioids				
Codeine		Negative	<50	Consistent
Hydrocodone	>2000	Positive	<50	INCONSISTENT
Hydrocodone is also a metabolite of Codeine.				
Hydromorphone	73.7	Positive	<50	INCONSISTENT
Hydromorphone is also a metabolite of Morphine, Hydrocodone, Heroin, or Codeine.				
Morphine		Negative	<50	Consistent
Norhydrocodone	>2000	Positive	<10	INCONSISTENT
Norhydrocodone is a metabolite of Hydrocodone and Codeine.				
Noroxycodone		Negative	<10	Consistent
Oxycodone	>2000	Positive	<10	INCONSISTENT
Oxymorphone	128.5	Positive	<25	INCONSISTENT
Oxymorphone positive can be Oxymorphone or as a metabolite of Oxycodone.				
Synthetic Opioids				
Buprenorphine Glucuronide		Negative	<10	Consistent
Buprenorphine		Negative	<10	Consistent
EDDP Percholate: Methadone Metabolite		Negative	<25	Consistent
Fentanyl		Negative	<2	Consistent
Meperidine		Negative	<10	Consistent
Methadone		Negative	<25	Consistent

Patient Name: Griego, Delores
Patient ID: 02091941DG
DOB, Age, Sex: 2/9/1941 76 Female
Client: (1028) Lags Spine and Sportscare
Requested By: Beth Brown (1184958837)
Medications:

Accession: 1708080033
Collect Date: 07/28/2017
Receive Date: 08/08/2017
Tested Date: 08/10/2017
Release Date: 08/10/2017

REPORT DETAILS

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
Naloxone		Negative	<10	Consistent
Naltrexone		Negative	<20	Consistent
Norbuprenorphine		Negative	<30	Consistent
Normeperidine		Negative	<10	Consistent
Norbuprenorphine Glucuronide		Negative	<4	Consistent
Norfentanyl oxalate		Negative	<5	Consistent
Propoxyphene		Negative	<62.5	Consistent
Tapentadol		Negative	<20	Consistent
Tramadol HCL		Negative	<20	Consistent
Substances of Abuse				
6-MAM: Heroin Metabolite		Negative	<10	Consistent
Benzoyllecgonine: Metabolite of Cocaine		Negative	<50	Consistent
ETHYL GLUCURONIDE (EIA)	>2000	Positive	<500	INCONSISTENT
JWH-018 pentanoic		Negative	<5	Consistent
JWH-073 Butanoic		Negative	<5	Consistent
JWH-073 hydroxybutyl		Negative	<5	Consistent
Methylenedioxyamphetamine (MDA)		Negative	<100	Consistent
Methylenedioxyethylamphetamine (MDEA)		Negative	<100	Consistent
Methylenedioxymethamphetamine (MDMA)		Negative	<100	Consistent
Mephedrone		Negative	<10	Consistent
Methamphetamine		Negative	<100	Consistent
PCP (Phencyclidine) (EIA)		Negative	<25	Consistent
THC-COOH Glucuronide		Negative	<20	Consistent
11 Carboxy THC		Negative	<10	Consistent
Validity Tests EIA				
Urine - Creatinine (mg/dL)	198	Normal	80-200	
Urine - Oxidants (ug/mL)	0	Normal	0-200	
Urine - PH Level	7.8	Normal	4.7-7.8	
Urine - Specific Gravity Level	1.028	Normal	1.003-1.035	

*** Comments: Specimens received more than 3 days post collection may be compromised and not reflect actual concentration. This may limit detection of low levels. This test is not approved by the FDA for the treatment, diagnosis, or prevention, of any medical condition. It is performed for information and is intended for educational and research purposes only. Only a physician familiar with a Patient()'s individual medical history can make medical judgments and give that patient specific medical advice. results are not intended to be a substitute for consultation with a licensed health care provider.

Those analytes' test results, reported as detected by LC/MS, have not been approved by the FDA. The performance characteristics of the assays have been determined by National Labs in accordance with Clinical Laboratory Improvement Act of 1988 (CLIA '88) guidelines.

False positive and false negative test results do occur. A licensed health care provider must provide any interpretation or recommendation for treatment based upon test results. The results are not for use as evidence in civil or criminal cases. Specimens are not obtained under the guidelines required for secure collection and, therefore, cannot be used for employment purposes. The results are based upon the method used for testing and the sensitivity of that method. A negative result indicates that the drugs tested for were not detected at the sensitivity level used. Positive results may be possible with the same or subsequent specimens if testing is performed using a greater degree of sensitivity. Other factors that may affect the results include the type of drug; the amount, duration and time of last drug use; the body type and weight of the individual being testing; and, in the case of urine drug screens, the concentration, acidity, or alkalinity of the urine.

LAGS MEDICAL CENTERS

Muhammad A. Molani, MD

Francis P. Lagattuta, MD

CLIA Number: 05D1058036

801 East Chapel Street

Santa Maria, CA 93454

Tel: (805) 928-7361

Fax: (805) 928-5742

This sheet provided at request of client for patient identification verification purposes only. Not a National Labs report.

Urine Drug Testing Report

Name: GRIEGO, DELORES Date Collected: 7/28/2017
Sample ID: NATLG7530 Date Tested: 8/2/2017
Date of Birth: 2/9/1941 Time Tested: 11:02:34 PM
Sex: Female Physician: BROWN, B-PA

TEST	RESULT	CUTOFF CONC
6-AcetylMorphine	RESULT NEGATIVE	10 ng/mL
Amphetamines	RESULT NEGATIVE	1000 ng/mL
Benzodiazepine	RESULT POSITIVE	200 ng/mL
Buprenorphine	RESULT NEGATIVE	5 ng/mL
Cocaine Metabolite	RESULT NEGATIVE	300 ng/mL
Methadone	RESULT NEGATIVE	300 ng/mL
Opiate	RESULT POSITIVE	300 ng/mL
Oxycodone	RESULT POSITIVE	300 ng/mL
THC	RESULT NEGATIVE	50 ng/mL
Tramadol	RESULT NEGATIVE	200 ng/mL

Tests are performed by Enzyme Immunoassay Technique on Siemens VIVA-E (#1) analyzer

Clinical Scientist: 