43 things

- 1. Solve a linear system directly (when there are 3 or fewer unknown variables), and give an explicit parameterization of the set of solutions
- 2. Draw accurate diagrams of vectors, lines, and planes in \mathbb{R}^2 and \mathbb{R}^3
- 3. Convert a linear system to a matrix equation
- 4. Represent a linear system as an augmented matrix
- 5. Perform row operations (scaling, swapping, and in-place subtraction) on a matrix or augmented matrix
- 6. Perform the correct sequence of row operations on an augmented matrix leading to reduced row echelon form (Gaussian elimination)
- 7. Perform the correct sequence of row operations on a matrix leading to row echelon form (partial Gaussian elimination)
- 8. Determine an explicit parameterization of the set of solutions of a linear system using the reduced row echelon form of the augmented matrix
- 9. Write the solution of a linear system as a vector expression
- 10. Perform the correct sequence of row operations on the identity-augmented matrix leading to the matrix of the inverse transformation
- 11. Compute the value (output) of a linear map or transformation when applied to a given input vector
- 12. Represent a change of basis as a matrix B or P ($P = B^{-1}$) (most often, from the standard basis to a given different basis)
- 13. Represent a vector v in \mathbb{R}^n (given as a column vector with respect to the standard basis) as a column vector with respect to a given different basis (Bv or $P^{-1}v$)
- 14. Represent a vector v given as a column vector with respect to a given basis as a column vector with respect to another basis (Bv or $P^{-1}v$)
- 15. Represent a linear map or transformation as a matrix with respect to the standard basis (M)
- 16. Represent a linear map or transformation as a matrix with respect to a given basis $(CMB^{-1}$ or BMB^{-1} (or $P^{-1}MP$))
- 17. Represent a bilinear form $\mathbb{R}^n \times \mathbb{R}^n \to \mathbb{R}$ as a matrix with respect to the standard basis (M)
- 18. Represent a bilinear form $\mathbb{R}^n \times \mathbb{R}^n \to \mathbb{R}$ as a matrix with respect to a given basis $((B^{-1})^T M B^{-1}$ or $P^T M P$)
- 19. Compute the value of a bilinear form on a pair of input vectors
- 20. Compute the length of a vector in \mathbb{R}^n
- 21. Compute the length of the projection of a vector onto another vector
- 22. Write the matrix of a linear transformation $\mathbb{R}^n \to \mathbb{R}^n$ that orthogonally projects onto the line spanned by a given vector (i) in an easy basis, and (ii) in the standard basis
- 23. Write the matrix of a linear transformation that orthogonally projects onto a subspace given by an orthonormal spanning set (i) in an easy basis, and (ii) in the standard basis
- 24. Write the matrix of a linear transformation that orthogonally projects onto a subspace given by an arbitrary spanning set
- 25. Write the matrix of a linear transformation that rotates in a given 2-plane by a given angle (i) in an easy basis, and (ii) in the standard basis

- 26. Represent the composition (one after the other) of two linear maps or transformations as a matrix (matrix multiplication)
- 27. Compute the determinant of a 2 by 2 or 3 by 3 matrix
- 28. Compute the solution of a determined linear system directly using Cramer's rule
- 29. (column space) Compute a basis for the image of a linear map $\mathbb{R}^n \to \mathbb{R}^m$ (select the columns of the original matrix corresponding to pivots in echelon form)
- 30. (null space) Compute a basis for the kernel of a linear map $\mathbb{R}^n \to \mathbb{R}^m$ (use the parameterization of the solution set of the homogeneous linear system Ax = 0, where A is the matrix of the map)
- 31. (row space) Compute a basis for the image of the dual map $\mathbb{R}^{m*} \to \mathbb{R}^{n*}$ (transpose then compute a basis for the column space)
- 32. ('left' null space) Compute a basis for the kernel of the dual map $\mathbb{R}^{m*} \to \mathbb{R}^{n*}$ (transpose then compute a basis for the null space)
- 33. Relate the dimensions of these 4 spaces and the rank of the original matrix:

$$rank = dim(col space) = dim(row space)$$

 $dim(col space) + dim(null space) = n$
 $dim(row space) + dim(left null space) = m$

- 34. Convert a list of vectors to an orthonormal basis for their span (Gram-Schmidt)
- 35. Decompose a full-rank matrix as QR, where the columns of Q are orthonormal and R is upper-triangular with positive entries on the diagonal (remembering the moves of Gram-Schmidt)
- 36. Decompose a matrix as LU, where L is lower-triangular and U is upper-triangular, when such a decomposition exists (remembering the moves of Gaussian elimination)
- 37. Use an LU decomposition to solve a linear system LUx = b
- 38. Compute the least squares solution of an overdetermined linear system Ax = b (the actual solution of $A^T Ax = A^T b$)
- 39. Perform symbolic matrix operations: product, inverse, transpose, determinant, trace, using linearity, basis invariance, associativity, homogeneity, etc.:

$$A + B = B + A \qquad \operatorname{tr}(A + B) = \operatorname{tr} A + \operatorname{tr} B$$

$$(AB)C = A(BC) \qquad \operatorname{tr}(BAB^{-1}) = \operatorname{tr} A$$

$$(AB)^{-1} = B^{-1}A^{-1} \qquad \det(BAB^{-1}) = \det A$$

$$(AB)^{T} = B^{T}A^{T} \qquad \operatorname{tr}(\lambda A) = \lambda \operatorname{tr} A$$

$$(A^{-1})^{T} = (A^{T})^{-1} \qquad \det(\lambda A) = \lambda^{\operatorname{size} A} \det A$$

- 40. Compute the characteristic polynomial of a linear transformation
- 41. Compute the eigenvalues of a linear transformation
- 42. Compute a basis of eigenvectors for the eigenspace of a given eigenvalue of a linear transformation
- 43. Find a basis with respect to which the matrix of a given linear transformation is diagonal, if one exists, and write the matrix equation relating the matrix with respect to the standard basis to the diagonal form