

Effect of Transmission Type on Miles Per Gallon

Executive Summary

In this paper we examine the Motor Trends data on the effect of transmission type on miles per gallon (mpg). First we determine whether an automatic or manual transmission is better for mpg. For this we conducted a t-test for the difference of mean mpg between cars with automatic or manual transmission. At $\alpha = 0.05$ we find there is a statistically significant difference in mpg between automatic and manual transmissions. Second we quantifying the effect of transmission type on mpg. Using a linear regression model we see that a manual transmission can increase the expected mpg by 2.936 when all other factors are held constant.

Data Analysis

Obtain the transmission type (automatic or manual) and miles per gallon rating for cars in the Motor Trend Car Road Test. First we assess whether a manual or automatic transmission is better for mpg. According to Figure 1 in the Appendix, automatic transmissions provide lower mpg.

We verify this by conducting a t-test for the difference mean mpg by transmission type. At $\alpha = 0.05$, we see the t statistic is -3.7671 with a p-value of 0.0014, which indicates there is a statistically significant difference between the respective mean values for mpg.

Modeling

We prepare the data for modeling. For non-categorical attributes, the mean is subtracted. This will allow for realistic interpretation of the intercept term.

To quantify the effect of transmission type on mpg, we create a linear regression model using all the relevant variables: **Model 1** $\text{mpg} \sim \text{cyl} + \text{disp} + \text{hp} + \text{drat} + \text{wt} + \text{qsec} + \text{vs} + \text{am} + \text{gear} + \text{carb}$. For this model the F-statistic is 13.9325 with a p-value of 3.7932×10^{-7} , which show the model is significant at the $\alpha = 0.05$. While the model may be significant, the p-value for the coefficients indicate we cannot reject the null hypothesis that they are zero.

##		Estimate	Std. Error	t value	Pr(> t)
##	(Intercept)	19.61730	7.10884	2.7596	0.01175
##	cyl	-0.11144	1.04502	-0.1066	0.91609
##	disp	0.01334	0.01786	0.7468	0.46349
##	hp	-0.02148	0.02177	-0.9868	0.33496
##	drat	0.78711	1.63537	0.4813	0.63528
##	wt	-3.71530	1.89441	-1.9612	0.06325

```
## qsec      0.82104    0.73084  1.1234  0.27394
## vs1       0.31776    2.10451  0.1510  0.88142
## ammanual  2.52023    2.05665  1.2254  0.23399
## gear      0.65541    1.49326  0.4389  0.66521
## carb     -0.19942    0.82875 -0.2406  0.81218
```

To find an alternative model, we use the **step** function to explore other formulations of the regression model. After running the procedure, the **step** function selected this formulation as the optimal representation: **Model 2 mpg ~ wt + qsec + am**. For this second model, the F-statistic is 52.7496 with a p-value is 1.2104×10^{-11} . The selected model has these coefficients, which based on the respective p-values are statistically significant.

```
##           Estimate Std. Error t value Pr(>|t|)
## (Intercept)  18.898      0.7194  26.271 2.856e-21
## wt          -3.917      0.7112  -5.507 6.953e-06
## qsec         1.226      0.2887   4.247 2.162e-04
## ammanual     2.936      1.4109   2.081 4.672e-02
```

The model's intercept shows the expected mpg is 18.898 for a car with the average weight and average seconds for a quarter mile. The coefficient for wt indicates the mpg will decrease by 3.917 for every thousand pound increase in weight over the average weight. For every second a car goes slower in the quarter mile then the average seconds per quarter mile, the coefficient for qsec shows the mpg will increase by 1.226. Finally, by using a manual transmission, the mpg increases 2.936 over the baseline of an automatic transmission.

Figure 2 in the Appendix shows the regression diagnostic plots for this second model. The residual plot shows there may be non-linear effect that merit further analysis.

The confidence intervals for the coefficients are

```
##           2.5 % 97.5 %
## (Intercept) 17.42441 20.371
## wt         -5.37333 -2.460
## qsec        0.63457  1.817
## ammanual    0.04573  5.826
```

Appendix

Summary statistics for Motor Trend Data

```
##      mpg      cyl      disp      hp
## Min.   :10.4   Min.   :4.00   Min.   : 71.1   Min.   : 52.0
## 1st Qu.:15.4   1st Qu.:4.00   1st Qu.:120.8   1st Qu.: 96.5
## Median :19.2   Median :6.00   Median :196.3   Median :123.0
## Mean   :20.1   Mean   :6.19   Mean   :230.7   Mean   :146.7
## 3rd Qu.:22.8   3rd Qu.:8.00   3rd Qu.:326.0   3rd Qu.:180.0
## Max.   :33.9   Max.   :8.00   Max.   :472.0   Max.   :335.0
##      drat      wt      qsec      vs
## Min.   :2.76   Min.   :1.51   Min.   :14.5   Min.   :0.000
## 1st Qu.:3.08   1st Qu.:2.58   1st Qu.:16.9   1st Qu.:0.000
## Median :3.69   Median :3.33   Median :17.7   Median :0.000
## Mean   :3.60   Mean   :3.22   Mean   :17.8   Mean   :0.438
## 3rd Qu.:3.92   3rd Qu.:3.61   3rd Qu.:18.9   3rd Qu.:1.000
## Max.   :4.93   Max.   :5.42   Max.   :22.9   Max.   :1.000
##      am      gear      carb
## Min.   :0.000   Min.   :3.00   Min.   :1.00
## 1st Qu.:0.000   1st Qu.:3.00   1st Qu.:2.00
## Median :0.000   Median :4.00   Median :2.00
## Mean   :0.406   Mean   :3.69   Mean   :2.81
## 3rd Qu.:1.000   3rd Qu.:4.00   3rd Qu.:4.00
## Max.   :1.000   Max.   :5.00   Max.   :8.00
```

Optimal Model Selection This documents the series of predictor variables eliminated or added by the **step** function to achieve Model 2. Criteria for model selection is based on the minimum Akaike Information Criteria (AIC). This led to model **mpg ~ wt + qsec + am**.

```
##      Step Df Deviance Resid. Df Resid. Dev   AIC
## 1      NA    NA         21      147.5 70.90
## 2 - cyl    1  0.07987      22      147.6 68.92
## 3 - vs     1  0.26852      23      147.8 66.97
## 4 - carb   1  0.68546      24      148.5 65.12
## 5 - gear   1  1.56497      25      150.1 63.46
## 6 - drat   1  3.34455      26      153.4 62.16
## 7 - disp   1  6.62865      27      160.1 61.52
## 8 - hp     1  9.21947      28      169.3 61.31
```




Figure 1: MPG Comparison by Transmission Type

$\text{lm}(\text{mpg} \sim \text{wt} + \text{qsec} + \text{am})$




Figure 2: Regression Diagnostics for Model 2