# Multiview Regenerative Morphing with Dual Flows

Chih-Jung Tsai[1], Cheng Sun[1,2], Hwann-Tzong Chen[1,3]
National Tsing Hua University[1], ASUS AICS Department[2], Aeolus Robotics[3]

ECCV TEL AVIV 2022

## Task

**Input**
Two sets of unaligned images

**Goal**
View consistent morphing

## Previous Work

**Image Morphing**



[Liao et al. 2014, Alexa et al. 2000, Seitz et al. 1996]

- 😄 Generate smooth and coherent transitions
- 😒 Need human annotations and cause view distortion

**Shape Interpolation**



[Eisenberger et al. 2021, Solomen et al. 2015, Janati et al. 2020]

- 😄 Generate smooth and view-consistent rendering
- 😒 Restrict to certain categories or simple geometry with no texture



## Phase 1

Learn color and shape volumes from multiview images.

## Phase 2

Learn optimal transport flow and rigid transformation flow to morph scenes with different weights. Render scenes with color and shape volumes.

## Comparison



- 😄 Top row morphs with dual flows, preserving source shape during transition.
- 😐 Middle row morphs without rigid flow, resulting shattered shapes.
- 😒 Bottom row interpolates with no flows, shown as a baseline.

## Results