



Question 1

Not yet answered

Marked out of
10

Flag question

Out of the following, what are the characteristics of a distributed system?

Select one or more:

- a. Restricted access
- b. Distributed memory
- c. Shared memory
- d. Message passing



Which one of the following is NOT a disadvantage of introducing a new tier in a system?

Select one:

- a. Less vulnerability for packet sniffing attacks
- b. Increased complexity in the system
- c. Increasing communication overhead
- d. Higher possibility of message transmission errors



Online Exams

Sri Lanka Institute of Information Technology

3
answered
out of
question

Select an application that may require UDP protocol over TCP protocol?

Select one:

- a. A file transfer application
- b. A cloud based human resource management system
- c. A chat application
- d. An audio streaming application that may require performance over reliability

Online Exams

Sri Lanka Institute of Information Technology

4
answered
out of
question

Which of the following is the purpose of having a welcoming socket in TCP?

Select one:

- a. To block server communication until a new client is created
- b. To manage multiple client connections simultaneously
- c. To close a client connection
- d. To make the initial connection with each new client

 Online Exams
Sri Lanka Institute of Information Technology

Question 5
Not yet answered
Marked out of 1.00
[Flag question](#)

In a TCP application, why is multithreading necessary?

Select one:

- a. To enable fault tolerance
- b. To enable secure communication
- c. To allow the server to simultaneously communicate with multiple clients
- d. To ensure the reliability in communication

 Online Exams
Sri Lanka Institute of Information Technology

Question 5
Not yet answered
Marked out of 1.00
[Flag question](#)

In a TCP application, why is multithreading necessary?

Select one:

- a. To ensure the reliability in communication
- b. To enable fault tolerance
- c. To enable secure communication
- d. To allow the server to simultaneously communicate with multiple clients

[Next page](#)

Online Exams

Sri Lanka Institute of Information Technology

What is the reason for using Inputstream/OutputStream classes in Java for socket communication?

Select one:

- a. As reading from/writing to sockets is similar to reading from/writing to a file. Both as input/output operations.
- b. They are used to ensure secure communication
- c. These classes are used to allow peer to peer communication
- d. These classes are used to facilitate multithreading

Online Exams

Sri Lanka Institute of Information Technology

7
answered
out of
question

What is the main reason for using the same DatagramSocket class both at the client and server side of a UDP application?

Select one or more:

- a. The same socket class is used to ensure secure communication
- b. The usage of the same socket class can make the implementation simpler
- c. The same socket class is used to handle multiple connections simultaneously
- d. There's no continuous connection, so the identical sockets can be used to facilitate communication at either end

Online Exams

Sri Lanka Institute of Information Technology

8 unanswered out of question

How can a TCP server handle the sudden crash of a client gracefully and close the server side socket?

Select one:

- a. Setting the server side socket variable to null
- b. Closing the server side socket as well
- c. Handling the IO Exception from the server side and closing the server side socket
- d. By handling the Socket Exception at the server side and closing the respective socket at the server side

Online Exams

Sri Lanka Institute of Information Technology

1 9 17 25 33 41 49

In a TCP socket application that is used to update a weather status by gathering data from sensors. The sensors update the weather object simultaneously. How can the server object can be protected from integrity errors that can occur from race conditions?

Select one or more:

- a. Using synchronized methods to update the weather object
- b. Using synchronized blocks in code blocks that does shared updates
- c. Do all the updates on the weather object at the client
- d. Using an encrypted channel to handle the communication
- e. Using a multi-threaded application to do the updates

Next page

SLIT

Online Exams

Sri Lanka Institute of Information Technology

10
Answered
out of
question

Which of the following is NOT a function of the skeletons and stubs in RMI?

Select one:

- a. Enable the client to call a remote function without having to manually handle socket communication
- b. Marshalling, which converts the method parameters in the remote function into a transferable format
- c. Ensuring the security of the messages transferred
- d. Serialization, which converts the objects that needs to be transferred to the remote function, into a transferable format

SLIT

Online Exams

Sri Lanka Institute of Information Technology

11
Answered
out of
question

Which of the following combination of object activation are NOT appropriate?

Select one or more:

- a. Remote SMS Server object, where each message may create an SMS object - Per call instantiation
- b. Remote timetable object, where each client share the same timetable - Per call instantiation
- c. Remote Weather object, where each client sensors share the same object - Singleton instantiation
- d. Remote Supermarket basket object, where each client may use a basket - Per client instantiation
- e. Remote credit card object, where each client has a creditcard object created - Singleton instantiation

Moodle
◀ ▶ X C | ⓘ | ⓘ



Online Exams

Sri Lanka Institute of Information Technology

Question 12

Not yet answered

Marked out of

1.00

Flag question

Which of the following are NOT examples of heterogeneity in distributed systems?

Select one or more:

a. Multiple users accessing the system concurrently

b. Messages being encrypted

c. Multiple hardware platforms being used by the servers

d. Multiple encryption algorithms used by different parts of the system

e. Multiple Operating systems being used by the clients

← → X C | ① | □



Online Exams

Sri Lanka Institute of Information Technology

Question 13

Not yet answered

Marked out of

1.00

Flag question

Which of the following is NOT a strength of RMI?

Select one:

Select one:

a. Platform interoperability

b. Language interoperability

c. Enables the secure access of system resources through policy files

d. Can use the object oriented principles and design patterns in Java



Online Exams

Sri Lanka Institute of Information Technology

Question 14

Not yet answered
Marked out of
1.00

Flag question

Which of the following remote method mechanism are NOT appropriate to the given scenario?

Select one or more:

- a. Getting an alert if the temperature of a server room exceeds a certain limit - Asynchronous remote callback
 - b. Validating the login details of a user - Asynchronous Remote callback
 - c. Validating the credit card details of a transaction - Blocking
 - d. Checking the share market price periodically - Message Polling
 - e. Checking the humidity of a remote weather station periodically - Asynchronous Callback
- a. Getting an alert if the temperature of a server room exceeds a certain limit - Blocking
- b. Validating the login details of a user - Asynchronous remote callback
- c. Validating the credit card details of a transaction - Asynchronous remote callback
- d. Checking the share market price periodically - Message Polling
- e. Checking the humidity of a remote weather station periodically - Blocking

a, c, e



Online Exams

Sri Lanka Institute of Information Technology

Question 15

Not yet answered
Marked out of
1.00

Flag question

Which of the following are NOT applications of Asynchronous calls (both local and remote)?

Select one or more:

- a. Reduce the waiting time of a client application due to a long running database read.
- b. Having remote Asynchronous calls in a web application to reduce the amount of data exchanged and to improve performance
- c. Block the client application till a remote validation is made
- d. Having local asynchronous calls to maintain UI responsiveness
- e. Execute a function that doesn't consume much computational time, to create a thread and return the control to the main thread in the server

Online Exams

Sri Lanka Institute of Information Technology

Which of the following are NOT benefits of using message queues?

Select one or more:

- a. Enable tight coupling between components
- b. Manage transactions in the business logic
- c. Persistence of messages
- d. Prioritize messages based on the requirement
- e. Reduce the scalability of applications

Next page

1 9 17 25 33 41 49 57

Online Exams

Sri Lanka Institute of Information Technology

Which of the following is NOT a component of the JMS specification?

Select one:

- a. Message registry
- b. JMS Session
- c. Message Producer
- d. Message consumer
- e. Reduce the scalability of applications

Next page

1 2 9 10 17 18 25 26 33 34 41 42 49 50

→ X G | O | Q



Online Exams

Sri Lanka Institute of Information Technology

Question 18

Not yet answered

Marked out of
1.00

Flag question

Which of the following is NOT a potential application of JMS?

Select one:

- a. A monitoring application that allows asynchronous messaging
- b. A highly scalable enterprise application with multiple components implemented with different technologies
- c. A client server Intranet java application
- d. An online message forum

18



Online Exams

Sri Lanka Institute of Information Technology

Question 19

Not yet answered

Marked out of
0.00

Flag question

Which one of the following is NOT a feature of CORBA?

Select one or more:

- a. Using a naming service to register and locate remote components
- b. Interface definition file to declare a remote interface
- c. Using a message service for asynchronous messaging
- d. IIOP protocol to exchange messages across components developed using different technologies

DELL

 Online Exams

Sri Lanka Institute of Information Technology

In a student management system where student details are stored and subject details are stored. Which of the following are NOT valid EJBs?

Select one or more:

- a. Student - Message driven bean
- b. StudentManagement - Stateful session bean
- c. Student - Entity bean
- d. Subject - Entity bean
- e. SubjectManagement - Entity bean

Next page

Online Exams

Sri Lanka Institute of Information Technology

on 21
et answered
ed out of
rag question

In a student management system, some student related operations may take a long time and therefore run in fashion. Which of the following EJB would be appropriate for that?

Select one:

- a. StudentAdministration - Stateful session bean
- b. Student - Entity bean
- c. StudentOperations - Message Driven bean
- d. StudentManagement - Stateless session bean

DELL

Moodle

Online Exams

Sri Lanka Institute of Information Technology

SLIIT

Question 22
Not yet answered
Marked out of 1.00
Flag question

Which of the following is NOT provided by most application servers to the application developers?

Select one:

- a. Managing the EJB object created
- b. Load balanc
- c. Session management
- d. Implementation of the business logic

Online Exams

Sri Lanka Institute of Information Technology

SLIIT

Question 23
Not yet answered
Marked out of 1.00
Flag question

Which of the following are NOT a result of the prevalence of Distributed systems?

Select one or more:

- a. Traditional pharmacies that dispense medicine
- b. Online job listing web sites
- c. Outsourcing of the IT projects to global teams.
- d. Mobile app based taxi services
- e. Postal service being used to send utility bills

Question 25Not yet answered
Marked out of
1.00

Flag question

Which line of the following XML file has a well-formed error (ignore the line numbers)?

```
1. <?xml version = "1.0" encoding="ISO-8859-1"?>
2. <!-- my first XML doc -->
3. <courseList xmlns="http://www.university.com" >
4. <course>
5. <lecturer>
6. <firstname> H.T. </firstname>
7. <lastname> Shen </lastname>
8. </lecturer>
9. <title>SOA</title>
10. <code>INF55204</code>
11. </course>
12. </courseList>
```

Select one or more:

a Line 9

b Line 2

c There is no error.

d Line 5

e Line 6

≡ Quiz navigation

1	2	3	4	5
9	10	11	12	1
17	18	19	20	2
25	26	27	28	2
33	34	35	36	3

Finish attempt...

Time left 1:03:57

→ X C | ① | A

Online Exams

Sri Lanka Institute of Information Technology

on 24
Not yet answered
Marked out of 1.00
Flag question

Which of the following is a scenario where a Stateful session bean is more appropriate to be used than a Stateless session bean?

Select one:

- a. Online bookshop where a user can order multiple books
- b. Online supermarket where the user count needs to be taken at a given time
- c. A payment gateway where each transaction is handled independently of each other
- d. A SMS service where each message needs to be processed independently

Question 25
Not yet answered
Marked out of 1.00
Flag question

Which line of the following xml file has a well-formed error (ignore the line numbers) ?

```
1. <?xml version = "1.0" encoding="ISO-8859-1"?>
2. <!-- my first XML doc -->
3. <courselist xmlns="http://www.university.com" >
4. <course>
5. <lecturer>
6. <firstname> H.T. </firstname>
7. <lastname> Shen </lastname>
8. </lecturer>
9. <title>SOA</title>
10. < code>INFS3204</code>
11. </course>
12. </courselist>
```

Select one or more:

- a. There is no error
- b. Line 2
- c. Line 5
- d. Line 9
- e. Line 16

Moodle ← → X C | ⓘ | ⌂

SLIT
Sri Lanka Institute of Information Technology

Online Exams

Question 26 Not yet answered Marked out of 1.00 Flag question

What is the purpose of using namespaces in XML?

Select one:

a. Enable unique identification of each xml element
 b. Enable checking for well-formedness
 c. Enable transforming the xml into an html
 d. Enable checking for validity

Next page

Quiz nav

1	2	3
9	10	1
17	18	1
25	26	2
33	34	3
41	42	4
49	50	5



Online Exams

Sri Lanka Institute of Information Technology

Which of the following instance will throw a validation error, provided the given schema definition segment?
`<x:element name="StockPurchase" minOccurs="1" maxOccurs="10"/>`

Select one or more:

- a. No StockPurchase elements in the xml file that uses the above schema definition segment
- b. 10 StockPurchase elements in the xml file that uses the above schema definition segment
- c. 7 StockPurchase elements in the xml file that uses the above schema definition segment
- d. 1 StockPurchase element in the xml file that uses the above schema definition segment
- e. 12 StockPurchase elements in the xml file that uses the above schema definition segment

Moodle

Marked out of 1.00

Flag question

```
<?xml-stylesheet type="text/xsl" href="stocks.xsl"?>
<investments>
    <item type="stock" exch="nyse" symbol="ZCHM" company="Zack corp.
    <item type="stock" exch="nasdaq" symbol="ZFFX" company="Zaffss Inc
    <item type="stock" exch="nasdaq" symbol="FMMS" company="Freeman
</investments>
```

Select one:

- a.

```
<xsl:for-each select="investments/item[@type='stock']">
    <stock>
        <stock_price>
            <xsl:value-of select="@price"/>
        </stock_price>
    </stock>
</xsl:for-each>
```
- b.

```
<xsl:for-each select="investments/item[@type='price']">
    <stock>
        <stock_price>
            <xsl:value-of select="@stock"/>
        </stock_price>
    </stock>
</xsl:for-each>
```
- c.

```
<xsl:for-each select="investments/item[@type='stock']">
    <stock>
        <stock_price>
            <xsl:value-of select="price"/>
        </stock_price>
    </stock>
</xsl:for-each>
```
- d.

```
<xsl:for-each select=">
    <stock>
        <stock_price>
            <xsl:value-of select=">
                <stock>
                    <stock_price>
                        <xsl:value-of select=">
                            <stock>
                                <stock_price>
                                    <xsl:value-of select=">
                                        <stock>
                                            <stock_price>
                                                <xsl:value-of select=">
                                                    <stock>
                                                        <stock_price>
                                                            <xsl:value-of select=">
                                                                <stock>
                                                                    <stock_price>
                                                                        <xsl:value-of select=">
                                                                            <stock>
                                                                                <stock_price>
                                                                                    <xsl:value-of select=">
                                                                                        <stock>
                                                                                            <stock_price>
                                                                                                <xsl:value-of select=">
                                    </stock_price>
                                </stock>
                            </xsl:for-each>
                        </xsl:for-each>
                    </xsl:for-each>
                </xsl:for-each>
            </xsl:for-each>
        </xsl:for-each>
    </xsl:for-each>
</xsl:for-each>
```



Online Exams

Sri Lanka Institute of Information Technology

Question 31

Not yet answered

Marked out of
1.00

Flag question

Which of the following are NOT characteristics of SOA?

Select one or more:

- a. Composable
- b. Uses vendor specific message formats
- c. Reusable
- d. Tight coupling
- e. Standard based

The characteristics of Service Oriented Architecture (SOA) are:

1. Composable
2. Reusable
3. Standard based



Online Exams

Sri Lanka Institute of Information Technology

Question 32

Not yet answered

Marked out of

Flag question

Which of the following are NOT appropriate scenarios to use SOA?

Select one or more:

- a. A client server web application that may use third party APIs
- b. A standalone GUI application
- c. A set of service that is currently used by a web client but may be used by other types of clients in the future
- d. A web api that may be used by multiple types of clients
- e. A client and server intranet application that needs high performance over interoperability

Online Exams

Sri Lanka Institute of Information Technology

Question 33

Not yet answered

Marked out of 10

Flag question

Which of the following technologies has NOT been greatly advanced with the advent of SOA and web services?

Select one:

- a. Cloud computing
- b. Supercomputers
- c. Web APIs
- d. Messaging middleware

Moodle

Online Exams

Sri Lanka Institute of Information Technology

Question 35

Not yet answered

Marked out of 10

Flag question

Which of the following are NOT appropriate REST urls and HTTP methods for the given operations?

Select one or more:

- a. Add user - HTTP GET - <http://wso2.com/general/dbusers/user/1/sam>
- b. Remove user - HTTP DELETE - <http://wso2.com/general/dbusers/user/1>
- c. Update user - HTTP PUT - <http://wso2.com/general/dbusers/user/1/nimal>
- d. Get user details - HTTP POST - <http://wso2.com/general/dbusers/user/1>
- e. Add user - HTTP POST - <http://wso2.com/general/dbusers/user/1/sam>

next p

**Question 34**

Not yet answered

Marked out of
1.00 Flag question

Which of the following are NOT reasons for distributing the computing?

Select one or more:

- a. Controlling the access to a system
- b. Economies of scale
- c. Increasing the availability
- d. Parallelization using multi-core architecture
- e. Functional separation

- a. Controlling access to a system is not typically a reason for distributing computing. Instead, access control is usually implemented using authentication and authorization mechanisms.
- b. Economies of scale can be a reason for distributing computing, as it may be more cost-effective to use multiple smaller systems rather than a single large system.
- c. Increasing availability is a common reason for distributing computing, as it can provide redundancy and fault tolerance to ensure that a system remains available even if some components fail.
- d. Parallelization using multi-core architecture is a technique for improving performance and can be achieved through distributed computing, but it is not a reason for distributing computing in and of itself.
- e. Functional separation can be a reason for distributing computing, as it can allow different components of a system to be developed, deployed, and managed independently.

Moodle

← → X C | ⓘ | A

 Online Exams
Sri Lanka Institute of Information Technology

Question 36
Not yet answered
Marked out of 1.00
Flag question

Which of the following is NOT a reason to do enterprise integration?

Select one:

- a. Having a simple homogeneous client server application that is unlikely to change
- b. Have to use products from multiple vendors
- c. Need to integrate legacy systems with newer products and APIs
- d. Need to support multiple message formats
- e. Diverse business requirements that may change in the future



Online Exams

Sri Lanka Institute of Information Technology

Question 37

Suppose there is a service that needs to query the stock price of a company from multiple stock services deployed around the world at different stock exchanges. What is the enterprise integration pattern that is suitable for this?

Not yet answered
Marked out of 00

Select one:

- a. Aggregator pattern
- b. None of the above
- c. Process manager pattern
- d. Polling pattern
- e. Enricher pattern

Moodle  x

◀ ▶ X C | ⓘ | ↗

Online Exams

Sri Lanka Institute of Information Technology

Question 38

Not yet answered

Marked out of 1.00

Flag question

Suppose you want to access a weather service and want to add some additional location information from a data source to the response. Which of the following integration pattern appropriate for this purpose?

Select one:

a. Content based routing

b. None of the above

c. Aggregator pattern

d. Enricher pattern

e. Process manager pattern

Next page

1 2 3
9 10 11
17 18 19
25 26 27
33 34 35
41 42 43
49 50 51
57 58 59



Online Exams

Sri Lanka Institute of Information Technology

16

Answered
out of
question

Which of the following is NOT a reason to do enterprise integration?

Select one:

- a. Diverse business requirements that may change in the future
- b. Having a simple homogeneous client server application that is unlikely to change in the future
- c. Have to use products from multiple vendors
- d. Need to support multiple message formats
- e. Need to integrated legacy systems with newer products and APIs

Back Forward Stop Refresh



Online Exams

Sri Lanka Institute of Information Technology

Question 40

Not yet answered

Marked out of
1.00

Flag question

Suppose an organization is managing 50 web services related to healthcare industry. Which of the following is NOT a reason to involve in the governance of the services?

Select one:

- a. Maintaining documentation of web services
- b. Integrating multiple services from different platforms
- c. Managing different versions of web services
- d. Show who is responsible for managing each service
- e. Monitor the usage and any errors caused by the services

Next

Moodle

← → X C | O | A

Online Exams

Sri Lanka Institute of Information Technology

Question 39

Not yet answered

Marked out of 1.00

Flag question


In developing a hotel reservation system, which of the following statements are NOT true, In a BPEL process?

Select one or more:

- a. 'flow' operations are used to simultaneously call the taxi and room reservation services
- b. 'switch' operation is used to select the payment option based on user preference
- c. 'switch' operation is used to call the external services
- d. 'sequence' operations are used to simultaneously call the taxi and room reservation services
- e. 'invoke' operation is used to call the payment service

Next page

1 2 3 4 5 6 7 8 9

A yellow diagonal marker is drawn across the top portion of the screen.

Online Exams


Sri Lanka Institute of Information Technology

What are the usages of Docker or other container frameworks in the Microservices architecture?

Select one or more:

- a. Docker allows a virtual machine to be run when deploying a service
- b. Docker facilitates the discovery of services
- c. Docker allows the services to be scaled up or down independently
- d. Docker allows a service to be deployed independently of other services

[Next page](#)

A yellow diagonal marker is drawn across the top portion of the screen.

SLIT

Online Exams

Sri Lanka Institute of Information Technology

Question 41
Not yet answered
Marked out of 1.00
[Flag question](#)

Which of the following are NOT features of cloud computing?

Select one or more:

- a. Auto-scaling of resources
- b. Multi-tenancy
- c. Usage of desktop clients
- d. Virtualization of resources
- e. Manual administration of servers

- a. Auto-scaling of resources - The ability to automatically increase or decrease resources based on demand
- b. Multi-tenancy - The ability to share resources among multiple users or tenants
- d. Virtualization of resources - The ability to create virtual instances of resources, such as servers or storage, to be used by multiple users or tenants
- e. Manual administration of servers - The ability to manage servers and resources through a web-based interface or API

SLIIT

Online Exams

Sri Lanka Institute of Information Technology

red

on

Identify the INCORRECT type of Cloud to be used for each scenario given?

Select one or more:

- a. An organization that wants to have some systems hosted locally but wants to use the public cloud when the load goes beyond limit - Hybrid cloud
- b. A bank that doesn't want to save their data in another country or with another party. - Private cloud
- c. A group of universities that needs to allow cloud access only to its members - Community cloud
- d. The defense ministry that wants to store their data locally but wants to use cloud computing - Public cloud
- e. A startup company that wants to use cloud based virtual servers - Hybrid cloud

Public clouds are typically not suitable for organizations that need to store sensitive data locally due to concerns over data security and privacy.

SLIIT

Online Exams

Sri Lanka Institute of Information Technology

Question 43
Not yet answered
Marked out of 0
Flag question

Which of the following are NOT the appropriate types of cloud to be used for the given scenarios?

Select one or more:

- a. Usage of a cloud based word processing application - SAAS
- b. Usage of a cloud based data server - Software as a Service (SAAS)
- c. Usage of cloud based application server - Platform as a service (PAAS)
- d. Usage of a cloud based GPU for training a Machine learning algorithm - Infrastructure as a service (IAAS)
- e. Usage of a cloud based human resource management software - Platform as a service (PAAS)

Software as a Service (SAAS) provides software applications over the internet and is suitable for scenarios such as word processing.



Question 44

Not yet answered

Marked out of
1.00

Flag question

Which of the following definition is NOT correct regarding cloud computing?

Select one:

- a. Under-provisioning - Not having enough resources in the cloud
- b. Horizontal scaling - Adding more CPU or memory to an existing virtual server
- c. Multi-tenancy - Having multiple users sharing the same set of resources in the cloud, without interfering each other
- d. Over-provisioning - Allocating more resources in the cloud than required

Horizontal scaling refers to adding more instances of a service or application in the cloud to handle increased demand. It involves adding more virtual servers, not just CPU or memory, to distribute the load and improve performance.



Question 45

Not yet answered

Marked out of
1.00

Flag question

Which of the following is NOT a feature of distributed systems?

Select one or more:

- a. Message passing
- b. Resource sharing
- c. Having a global clock
- d. Distributed failures
- e. Having a global state

Concurrency

Communication via message passing

Resource sharing

No global state

Heterogeneity

Independent and distributed failures

No global clock

← → X C | Θ | ✕



Online Exams

Sri Lanka Institute of Information Technology

Question 46

Not yet answered

Marked out of
1.00

▼ Flag question

Which of the following is NOT correct regarding OpEx (operational expenditure) and CapEx (Capital expenditure) in different types of clouds?

Select one:

- a. Hybrid clouds have both CapEx and OpEx
- b. Public clouds don't have CapEx but have OpEx
- c. Private clouds don't have CapEx
- d. Community clouds have both CapEx and OpEx



Online Exams

Sri Lanka Institute of Information Technology

Question 47

Not yet answered

Marked out of
1.00

Flag question

Which of the following is NOT a weakness of the monolithic architecture?

Select one:

- a. When changing a service, the entire application may have to be redeployed
- b. Having one unstable service can affect the reliability of the entire application
- c. Can scale-up or down at the service level
- d. Can become overly complex over time

← → × C | O | A



Online Exams

Sri Lanka Institute of Information Technology

Question 48

Not yet answered

Marked out of
1.00

Flag question

Which of the following is NOT a design principle of microservices?

Select one:

- a. Align each service with business requirements
- b. Having services that have broad scope
- c. Having fine grained services with limited scope
- d. Having single responsibility for each service

← → × C | O | A



Online Exams

Sri Lanka Institute of Information Technology

Which of the following is NOT a weakness of the monolithic architecture?

Select one:

- a. Having one unstable service can affect the reliability of the entire application
- b. When changing a service, the entire application may have to be redeployed
- c. Can become overly complex over time
- d. Can scale-up or down at the service level

Online Exams

Sri Lanka Institute of Information Technology

Which of the following is NOT correct regarding OpEx (operational expenditure) and CapEx (Capital expenditure) in different types of clouds?

Select one:

- a. Public clouds don't have CapEx but have OpEx
- b. Hybrid clouds have both CapEx and OpEx
- c. Community clouds have both CapEx and OpEx
- d. Private clouds don't have CapEx

Next Page

Online Exams

Sri Lanka Institute of Information Technology

Question 49

yet answered

marked out of

Flag question

Which of the following is NOT an appropriate error handling pattern in Microservice architecture?

Select one:

- a. Circuit breaker pattern
- b. Process manager pattern
- c. Bulkhead pattern
- d. Timeout pattern

Sri Lanka Institute of Information Technology

Question 46
Not yet answered
Marked out of 1.00
Flag question

Which of the following is NOT correct regarding OpEx (operational expenditure) and CapEx (Capital expenditure) in different types of clouds?

Select one:

- a. Public clouds don't have CapEx but have OpEx
- b. Hybrid clouds have both CapEx and OpEx
- c. Community clouds have both CapEx and OpEx
- d. Private clouds don't have CapEx

Next page

Quiz navigation

1	2	3	4	5	6	7	8
9	10	11	12	13	14	15	16
17	18	19	20	21	22	23	24
25	26	27	28	29	30	31	32
33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48
49	50	51	52	53	54	55	56
57	58	59	60				

Finish attempt...
Time left 0:24:34

Online Exams

Sri Lanka Institute of Information Technology

SLIT

Question 50
Not yet answered
Marked out of 1.00
Flag question

What are the usages of Docker or other container frameworks in the Microservices architecture?

Select one or more:

- a. Docker allows a virtual machine to be run when deploying a service
- b. Docker facilitates the discovery of services
- c. Docker allows a service to be deployed independently of other services
- d. Docker allows the services to be scaled up or down independently



Online Exams

Sri Lanka Institute of Information Technology

red
on

What are the uses of Kubernetes or any other microservices orchestration framework in the microservices architecture?

Select one or more:

- a. Self healing or restarting service instances if there's a service failure
- b. Version control of services
- c. Creating virtual machines to deploy services
- d. Automatically scaling up and down the services, based on user demand
- e. Managing the data storage of the application



Next page



Online Exams

Sri Lanka Institute of Information Technology

Question 52

Not yet answered

Marked out of
1.00

Flag question

Based on the following attributes, what is an appropriate metric to measure availability?

MTTF - Mean time to failure

MTTR - Mean time to recover

MTBF - Mean time between failures

Select one:

- a. MTTF / MTTR
- b. MTTR / MTTF
- c. MTTF / (MTTF + MTTR)
- d. MTTR / (MTTF + MTTR)

 Sri Lanka Institute of Information Technology

Question 49
Not yet answered
Marked out of 1.00
 Flag question

Which of the following is NOT an appropriate error handling pattern in Microservice architecture?

Select one:

- a. Circuit breaker pattern
- b. Bulkhead pattern
- c. Process manager pattern
- d. Timeout pattern

Moodle

Online Exams

Sri Lanka Institute of Information Technology

Question 53
Not yet answered
Marked out of 1.00
 Flag question

Which of the following is the valid reason for having a two phase or three phase commit instead of one phase commits in a distributed system?

Select one:

- a. In one phase commit, there's no way to allow secure messaging
- b. In one phase commit, there's no way for the coordinator to know whether a process has failed
- c. In one phase commit, there's no way to allow auto scaling
- d. In one phase commit, there's no way to manage load balancing

Next page

1
9
17
25
33
41
49
57



Online Exams

Sri Lanka Institute of Information Technology

Which of the following are NOT correct statements when it comes to fault tolerance?

Select one or more:

- a. Reconfiguration is where a faulty component is eliminated from the system and restoring the system
- b. Crash failures account for scenarios where the faulty process gives correct output until it crashes
- c. In a k fault tolerant system, k+1 replicas of processes may be necessary to account for byzantine failures
- d. Fault masking is the process of detecting the faults
- e. Byzantine failures account for scenarios where the faulty process may give incorrect outputs before failing

Online Exams

Sri Lanka Institute of Information Technology

Question 53
Not yet answered
Marked out of 1.00
Flag question

Which of the following is the valid reason for having a two phase or three phase commit instead of one phase commits in a distributed system?

Select one:

- a. In the one phase commit, there's no way to allow auto scaling
- b. In one phase commit, there's no way to manage load balancing
- c. In one phase commit, there's no way to allow secure messaging
- d. In one phase commit, there's no way for the coordinator to know whether a process has failed

Quiz navigation

1	2	3	4
9	10	11	
17	18	19	
25	26	27	
33	34		
41	42		
49	50		
57			

Next page

Online Exams

Sri Lanka Institute of Information Technology

Which of the following is NOT a correct statement with respect to failure classification?

Select one:

- a. Crash failure refers to scenarios where the server halts but it works correctly until it halts
- b. Omission failures is where the server fails to respond
- c. Timing failures refer to scenarios where the server does not respond within an accepted time
- d. Arbitrarily failures refer to scenarios where the server responds with arbitrary responses
- e. Response failure is where a server may not respond at all

 Online Exams

Sri Lanka Institute of Information Technology

red
on

Which of the following systems have the appropriate software architectural styles?

Select one or more:

- a. Online exam web site - Layered architecture
- b. Online gaming platform - Data Centered architecture
- c. Fire alarm system - Component based architecture
- d. E-commerce web site - Layered architecture
- e. Teaching material management system - Shared Data space architecture

 Online Exams

Sri Lanka Institute of Information Technology

Question 57
Not yet answered
Marked out of 0.00
Flag question

Which of the following are NOT examples of redundancy being used to provide fault tolerance?

Select one or more:

- a. Using error detection codes to identify message errors
- b. Using backup servers to account for abrupt server failures
- c. Using timeouts and re-attempts of requests to account for response failures
- d. Using encryption to ensure secure messaging
- e. Using authentication to prevent authorized access



Online Exams

Sri Lanka Institute of Information Technology

Question 58

Not yet answered

Marked out of
1.00

Flag question

Which one of the following systems DOES NOT have the appropriate system architecture ?

Select one or more:

- a. Distributed Image sharing platform without any single point of failure - Client Server architecture
- b. Online taxi app - Client server architecture
- c. Single player distributed mobile game - Peer to Peer Architecture
- d. Online book purchasing system - Client server architecture



Sri Lanka Institute of Information Technology

on 60

et answered
ed out of

Flag question

What of the following is NOT an advantage of having a separate business logic tier in a share market system?

Select one:

- a. Ability to handle miscalculations of computation in servers due to electro magnetic radiation.
- b. Parallelize the computation of large datasets
- c. Sequentially compute a complex scientific computation
- d. Ability to handle abrupt server failures.
- e. Load balancing depending on the number of transactions per second.

 Sri Lanka Institute of Information Technology

Online Test

Question 59
Not yet answered
Marked out of 1.00
Flag question

Which of the following is NOT an advantage of the event based architecture?

Select one:

- a. Asynchronous communication
- b. Tight coupling between components
- c. High scalability
- d. Facilitate publisher subscriber messaging