

Sri Lanka Institute of Information Technology



Software Engineering Process & Quality Management SE3010 Cypress Lab Sheet

IT22251114 JINAD INDUWITHWA A.G



Initialize a new Node.js project

```
Microsoft Windows [Version 10.0.22631.5039]
(c) Microsoft Corporation. All rights reserved.

D:\Y3 S1\SEP - QM\lab 05 - Cypress Lab\cypress lab\npm init -y
Wrote to D:\Y3 S1\SEP - QM\lab 05 - Cypress Lab\cypress lab\npackage.json:

{
    "name": "cypress-lab",
    "version": "1.0.0",
    "main": "index.js",
    "scripts": {
        "test": "echo \"Error: no test specified\" && exit 1"
        },
        "keywords": [],
        "author": "",
        "license": "ISC",
        "description": ""
}

D:\Y3 S1\SEP - QM\lab 05 - Cypress Lab\cypress lab\cypress lab\
```

Install cypress

```
PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

PS D:\Y3 S1\SEP - QM\lab 05 - Cypress Lab\cypress lab> npm install cypress --save-dev

added 175 packages, and audited 176 packages in 5m


40 packages are looking for funding
   run `npm fund` for details

found 0 vulnerabilities


PS D:\Y3 S1\SEP - QM\lab 05 - Cypress Lab\cypress lab>
```



Open cypress




E2E testing






Start testing



cypress/e2e folder, inside simple_test.cy.js. file





Test scripts

```
EXPLORER
                             JS simple_test.cy.js X


✓ CYPRESS LAB

                              cypress > e2e > JS simple_test.cy.js > ...
                                     describe('Simple Web Page Test', () => {

∨ cypress


                                          it('Visits Example Page and verifies content', () => {
  > downloads
  ∨ e2e
                                            cy.visit('https://example.cypress.io');
   JS simple_test.cy.js
  > fixtures
  > support
                                            cy.title().should('include', 'Cypress');
 > node_modules
 JS cypress.config.js
                                            cy.contains('type').click();
 {} package-lock.json
 {} package.json
                                            cy.url().should('include', '/commands/actions');
                                            cy.get('.action-email')
                                              .type('student@example.com')
                                              .should('have.value', 'student@example.com');
                               20
```

Open cypress again





e2e testing and select browser



Run the test

