

Selenium IDE End-to-End Test Automation Guide

Complete execution scripts, cart validations, and regression test plan

Task 1 Flipkart Login Automation with Post-Login Wait

Command	Target	Value
open	https://www.flipkart.com	
set window size	1280x800	
click	xpath=//a[contains(text(), 'Login')]	
type	xpath=//input[@class='r4vI3z']	9876543210
click	xpath=//button[contains(text(), 'Request OTP')]	
wait for element visible	css=div._1ruA5s	30000
assert element present	css=div._1ruA5s	

Note: Automated logins on modern e-commerce sites frequently require manual OTP verification during test execution.

Task 2 Myntra Multi-Product Cart Validation

Command	Target	Value
open	https://www.myntra.com/shoes	
click	xpath=//li[@class='product-base']][1]	
selectWindow	handle=\${win_ser_1}	
click	xpath=//button[contains(@class, 'pdp-add-to-bag')]	
open	https://www.myntra.com/socks	
click	xpath=//li[@class='product-base']][1]	
selectWindow	handle=\${win_ser_2}	
click	xpath=//button[contains(@class, 'pdp-add-to-bag')]	
open	https://www.myntra.com/checkout/cart	
wait for element visible	css=div.itemBlock-base-itemHeader	5000
assert text	css=span.header-title	2/2 ITEMS SELECTED

Task 3 Zomato Cart & Logout Workflow

Command	Target	Value
open	https://www.zomato.com	
click	xpath=//button[contains(text(), 'Add')]	
wait for element visible	css=div[class*='cart-container']	5000
click	css=div[class*='user-profile-icon']	
click	xpath=//span[contains(text(), 'Log out')]	
wait for element visible	xpath=//span[contains(text(), 'Log in')]	5000
assert element present	xpath=//span[contains(text(), 'Log in')]	

Task 4

Exported Test Plan Document

Suite Overview: End-to-End E-Commerce Functional Verification

Step	Action Description	Target Element	Expected Result
1	Navigate to application URL	Root domain (/)	Homepage loads completely without error codes.
2	Enter credentials & submit	User/Pass fields & Submit button	User authenticates successfully; token stored.
3	Post-login verification	User profile icon / Dashboard	Profile icon becomes visible in header within 5s.
4	Search & select item	Search input field & Result item	Product detail page renders item title and price.
5	Add item to cart	"Add to Cart" button	Cart badge increments; success toast appears.
6	Navigate to cart	Cart icon / Checkout link	Checkout page renders item listing accurately.
7	Validate cart item count	Cart summary header	Total items displayed matches added quantity.
8	Initiate session termination	Account dropdown -> "Logout"	Active user session destroyed cleanly.
9	Confirm logout state	Login CTA button	Redirected to public landing page displaying "Log in".

Task 5 Full Swiggy Regression Test Suite

Test Name: Swiggy_Regression_Suite

Command	Target	Value
open	https://www.swiggy.com	
set window size	1280x800	
click	xpath=//a[contains(text(),'Sign in')]	
type	id=mobile	9876543210
click	xpath=//a[contains(text(),'LOGIN')]	
wait for element visible	css=span._1W_B6	30000
click	xpath=//span[contains(text(),'Search')]	
type	css=input[placeholder*='Search']	Paneer Butter Masala
sendKeys	css=input[placeholder*='Search']	\${KEY_ENTER}
wait for element visible	css=div[data-testid='search-dish-card']	5000
click	xpath=(//div[contains(text(),'ADD')])[1]	
wait for element visible	css=span._1o55b	5000
assert text	css=div._209_N	Paneer Butter Masala
assert element present	css=span._2EAnM	
click	css=span._1W_B6	
click	xpath=//a[contains(text(),'Logout')]	
wait for element visible	xpath=//a[contains(text(),'Sign in')]	5000
assert element present	xpath=//a[contains(text(),'Sign in')]	