### SPIKE CHEMPLANNER



LETS GET STARTED:)

# what's the Problem?


### DIRECTLY TOUCHING THE DOM FOR EVENT BINDING, ATTRIBUTES CHANGE ETC..

 put direct dependency on selector engine

```
* Events for the view
 * @property events
                            class="exclude-molecule">
 * @type Object
                                <a>Exclude Molecule</a>
                            events: {
    'click .molecule-new-search': 'goBackToSearchHandler',
    'click .mark-sm': 'markStartMaterialHandler',
    'click .edit-sm': 'editStartMaterialHandler',
    'click .edit-price': 'editCustomPriceHandler',
    'click .set-price': 'setCustomPriceHandler',
    'click .clean-structure': 'cleanStructureDisplayHandler',
    'click .exclude-molecule': 'excludeMoleculeHandler',
    'mouseover .dropdown-submenu': 'positionSubmenuHandler'
```

#### **BACKBONE - RE-RENDERING VIEW WILL LOOSE OUR STATE**

 Leads to creating multiple views for small state change or any ui state change




Most of this views cannot be re-used

### MANAGING THE HISTORY FOR COMPLEX APPLICATION IS DIFFICULT



#### **EVENTS - IN SUB-VIEWS IS A NIGHTMARE TO DEBUG**



#### **DECORATOR + MIXIN PATTERN**

- Difficult to test decorators
- Order of execution not clear
- Not clear what is applied when decorators are used
- Poorly named
- Overzealous abstraction
- Extended from multiple files(hard to follow)
- Too rigid

## CHANGING/CLEANING API END POINTS( PERMISSIONS, ROLES, PERMISSIONS GROUPS)

- Validation(Back-end and Frontend)
- Routing(error pages)
- Error in session

### DRAW VIEW WITHOUT DATA( CACHE VIEWS ) THE RE RENDER( MANUAL WAY )

- Poor separation of view + data
- Mostly use singletons


```
if (this.get('queryHistoryId')) {
56
57
                          this.url = this.url + this.get('que
58
                      } else {
59
                          this.url = this.url + this.id:
50
51
52
53
54
55
        return new EditStructureModel():
56
    });
```

- Hard to test dependencies
- Partial landing of view before session verification


### OMG LETS CHANGE EVERYTHING TO REACT NOW



### CHEMPLANNER(34600) AND HUB (8642) SCALED UP TO 43,242 LINES OF CODE



### **PROGRESSIVE ENHANCEMENT**



#### **SETUP THE BASICS**

- Can we inject react view in to backbone view?
- Does react support requirejs?
- How do we transpile jsx on the fly?
- Can we use same build for backbone and react?
- Can we serve backbone views and react views from single file which we use in production?
- Can we add linting support for js, es6 and jsx





#### Integrated EsLint

- Integrated dependency loader to transpile jsx
- Setup build step for development and production environments
- And a sample with all integrated

#### **TODOS**

- Form validation
- Unit testing one option (enzyme)
- Server side rendering



