

Full Static Site Audit Report

13 Sites | Static Site QA Checklist (Sean)

Generated: July 07, 2026

Automated audit via Invoke-AuditStaticSite.ps1. Adjusted counts mark known false positives (HTTP probe, www DNS, wp-json/xmlrpc head links, legal orphan pages) as N/A. Manual form submit and CallRail lead checks are PENDING for VA sign-off.

Portfolio summary

Site	Verdict	Pass	Fail	N/A	Pending
pilot.abilenedrivewayrepair.com	REVIEW	26	3	3	2
static.southlaketreesevicecompany.com	REVIEW	26	3	3	2
dev.alamoheightsfoundationrepair.com	REVIEW	28	3	1	2
plainviewconcreterepairandleveling.plainviewconcreterepairandleveling.com	REVIEW	26	3	3	2
newbraunfelsfenceexperts.newbraunfelsfenceexperts.com	MINOR REVIEW	27	2	4	2
static.springfieldtnfoundationrepair.com	MINOR REVIEW	28	2	3	2
scrape2.zebulonfoundationrepair.com	MINOR REVIEW	30	0	3	2
static.saginawxtreeservice.com	MINOR REVIEW	28	2	3	2
static.lutzfoundationrepair.com	MINOR REVIEW	30	0	3	2
static.berkeleyconcreterepairandleveling.com	MINOR REVIEW	27	2	3	2
static.springpaintcontractors.com	MINOR REVIEW	29	0	4	2
static.colleyvilletreeservicecompany.com	MINOR REVIEW	27	2	4	2
static.grapevinetreeservicepros.com	MINOR REVIEW	28	2	3	2

Formatting cleanup applied: full domains retained, long URLs wrapped, detail rows widened, status cells color-coded, and broken encoding artifacts normalized.

pilot.abilenedrivewayrepair.com

Public URL	https://pilot.abilenedrivewayrepair.com/
Origin (WP)	https://abilenedrivewayrepair.com/
Audit date	July 07, 2026
Standard	Static Site QA Checklist (Sean)
Source	audit-pilot-abilenedrivewayrepair-20260707-012509.csv

Verdict: REVIEW REQUIRED

Pass	Fail	N/A	Pending
26	3	3	2

Open issues

- SEO files / site_map.xml: HTTP 500 x-source=
- SEO files / category-sitemap.xml: HTTP 500 x-source=
- Orphans / crawled pages in sitemap: not in sitemap: /elementor-32/attachment/6/, /elementor-32/attachment/5/, /elementor-32/attachment/3

Detailed findings

Crawl UA

Check	Detail	Result
desktop	HTTP 200 x-source=kv	PASS
bingbot	HTTP 200 x-source=kv	PASS
googlebot	HTTP 200 x-source=kv	PASS
mobile	HTTP 200 x-source=kv	PASS

SEO files

Check	Detail	Result
robots.txt	HTTP 200 x-source=	PASS
sitemap.xml	HTTP 200 x-source=r2	PASS
site_map.xml	HTTP 500 x-source=	FAIL
sitemap_index.xml	HTTP 200 x-source=r2	PASS

Check	Detail	Result
page-sitemap.xml	HTTP 200 x-source=r2	PASS
category-sitemap.xml	HTTP 500 x-source=	FAIL
/sitemap.xml valid XML	ct=application/xml; charset=UTF-8 x-source=r2	PASS
/page-sitemap.xml valid XML	ct=application/xml; charset=UTF-8 x-source=r2	PASS
/sitemap_index.xml valid XML	ct=application/xml; charset=UTF-8 x-source=r2	PASS

Canonical

Check	Detail	Result
http -> https redirect	HTTP probe limitation in PowerShell; HTTPS works in browser.	N/A
apex abilenedrivewayrepair.com still live WP	HTTP 200 (expected live origin for editing)	PASS
www.pilot.abilenedrivewayrepair.com/	No www DNS for this static host (expected).	N/A

Security

Check	Detail	Result
wp-admin blocked on static	HTTP 403	PASS

Crawl

Check	Detail	Result
pages discovered	7 HTML pages crawled from homepage	PASS

Static cache

Check	Detail	Result
pages served from KV	7/7 pages x-source=kv	PASS

HTTP status

Check	Detail	Result
all crawled pages 200	all 7 pages OK	PASS

Links

Check	Detail	Result
no broken internal links	WP head metadata only (wp-json/xmlrpc/feed).	N/A
no broken external links (sample)	checked 7 external URLs	PASS

Images

Check	Detail	Result
no broken images	no image 404s in sample	PASS

On-page

Check	Detail	Result
title tag	Driveway Repair in Abilene, TX Concrete Repair Experts	PASS
meta description	Expert driveway repair in Abilene, TX. We fix cracks, sinking concrete, and unev	PASS
canonical on static host	https://pilot.abilenedrivewayrepair.com/	PASS

Forms

Check	Detail	Result
contact form present	form tag on homepage	PASS
validation worker referenced	footer validation worker found	PASS
Form validation (manual submit)	VA must submit form on static URL and confirm alerts.	PENDING
CallRail lead capture (manual)	VA must confirm lead in CallRail dashboard.	PENDING

CallRail

Check	Detail	Result
CallRail script present	CallTrk/CallRail detected in HTML	PASS

Sitemap

Check	Detail	Result
page-sitemap lists URLs	1 URLs in page-sitemap.xml	PASS

Orphans

Check	Detail	Result
crawled pages in sitemap	not in sitemap: /elementor-32/attachment/6/, /elementor-32/attachment/5/, /elementor-32/attachment/3/, /elementor-32/attachment/4/, /elementor-32/attachment/2/, /elementor-32/attachment/1/	FAIL
sitemap URLs reachable	not reached from nav crawl: /%20elementor-32/attachment/1/%20elementor-32/attachment/2/%20elementor-32/attachment/3/%20elementor-32/attachment/4/%20elementor-32/attachment/5/%20elementor-32/attachment/6/	PASS

static.southlaketreesservicecompany.com

Public URL	https://static.southlaketreesservicecompany.com/
Origin (WP)	https://southlaketreesservicecompany.com/
Audit date	July 07, 2026
Standard	Static Site QA Checklist (Sean)
Source	audit-static-southlaketreesservicecompany-20260707-012509.csv

Verdict: REVIEW REQUIRED

Pass	Fail	N/A	Pending
26	3	3	2

Open issues

- SEO files / robots.txt: HTTP 404 x-source=
- Links / no broken external links (sample): <https://www.google.com/maps/embed?pb=!1m18!1m12!1m3!1d3348.138678011685!2d-97.1328263848136!3d32.947>
- Forms / validation worker referenced: not found - static forms may fail

Detailed findings

Crawl UA

Check	Detail	Result
desktop	HTTP 200 x-source=kv	PASS
bingbot	HTTP 200 x-source=kv	PASS
googlebot	HTTP 200 x-source=kv	PASS
mobile	HTTP 200 x-source=kv	PASS

SEO files

Check	Detail	Result
robots.txt	HTTP 404 x-source=	FAIL
sitemap.xml	HTTP 200 x-source=r2	PASS
site_map.xml	HTTP 404 (optional - not all sites have this)	PASS
sitemap_index.xml	HTTP 200 x-source=r2	PASS

Check	Detail	Result
page-sitemap.xml	HTTP 200 x-source=r2	PASS
category-sitemap.xml	HTTP 404 (optional - not all sites have this)	PASS
/sitemap.xml valid XML	ct=application/xml; charset=UTF-8 x-source=r2	PASS
/page-sitemap.xml valid XML	ct=application/xml; charset=UTF-8 x-source=r2	PASS
/sitemap_index.xml valid XML	ct=application/xml; charset=UTF-8 x-source=r2	PASS

Canonical

Check	Detail	Result
http -> https redirect	HTTP probe limitation in PowerShell; HTTPS works in browser.	N/A
apex southlaketreesservicecompany.com still live WP	HTTP 200 (expected live origin for editing)	PASS
www.static.southlaketreesservicecompany. com/	No www DNS for this static host (expected).	N/A

Security

Check	Detail	Result
wp-admin blocked on static	HTTP 403	PASS

Crawl

Check	Detail	Result
pages discovered	10 HTML pages crawled from homepage	PASS

Static cache

Check	Detail	Result
pages served from KV	10/10 pages x-source=kv	PASS

HTTP status

Check	Detail	Result
all crawled pages 200	all 10 pages OK	PASS

Links

Check	Detail	Result
no broken internal links	WP head metadata only (wp-json/xmlrpc/feed).	N/A

Check	Detail	Result
no broken external links (sample)	https://www.google.com/maps/embed?pb=!1m18!1m12!1m3!1d3348.138678011685!2d-97.1328263848136!3d32.94734788092089!2m3!1f0!2f0!3f0!3m2!1i1024!2i768!4f13.1!3m3!1m2!1s0x0%3A0x63e1056b1a3c720!2sSouthlake%20Tree%20Service%20Company!5e0!3m2!1sen!2sus!4v156 7187408088!5m2!1sen!2sus	FAIL

Images

Check	Detail	Result
no broken images	no image 404s in sample	PASS

On-page

Check	Detail	Result
title tag	Home - Southlake Tree Service Company	PASS
meta description	?The trees on our property provide us with shade, shelter and a natural beauty t	PASS
canonical on static host	https://static.southlaketreesevicecompany.com/	PASS

Forms

Check	Detail	Result
contact form present	form tag on homepage	PASS
validation worker referenced	not found - static forms may fail	FAIL
Form validation (manual submit)	VA must submit form on static URL and confirm alerts.	PENDING
CallRail lead capture (manual)	VA must confirm lead in CallRail dashboard.	PENDING

CallRail

Check	Detail	Result
CallRail script present	CallTrk/CallRail detected in HTML	PASS

Sitemap

Check	Detail	Result
page-sitemap lists URLs	11 URLs in page-sitemap.xml	PASS

Orphans

Check	Detail	Result
crawled pages in sitemap	all crawled pages listed	PASS

Check	Detail	Result
sitemap URLs reachable	not reached from nav crawl: /confirmation/	PASS

dev.alamoheightsfoundationrepair.com

Public URL	https://dev.alamoheightsfoundationrepair.com/
Origin (WP)	https://alamoheightsfoundationrepair.com/
Audit date	July 07, 2026
Standard	Static Site QA Checklist (Sean)
Source	audit-dev-alamoheightsfoundationrepair-20260707-012509.csv

Verdict: REVIEW REQUIRED

Pass	Fail	N/A	Pending
28	3	1	2

Open issues

- SEO files / robots.txt: HTTP 404 x-source=
- Canonical / apex alamoheightsfoundationrepair.com still live WP: HTTP 0 (expected live origin for editing)
- Links / no broken internal links: https://dev.alamoheightsfoundationrepair.com/pier-and-beam-or-block-and-base-foundation-repair-alamo

Detailed findings

Crawl UA

Check	Detail	Result
desktop	HTTP 200 x-source=kv	PASS
bingbot	HTTP 200 x-source=kv	PASS
googlebot	HTTP 200 x-source=kv	PASS
mobile	HTTP 200 x-source=kv	PASS

SEO files

Check	Detail	Result
robots.txt	HTTP 404 x-source=	FAIL
sitemap.xml	HTTP 200 x-source=r2	PASS
site_map.xml	HTTP 404 (optional - not all sites have this)	PASS
sitemap_index.xml	HTTP 200 x-source=r2	PASS

Check	Detail	Result
page-sitemap.xml	HTTP 200 x-source=r2	PASS
category-sitemap.xml	HTTP 200 x-source=r2	PASS
/sitemap.xml valid XML	ct=application/xml; charset=UTF-8 x-source=r2	PASS
/page-sitemap.xml valid XML	ct=application/xml; charset=UTF-8 x-source=r2	PASS
/sitemap_index.xml valid XML	ct=application/xml; charset=UTF-8 x-source=r2	PASS

Canonical

Check	Detail	Result
http -> https redirect	HTTP probe limitation in PowerShell; HTTPS works in browser.	N/A
apex alamoheightsfoundationrepair.com still live WP	HTTP 0 (expected live origin for editing)	FAIL
www.dev.alamoheightsfoundationrepair.c om/	HTTP 200	PASS

Security

Check	Detail	Result
wp-admin blocked on static	HTTP 403	PASS

Crawl

Check	Detail	Result
pages discovered	4 HTML pages crawled from homepage	PASS

Static cache

Check	Detail	Result
pages served from KV	4/4 pages x-source=kv	PASS

HTTP status

Check	Detail	Result
all crawled pages 200	all 4 pages OK	PASS

Links

Check	Detail	Result
no broken internal links	https://dev.alamoheightsfoundationrepair.com/pier-and-beam-or-block-an d-base-foundation-repair-alamo-heights-tx/ https://dev.alamoheightsfoundationrepair.com/pier-and-beam-or-block-an d-base-foundation-repair-alamo-heights-tx/	FAIL

Check	Detail	Result
no broken external links (sample)	checked 30 external URLs	PASS

Images

Check	Detail	Result
no broken images	no image 404s in sample	PASS

On-page

Check	Detail	Result
title tag	Alamo Heights Foundation Repair - Your Blog Title	PASS
meta description	At Alamo Heights Foundation Repair, we've proudly served homeowners and bus	PASS
canonical on static host	https://www.dev.alamoheightsfoundationrepair.com/	PASS

Forms

Check	Detail	Result
contact form present	form tag on homepage	PASS
validation worker referenced	footer validation worker found	PASS
Form validation (manual submit)	VA must submit form on static URL and confirm alerts.	PENDING
CallRail lead capture (manual)	VA must confirm lead in CallRail dashboard.	PENDING

CallRail

Check	Detail	Result
CallRail script present	CallTrk/CallRail detected in HTML	PASS

Sitemap

Check	Detail	Result
page-sitemap lists URLs	5 URLs in page-sitemap.xml	PASS

Orphans

Check	Detail	Result
crawled pages in sitemap	all crawled pages listed	PASS
sitemap URLs reachable	not reached from nav crawl: /pier-and-beam-or-block-and-base-foundation-repair-alamo-heights-tx/	PASS

plainviewconcreterepairandleveling.plainviewconcreterepairandleveling.com

Public URL	https://plainviewconcreterepairandleveling.plainviewconcreterepairandleveling.com/
Origin (WP)	https://plainviewconcreterepairandleveling.com/
Audit date	July 07, 2026
Standard	Static Site QA Checklist (Sean)
Source	audit-plainviewconcrete-double-20260707-012509.csv

Verdict: REVIEW REQUIRED

Pass	Fail	N/A	Pending
26	3	3	2

Open issues

- SEO files / robots.txt: HTTP 404 x-source=
- Links / no broken external links (sample): https://fonts.googleapis.com; https://www.facebook.com/!FACEBOOK-ID!; https://www.google.com/recaptc
- On-page / meta description: missing

Detailed findings

Crawl UA

Check	Detail	Result
desktop	HTTP 200 x-source=kv	PASS
bingbot	HTTP 200 x-source=kv	PASS
googlebot	HTTP 200 x-source=kv	PASS
mobile	HTTP 200 x-source=kv	PASS

SEO files

Check	Detail	Result
robots.txt	HTTP 404 x-source=	FAIL
sitemap.xml	HTTP 200 x-source=origin-asset	PASS
site_map.xml	HTTP 404 (optional - not all sites have this)	PASS
sitemap_index.xml	HTTP 200 x-source=origin-asset	PASS

Check	Detail	Result
page-sitemap.xml	HTTP 200 x-source=origin-asset	PASS
category-sitemap.xml	HTTP 404 (optional - not all sites have this)	PASS
/sitemap.xml valid XML	ct=text/xml; charset=UTF-8 x-source=origin-asset	PASS
/page-sitemap.xml valid XML	ct=text/xml; charset=UTF-8 x-source=origin-asset	PASS
/sitemap_index.xml valid XML	ct=text/xml; charset=UTF-8 x-source=origin-asset	PASS

Canonical

Check	Detail	Result
http -> https redirect	HTTP probe limitation in PowerShell; HTTPS works in browser.	N/A
apex plainviewconcreterepairandleveling.com still live WP	HTTP 200 (expected live origin for editing)	PASS
www.plainviewconcreterepairandleveling.plainviewconcreterepairandleveling.com/	No www DNS for this static host (expected).	N/A

Security

Check	Detail	Result
wp-admin blocked on static	HTTP 403	PASS

Crawl

Check	Detail	Result
pages discovered	12 HTML pages crawled from homepage	PASS

Static cache

Check	Detail	Result
pages served from KV	12/12 pages x-source=kv	PASS

HTTP status

Check	Detail	Result
all crawled pages 200	all 12 pages OK	PASS

Links

Check	Detail	Result
no broken internal links	WP head metadata only (wp-json/xmlrpc/feed).	N/A
no broken external links (sample)	https://fonts.googleapis.com; https://www.facebook.com/!FACEBOOK-ID!; https://www.google.com/recaptcha/api.js?render=6Ld-_escAAAAAMMBE q39cjaUimZh5BdKMTastJcY&ver=3.0	FAIL

Images

Check	Detail	Result
no broken images	no image 404s in sample	PASS

On-page

Check	Detail	Result
title tag	Plainview's Concrete Repair And Leveling Professionals - Plainview Concrete Repair And Leveling	PASS
meta description	missing	FAIL
canonical on static host	https://plainviewconcreterepairandleveling.plainviewconcreterepairandleveling.com/	PASS

Forms

Check	Detail	Result
contact form present	form tag on homepage	PASS
validation worker referenced	footer validation worker found	PASS
Form validation (manual submit)	VA must submit form on static URL and confirm alerts.	PENDING
CallRail lead capture (manual)	VA must confirm lead in CallRail dashboard.	PENDING

CallRail

Check	Detail	Result
CallRail script present	CallTrk/CallRail detected in HTML	PASS

Sitemap

Check	Detail	Result
page-sitemap lists URLs	13 URLs in page-sitemap.xml	PASS

Orphans

Check	Detail	Result
crawled pages in sitemap	all crawled pages listed	PASS

Check	Detail	Result
sitemap URLs reachable	not reached from nav crawl: /thank-you/	PASS

newbraunfelsfenceexperts.newbraunfelsfenceexperts.com

Public URL	https://newbraunfelsfenceexperts.newbraunfelsfenceexperts.com/
Origin (WP)	https://newbraunfelsfenceexperts.com/
Audit date	July 07, 2026
Standard	Static Site QA Checklist (Sean)
Source	audit-newbraunfelsfenceexperts-double-20260707-012509.csv

Verdict: MINOR REVIEW REQUIRED

Pass	Fail	N/A	Pending
27	2	4	2

Open issues

- Links / no broken external links (sample): https://fonts.googleapis.com; https://fonts.gstatic.com/; https://www.google.com/recaptcha/api/fallb
- Forms / validation worker referenced: not found - static forms may fail

Detailed findings

Crawl UA

Check	Detail	Result
desktop	HTTP 200 x-source=kv	PASS
bingbot	HTTP 200 x-source=kv	PASS
googlebot	HTTP 200 x-source=kv	PASS
mobile	HTTP 200 x-source=kv	PASS

SEO files

Check	Detail	Result
robots.txt	HTTP 200 x-source=r2	PASS
sitemap.xml	HTTP 200 x-source=r2	PASS
site_map.xml	HTTP 404 (optional - not all sites have this)	PASS
sitemap_index.xml	HTTP 200 x-source=r2	PASS
page-sitemap.xml	HTTP 200 x-source=r2	PASS

Check	Detail	Result
category-sitemap.xml	HTTP 404 (optional - not all sites have this)	PASS
/sitemap.xml valid XML	ct=application/xml; charset=UTF-8 x-source=r2	PASS
/page-sitemap.xml valid XML	ct=application/xml; charset=UTF-8 x-source=r2	PASS
/sitemap_index.xml valid XML	ct=application/xml; charset=UTF-8 x-source=r2	PASS

robots.txt

Check	Detail	Result
Sitemap directive URL	Sitemap: https://newbraunfelsfenceexperts.newbraunfelsfenceexperts.com/sitemap_index.xml => HTTP 200	PASS

Canonical

Check	Detail	Result
http -> https redirect	HTTP probe limitation in PowerShell; HTTPS works in browser.	N/A
apex newbraunfelsfenceexperts.com still live WP	HTTP 200 (expected live origin for editing)	PASS
www.newbraunfelsfenceexperts.newbraunfelsfenceexperts.com/	No www DNS for this static host (expected).	N/A

Security

Check	Detail	Result
wp-admin blocked on static	HTTP 403	PASS

Crawl

Check	Detail	Result
pages discovered	11 HTML pages crawled from homepage	PASS

Static cache

Check	Detail	Result
pages served from KV	11/11 pages x-source=kv	PASS

HTTP status

Check	Detail	Result
all crawled pages 200	all 11 pages OK	PASS

Links

Check	Detail	Result
no broken internal links	WP head metadata only (wp-json/xmlrpc/feed).	N/A
no broken external links (sample)	https://fonts.googleapis.com; https://fonts.gstatic.com/; https://www.google.com/recaptcha/api/fallback?k=6LexlMEdAAAAAKYN4XuuPMimLhSbN8uC4nEU9H0B	FAIL

Images

Check	Detail	Result
no broken images	no image 404s in sample	PASS

On-page

Check	Detail	Result
title tag	Fence Company, Commercial Fencing, New Braunfels, TX	PASS
meta description	If you own a property - residential or commercial, you must pay attention to the	PASS
canonical on static host	https://newbraunfelsfenceexperts.newbraunfelsfenceexperts.com	PASS

Forms

Check	Detail	Result
contact form present	form tag on homepage	PASS
validation worker referenced	not found - static forms may fail	FAIL
Form validation (manual submit)	VA must submit form on static URL and confirm alerts.	PENDING
CallRail lead capture (manual)	VA must confirm lead in CallRail dashboard.	PENDING

CallRail

Check	Detail	Result
CallRail script present	CallTrk/CallRail detected in HTML	PASS

Sitemap

Check	Detail	Result
page-sitemap lists URLs	14 URLs in page-sitemap.xml	PASS

Orphans

Check	Detail	Result
crawled pages in sitemap	all crawled pages listed	PASS
sitemap URLs reachable	Legal/thank-you pages in sitemap but not in main nav (by design).	N/A

static.springfieldtnfoundationrepair.com

Public URL	https://static.springfieldtnfoundationrepair.com/
Origin (WP)	https://springfieldtnfoundationrepair.com/
Audit date	July 07, 2026
Standard	Static Site QA Checklist (Sean)
Source	audit-static-springfieldtnfoundationrepair-20260707-012509.csv

Verdict: MINOR REVIEW REQUIRED

Pass	Fail	N/A	Pending
28	2	3	2

Open issues

- On-page / meta description: missing
- Orphans / crawled pages in sitemap: not in sitemap: /terms-of-service/, /privacy-policy/

Detailed findings

Crawl UA

Check	Detail	Result
desktop	HTTP 200 x-source=kv	PASS
bingbot	HTTP 200 x-source=kv	PASS
googlebot	HTTP 200 x-source=kv	PASS
mobile	HTTP 200 x-source=kv	PASS

SEO files

Check	Detail	Result
robots.txt	HTTP 200 x-source=r2	PASS
sitemap.xml	HTTP 200 x-source=r2	PASS
site_map.xml	HTTP 404 (optional - not all sites have this)	PASS
sitemap_index.xml	HTTP 200 x-source=r2	PASS
page-sitemap.xml	HTTP 200 x-source=r2	PASS

Check	Detail	Result
category-sitemap.xml	HTTP 404 (optional - not all sites have this)	PASS
/sitemap.xml valid XML	ct=application/xml; charset=UTF-8 x-source=r2	PASS
/page-sitemap.xml valid XML	ct=application/xml; charset=UTF-8 x-source=r2	PASS
/sitemap_index.xml valid XML	ct=application/xml; charset=UTF-8 x-source=r2	PASS

robots.txt

Check	Detail	Result
Sitemap directive URL	Sitemap: https://static.springfieldtnfoundationrepair.com/sitemap_index.xml => HTTP 200	PASS

Canonical

Check	Detail	Result
http -> https redirect	HTTP probe limitation in PowerShell; HTTPS works in browser.	N/A
apex springfieldtnfoundationrepair.com still live WP	HTTP 200 (expected live origin for editing)	PASS
www.static.springfieldtnfoundationrepair.c om/	No www DNS for this static host (expected).	N/A

Security

Check	Detail	Result
wp-admin blocked on static	HTTP 403	PASS

Crawl

Check	Detail	Result
pages discovered	30 HTML pages crawled from homepage	PASS

Static cache

Check	Detail	Result
pages served from KV	30/30 pages x-source=kx	PASS

HTTP status

Check	Detail	Result
all crawled pages 200	all 30 pages OK	PASS

Links

Check	Detail	Result
no broken internal links	WP head metadata only (wp-json/xmlrpc/feed).	N/A
no broken external links (sample)	checked 9 external URLs	PASS

Images

Check	Detail	Result
no broken images	no image 404s in sample	PASS

On-page

Check	Detail	Result
title tag	Springfield Foundation Repair - Springfield Foundation Repair	PASS
meta description	missing	FAIL
canonical on static host	https://static.springfieldtnfoundationrepair.com	PASS

Forms

Check	Detail	Result
contact form present	form tag on homepage	PASS
validation worker referenced	footer validation worker found	PASS
Form validation (manual submit)	VA must submit form on static URL and confirm alerts.	PENDING
CallRail lead capture (manual)	VA must confirm lead in CallRail dashboard.	PENDING

CallRail

Check	Detail	Result
CallRail script present	CallTrk/CallRail detected in HTML	PASS

Sitemap

Check	Detail	Result
page-sitemap lists URLs	30 URLs in page-sitemap.xml	PASS

Orphans

Check	Detail	Result
crawled pages in sitemap	not in sitemap: /terms-of-service/, /privacy-policy/	FAIL
sitemap URLs reachable	not reached from nav crawl: /contact-us/, /google-setup/	PASS

scrape2.zebulonfoundationrepair.com

Public URL	https://scrape2.zebulonfoundationrepair.com/
Origin (WP)	https://zebulonfoundationrepair.com/
Audit date	July 07, 2026
Standard	Static Site QA Checklist (Sean)
Source	audit-scrape2-zebulonfoundationrepair-20260707-012509.csv

Verdict: MINOR REVIEW REQUIRED

Pass	Fail	N/A	Pending
30	0	3	2

Detailed findings

Crawl UA

Check	Detail	Result
desktop	HTTP 200 x-source=kv	PASS
bingbot	HTTP 200 x-source=kv	PASS
googlebot	HTTP 200 x-source=kv	PASS
mobile	HTTP 200 x-source=kv	PASS

SEO files

Check	Detail	Result
robots.txt	HTTP 200 x-source=r2	PASS
sitemap.xml	HTTP 200 x-source=r2	PASS
site_map.xml	HTTP 404 (optional - not all sites have this)	PASS
sitemap_index.xml	HTTP 200 x-source=r2	PASS
page-sitemap.xml	HTTP 200 x-source=r2	PASS
category-sitemap.xml	HTTP 404 (optional - not all sites have this)	PASS
/sitemap.xml valid XML	ct=application/xml; charset=UTF-8 x-source=r2	PASS
/page-sitemap.xml valid XML	ct=application/xml; charset=UTF-8 x-source=r2	PASS
/sitemap_index.xml valid XML	ct=application/xml; charset=UTF-8 x-source=r2	PASS

robots.txt

Check	Detail	Result
Sitemap directive URL	Sitemap: https://scrape2.zebulonfoundationrepair.com/sitemap_index.xml => HTTP 200	PASS

Canonical

Check	Detail	Result
http -> https redirect	HTTP probe limitation in PowerShell; HTTPS works in browser.	N/A
apex zebulonfoundationrepair.com still live WP	HTTP 200 (expected live origin for editing)	PASS
www.scrape2.zebulonfoundationrepair.co m/	No www DNS for this static host (expected).	N/A

Security

Check	Detail	Result
wp-admin blocked on static	HTTP 403	PASS

Crawl

Check	Detail	Result
pages discovered	29 HTML pages crawled from homepage	PASS

Static cache

Check	Detail	Result
pages served from KV	29/29 pages x-source=kv	PASS

HTTP status

Check	Detail	Result
all crawled pages 200	all 29 pages OK	PASS

Links

Check	Detail	Result
no broken internal links	WP head metadata only (wp-json/xmlrpc/feed).	N/A
no broken external links (sample)	checked 13 external URLs	PASS

Images

Check	Detail	Result
no broken images	no image 404s in sample	PASS

On-page

Check	Detail	Result
title tag	#1 Trusted Foundation Repair in Zebulon, NC	PASS
meta description	Top-rated foundation repair in Zebulon, NC. Call Zebulon Foundation Repair at 91	PASS
canonical on static host	https://scrape2.zebulonfoundationrepair.com/	PASS

Forms

Check	Detail	Result
contact form present	form tag on homepage	PASS
validation worker referenced	footer validation worker found	PASS
Form validation (manual submit)	VA must submit form on static URL and confirm alerts.	PENDING
CallRail lead capture (manual)	VA must confirm lead in CallRail dashboard.	PENDING

CallRail

Check	Detail	Result
CallRail script present	CallTrk/CallRail detected in HTML	PASS

Sitemap

Check	Detail	Result
page-sitemap lists URLs	30 URLs in page-sitemap.xml	PASS

Orphans

Check	Detail	Result
crawled pages in sitemap	all crawled pages listed	PASS
sitemap URLs reachable	not reached from nav crawl: /google-setup/	PASS

static.saginawtxtreeservice.com

Public URL	https://static.saginawtxtreeservice.com/
Origin (WP)	https://saginawtxtreeservice.com/
Audit date	July 07, 2026
Standard	Static Site QA Checklist (Sean)
Source	audit-static-saginawtxtreeservice-20260707-012509.csv

Verdict: MINOR REVIEW REQUIRED

Pass	Fail	N/A	Pending
28	2	3	2

Open issues

- On-page / meta description: missing
- Forms / validation worker referenced: not found - static forms may fail

Detailed findings

Crawl UA

Check	Detail	Result
desktop	HTTP 200 x-source=kv	PASS
bingbot	HTTP 200 x-source=kv	PASS
googlebot	HTTP 200 x-source=kv	PASS
mobile	HTTP 200 x-source=kv	PASS

SEO files

Check	Detail	Result
robots.txt	HTTP 200 x-source=r2	PASS
sitemap.xml	HTTP 200 x-source=r2	PASS
site_map.xml	HTTP 404 (optional - not all sites have this)	PASS
sitemap_index.xml	HTTP 200 x-source=r2	PASS
page-sitemap.xml	HTTP 200 x-source=r2	PASS

Check	Detail	Result
category-sitemap.xml	HTTP 404 (optional - not all sites have this)	PASS
/sitemap.xml valid XML	ct=application/xml; charset=UTF-8 x-source=r2	PASS
/page-sitemap.xml valid XML	ct=application/xml; charset=UTF-8 x-source=r2	PASS
/sitemap_index.xml valid XML	ct=application/xml; charset=UTF-8 x-source=r2	PASS

robots.txt

Check	Detail	Result
Sitemap directive URL	Sitemap: https://static.saginawtxtreeservice.com/sitemap_index.xml => HTTP 200	PASS

Canonical

Check	Detail	Result
http -> https redirect	HTTP probe limitation in PowerShell; HTTPS works in browser.	N/A
apex saginawtxtreeservice.com still live WP	HTTP 200 (expected live origin for editing)	PASS
www.static.saginawtxtreeservice.com/	No www DNS for this static host (expected).	N/A

Security

Check	Detail	Result
wp-admin blocked on static	HTTP 403	PASS

Crawl

Check	Detail	Result
pages discovered	7 HTML pages crawled from homepage	PASS

Static cache

Check	Detail	Result
pages served from KV	7/7 pages x-source=kv	PASS

HTTP status

Check	Detail	Result
all crawled pages 200	all 7 pages OK	PASS

Links

Check	Detail	Result
no broken internal links	WP head metadata only (wp-json/xmlrpc/feed).	N/A
no broken external links (sample)	checked 7 external URLs	PASS

Images

Check	Detail	Result
no broken images	no image 404s in sample	PASS

On-page

Check	Detail	Result
title tag	Saginaw Tree Service - Saginaw Tree Service	PASS
meta description	missing	FAIL
canonical on static host	https://static.saginawxtreeservice.com/	PASS

Forms

Check	Detail	Result
contact form present	form tag on homepage	PASS
validation worker referenced	not found - static forms may fail	FAIL
Form validation (manual submit)	VA must submit form on static URL and confirm alerts.	PENDING
CallRail lead capture (manual)	VA must confirm lead in CallRail dashboard.	PENDING

CallRail

Check	Detail	Result
CallRail script present	CallTrk/CallRail detected in HTML	PASS

Sitemap

Check	Detail	Result
page-sitemap lists URLs	8 URLs in page-sitemap.xml	PASS

Orphans

Check	Detail	Result
crawled pages in sitemap	all crawled pages listed	PASS
sitemap URLs reachable	not reached from nav crawl: /google-setup/	PASS

static.lutzfoundationrepair.com

Public URL	https://static.lutzfoundationrepair.com/
Origin (WP)	https://lutzfoundationrepair.com/
Audit date	July 07, 2026
Standard	Static Site QA Checklist (Sean)
Source	audit-static-lutzfoundationrepair-20260707-012509.csv

Verdict: MINOR REVIEW REQUIRED

Pass	Fail	N/A	Pending
30	0	3	2

Detailed findings

Crawl UA

Check	Detail	Result
desktop	HTTP 200 x-source=kv	PASS
bingbot	HTTP 200 x-source=kv	PASS
googlebot	HTTP 200 x-source=kv	PASS
mobile	HTTP 200 x-source=kv	PASS

SEO files

Check	Detail	Result
robots.txt	HTTP 200 x-source=r2	PASS
sitemap.xml	HTTP 200 x-source=r2	PASS
site_map.xml	HTTP 404 (optional - not all sites have this)	PASS
sitemap_index.xml	HTTP 200 x-source=r2	PASS
page-sitemap.xml	HTTP 200 x-source=r2	PASS
category-sitemap.xml	HTTP 404 (optional - not all sites have this)	PASS
/sitemap.xml valid XML	ct=application/xml; charset=UTF-8 x-source=r2	PASS
/page-sitemap.xml valid XML	ct=application/xml; charset=UTF-8 x-source=r2	PASS
/sitemap_index.xml valid XML	ct=application/xml; charset=UTF-8 x-source=r2	PASS

robots.txt

Check	Detail	Result
Sitemap directive URL	Sitemap: https://static.lutzfoundationrepair.com/sitemap_index.xml => HTTP 200	PASS

Canonical

Check	Detail	Result
http -> https redirect	HTTP probe limitation in PowerShell; HTTPS works in browser.	N/A
apex lutzfoundationrepair.com still live WP	HTTP 200 (expected live origin for editing)	PASS
www.static.lutzfoundationrepair.com/	No www DNS for this static host (expected).	N/A

Security

Check	Detail	Result
wp-admin blocked on static	HTTP 403	PASS

Crawl

Check	Detail	Result
pages discovered	29 HTML pages crawled from homepage	PASS

Static cache

Check	Detail	Result
pages served from KV	29/29 pages x-source=kv	PASS

HTTP status

Check	Detail	Result
all crawled pages 200	all 29 pages OK	PASS

Links

Check	Detail	Result
no broken internal links	WP head metadata only (wp-json/xmlrpc/feed).	N/A
no broken external links (sample)	checked 11 external URLs	PASS

Images

Check	Detail	Result
no broken images	no image 404s in sample	PASS

On-page

Check	Detail	Result
title tag	#1 Foundation Repair and Leveling in Lutz, FL, and Nearby Cities	PASS
meta description	Trusted Foundation Repair in Lutz, FL by Lutz Foundation Repair. Call 813-696-32	PASS
canonical on static host	https://static.lutzfoundationrepair.com	PASS

Forms

Check	Detail	Result
contact form present	form tag on homepage	PASS
validation worker referenced	footer validation worker found	PASS
Form validation (manual submit)	VA must submit form on static URL and confirm alerts.	PENDING
CallRail lead capture (manual)	VA must confirm lead in CallRail dashboard.	PENDING

CallRail

Check	Detail	Result
CallRail script present	CallTrk/CallRail detected in HTML	PASS

Sitemap

Check	Detail	Result
page-sitemap lists URLs	29 URLs in page-sitemap.xml	PASS

Orphans

Check	Detail	Result
crawled pages in sitemap	all crawled pages listed	PASS
sitemap URLs reachable	all sitemap URLs crawled	PASS

static.berkeleyconcreterepairandleveling.com

Public URL	https://static.berkeleyconcreterepairandleveling.com/
Origin (WP)	https://berkeleyconcreterepairandleveling.com/
Audit date	July 07, 2026
Standard	Static Site QA Checklist (Sean)
Source	audit-static-berkeleyconcrete-20260707-012509.csv

Verdict: MINOR REVIEW REQUIRED

Pass	Fail	N/A	Pending
27	2	3	2

Open issues

- SEO files / robots.txt: HTTP 404 x-source=
- Forms / validation worker referenced: not found - static forms may fail

Detailed findings

Crawl UA

Check	Detail	Result
desktop	HTTP 200 x-source=kv	PASS
bingbot	HTTP 200 x-source=kv	PASS
googlebot	HTTP 200 x-source=kv	PASS
mobile	HTTP 200 x-source=kv	PASS

SEO files

Check	Detail	Result
robots.txt	HTTP 404 x-source=	FAIL
sitemap.xml	HTTP 200 x-source=r2	PASS
site_map.xml	HTTP 404 (optional - not all sites have this)	PASS
sitemap_index.xml	HTTP 200 x-source=r2	PASS
page-sitemap.xml	HTTP 200 x-source=r2	PASS

Check	Detail	Result
category-sitemap.xml	HTTP 404 (optional - not all sites have this)	PASS
/sitemap.xml valid XML	ct=application/xml; charset=UTF-8 x-source=r2	PASS
/page-sitemap.xml valid XML	ct=application/xml; charset=UTF-8 x-source=r2	PASS
/sitemap_index.xml valid XML	ct=application/xml; charset=UTF-8 x-source=r2	PASS

Canonical

Check	Detail	Result
http -> https redirect	HTTP probe limitation in PowerShell; HTTPS works in browser.	N/A
apex berkeleyconcreterepairandleveling.com still live WP	HTTP 200 (expected live origin for editing)	PASS
www.static.berkeleyconcreterepairandleveling.com/	No www DNS for this static host (expected).	N/A

Security

Check	Detail	Result
wp-admin blocked on static	HTTP 403	PASS

Crawl

Check	Detail	Result
pages discovered	7 HTML pages crawled from homepage	PASS

Static cache

Check	Detail	Result
pages served from KV	7/7 pages x-source=kv	PASS

HTTP status

Check	Detail	Result
all crawled pages 200	all 7 pages OK	PASS

Links

Check	Detail	Result
no broken internal links	WP head metadata only (wp-json/xmlrpc/feed).	N/A
no broken external links (sample)	checked 6 external URLs	PASS

Images

Check	Detail	Result
no broken images	no image 404s in sample	PASS

On-page

Check	Detail	Result
title tag	Berkeley Concrete Repair And Leveling - Berkeley Concrete Repair And Leveling	PASS
meta description	In Berkeley, California, our professional Berkeley Concrete Repair And Leveling	PASS
canonical on static host	https://static.berkeleyconcreterepairandleveling.com/	PASS

Forms

Check	Detail	Result
contact form present	form tag on homepage	PASS
validation worker referenced	not found - static forms may fail	FAIL
Form validation (manual submit)	VA must submit form on static URL and confirm alerts.	PENDING
CallRail lead capture (manual)	VA must confirm lead in CallRail dashboard.	PENDING

CallRail

Check	Detail	Result
CallRail script present	CallTrk/CallRail detected in HTML	PASS

Sitemap

Check	Detail	Result
page-sitemap lists URLs	8 URLs in page-sitemap.xml	PASS

Orphans

Check	Detail	Result
crawled pages in sitemap	all crawled pages listed	PASS
sitemap URLs reachable	not reached from nav crawl: /google-setup/	PASS

static.springpaintcontractors.com

Public URL	https://static.springpaintcontractors.com/
Origin (WP)	https://springpaintcontractors.com/
Audit date	July 07, 2026
Standard	Static Site QA Checklist (Sean)
Source	audit-static-springpaintcontractors-20260707-012509.csv

Verdict: MINOR REVIEW REQUIRED

Pass	Fail	N/A	Pending
29	0	4	2

Detailed findings

Crawl UA

Check	Detail	Result
desktop	HTTP 200 x-source=kv	PASS
bingbot	HTTP 200 x-source=kv	PASS
googlebot	HTTP 200 x-source=kv	PASS
mobile	HTTP 200 x-source=kv	PASS

SEO files

Check	Detail	Result
robots.txt	HTTP 200 x-source=r2	PASS
sitemap.xml	HTTP 200 x-source=r2	PASS
site_map.xml	HTTP 404 (optional - not all sites have this)	PASS
sitemap_index.xml	HTTP 200 x-source=r2	PASS
page-sitemap.xml	HTTP 200 x-source=r2	PASS
category-sitemap.xml	HTTP 404 (optional - not all sites have this)	PASS
/sitemap.xml valid XML	ct=application/xml; charset=UTF-8 x-source=r2	PASS
/page-sitemap.xml valid XML	ct=application/xml; charset=UTF-8 x-source=r2	PASS
/sitemap_index.xml valid XML	ct=application/xml; charset=UTF-8 x-source=r2	PASS

robots.txt

Check	Detail	Result
Sitemap directive URL	Sitemap: https://static.springpaintcontractors.com/sitemap_index.xml => HTTP 200	PASS

Canonical

Check	Detail	Result
http -> https redirect	HTTP probe limitation in PowerShell; HTTPS works in browser.	N/A
apex springpaintcontractors.com still live WP	HTTP 200 (expected live origin for editing)	PASS
www.static.springpaintcontractors.com/	No www DNS for this static host (expected).	N/A

Security

Check	Detail	Result
wp-admin blocked on static	HTTP 403	PASS

Crawl

Check	Detail	Result
pages discovered	10 HTML pages crawled from homepage	PASS

Static cache

Check	Detail	Result
pages served from KV	10/10 pages x-source=kv	PASS

HTTP status

Check	Detail	Result
all crawled pages 200	all 10 pages OK	PASS

Links

Check	Detail	Result
no broken internal links	WP head metadata only (wp-json/xmlrpc/feed).	N/A
no broken external links (sample)	checked 6 external URLs	PASS

Images

Check	Detail	Result
no broken images	no image 404s in sample	PASS

On-page

Check	Detail	Result
title tag	Painting Contractors, Paint Companies, Spring, TX	PASS
meta description	If you want to guarantee that the work that is done on any type of your property	PASS
canonical on static host	https://static.springpaintcontractors.com/	PASS

Forms

Check	Detail	Result
contact form present	form tag on homepage	PASS
validation worker referenced	footer validation worker found	PASS
Form validation (manual submit)	VA must submit form on static URL and confirm alerts.	PENDING
CallRail lead capture (manual)	VA must confirm lead in CallRail dashboard.	PENDING

CallRail

Check	Detail	Result
CallRail script present	CallTrk/CallRail detected in HTML	PASS

Sitemap

Check	Detail	Result
page-sitemap lists URLs	13 URLs in page-sitemap.xml	PASS

Orphans

Check	Detail	Result
crawled pages in sitemap	all crawled pages listed	PASS
sitemap URLs reachable	Legal/thank-you pages in sitemap but not in main nav (by design).	N/A

static.colleyvilletreeservicecompany.com

Public URL	https://static.colleyvilletreeservicecompany.com/
Origin (WP)	https://colleyvilletreeservicecompany.com/
Audit date	July 07, 2026
Standard	Static Site QA Checklist (Sean)
Source	audit-static-colleyvilletreeservice-20260707-012509.csv

Verdict: MINOR REVIEW REQUIRED

Pass	Fail	N/A	Pending
27	2	4	2

Open issues

- Links / no broken external links (sample): <https://www.google.com/maps/embed?pb=!1m18!1m12!1m3!1d3350.5024280912867!2d-97.15858868481519!3d32.8>
- Forms / validation worker referenced: not found - static forms may fail

Detailed findings

Crawl UA

Check	Detail	Result
desktop	HTTP 200 x-source=kv	PASS
bingbot	HTTP 200 x-source=kv	PASS
googlebot	HTTP 200 x-source=kv	PASS
mobile	HTTP 200 x-source=kv	PASS

SEO files

Check	Detail	Result
robots.txt	HTTP 200 x-source=r2	PASS
sitemap.xml	HTTP 200 x-source=r2	PASS
site_map.xml	HTTP 404 (optional - not all sites have this)	PASS
sitemap_index.xml	HTTP 200 x-source=r2	PASS
page-sitemap.xml	HTTP 200 x-source=r2	PASS

Check	Detail	Result
category-sitemap.xml	HTTP 404 (optional - not all sites have this)	PASS
/sitemap.xml valid XML	ct=application/xml; charset=UTF-8 x-source=r2	PASS
/page-sitemap.xml valid XML	ct=application/xml; charset=UTF-8 x-source=r2	PASS
/sitemap_index.xml valid XML	ct=application/xml; charset=UTF-8 x-source=r2	PASS

robots.txt

Check	Detail	Result
Sitemap directive URL	Sitemap: https://static.colleyvilletreeservicecompany.com/sitemap_index.xml => HTTP 200	PASS

Canonical

Check	Detail	Result
http -> https redirect	HTTP probe limitation in PowerShell; HTTPS works in browser.	N/A
apex colleyvilletreeservicecompany.com still live WP	HTTP 200 (expected live origin for editing)	PASS
www.static.colleyvilletreeservicecompany. com/	No www DNS for this static host (expected).	N/A

Security

Check	Detail	Result
wp-admin blocked on static	HTTP 403	PASS

Crawl

Check	Detail	Result
pages discovered	10 HTML pages crawled from homepage	PASS

Static cache

Check	Detail	Result
pages served from KV	10/10 pages x-source=kx	PASS

HTTP status

Check	Detail	Result
all crawled pages 200	all 10 pages OK	PASS

Links

Check	Detail	Result
no broken internal links	WP head metadata only (wp-json/xmlrpc/feed).	N/A
no broken external links (sample)	https://www.google.com/maps/embed?pb=!1m18!1m12!1m3!1d3350.5024280912867!2d-97.15858868481519!3d32.884881980939625!2m3!1f0!2f0!3f0!3m2!1i1024!2i768!4f13.1!3m3!1m2!1s0x0%3A0x99c84bae8fb2a5ad!2sColleyville%20Tree%20Service%20Company!5e0!3m2!1sen!2sus!4 v1567143583293!5m2!1sen!2sus	FAIL

Images

Check	Detail	Result
no broken images	no image 404s in sample	PASS

On-page

Check	Detail	Result
title tag	Home - Colleyville Tree Service Company	PASS
meta description	* Indicates required field	PASS
canonical on static host	https://static.colleyvilletreeservicecompany.com/	PASS

Forms

Check	Detail	Result
contact form present	form tag on homepage	PASS
validation worker referenced	not found - static forms may fail	FAIL
Form validation (manual submit)	VA must submit form on static URL and confirm alerts.	PENDING
CallRail lead capture (manual)	VA must confirm lead in CallRail dashboard.	PENDING

CallRail

Check	Detail	Result
CallRail script present	CallTrk/CallRail detected in HTML	PASS

Sitemap

Check	Detail	Result
page-sitemap lists URLs	13 URLs in page-sitemap.xml	PASS

Orphans

Check	Detail	Result
crawled pages in sitemap	all crawled pages listed	PASS
sitemap URLs reachable	Legal/thank-you pages in sitemap but not in main nav (by design).	N/A

static.grapevinetreeservicepros.com

Public URL	https://static.grapevinetreeservicepros.com/
Origin (WP)	https://grapevinetreeservicepros.com/
Audit date	July 07, 2026
Standard	Static Site QA Checklist (Sean)
Source	audit-static-grapevinetreeservice-20260707-012509.csv

Verdict: MINOR REVIEW REQUIRED

Pass	Fail	N/A	Pending
28	2	3	2

Open issues

- Links / no broken external links (sample): <https://www.google.com/maps/embed?pb=!1m18!1m12!1m3!1d857199.2428915907!2d-97.65559882650471!3d32.93>
- Forms / validation worker referenced: not found - static forms may fail

Detailed findings

Crawl UA

Check	Detail	Result
desktop	HTTP 200 x-source=kv	PASS
bingbot	HTTP 200 x-source=kv	PASS
googlebot	HTTP 200 x-source=kv	PASS
mobile	HTTP 200 x-source=kv	PASS

SEO files

Check	Detail	Result
robots.txt	HTTP 200 x-source=r2	PASS
sitemap.xml	HTTP 200 x-source=origin-asset	PASS
site_map.xml	HTTP 404 (optional - not all sites have this)	PASS
sitemap_index.xml	HTTP 200 x-source=origin-asset	PASS
page-sitemap.xml	HTTP 200 x-source=origin-asset	PASS

Check	Detail	Result
category-sitemap.xml	HTTP 404 (optional - not all sites have this)	PASS
/sitemap.xml valid XML	ct=text/xml; charset=UTF-8 x-source=origin-asset	PASS
/page-sitemap.xml valid XML	ct=text/xml; charset=UTF-8 x-source=origin-asset	PASS
/sitemap_index.xml valid XML	ct=text/xml; charset=UTF-8 x-source=origin-asset	PASS

robots.txt

Check	Detail	Result
Sitemap directive URL	Sitemap: https://static.grapevinetreeservicepros.com/sitemap_index.xml => HTTP 200	PASS

Canonical

Check	Detail	Result
http -> https redirect	HTTP probe limitation in PowerShell; HTTPS works in browser.	N/A
apex grapevinetreeservicepros.com still live WP	HTTP 200 (expected live origin for editing)	PASS
www.static.grapevinetreeservicepros.com /	No www DNS for this static host (expected).	N/A

Security

Check	Detail	Result
wp-admin blocked on static	HTTP 403	PASS

Crawl

Check	Detail	Result
pages discovered	10 HTML pages crawled from homepage	PASS

Static cache

Check	Detail	Result
pages served from KV	10/10 pages x-source=kv	PASS

HTTP status

Check	Detail	Result
all crawled pages 200	all 10 pages OK	PASS

Links

Check	Detail	Result
no broken internal links	WP head metadata only (wp-json/xmlrpc/feed).	N/A
no broken external links (sample)	https://www.google.com/maps/embed?pb=!1m18!1m12!1m3!1d857199.2428915907!2d-97.65559882650471!3d32.93953494036257!2m3!1f0!2f0!3f0!3m2!1i1024!2i768!4f13.1!3m3!1m2!1s0x0%3A0xd8f9f087947d7bd4!2sGrapevine+Tree+Service!5e0!3m2!1sen!2sus!4v1552038556060	FAIL

Images

Check	Detail	Result
no broken images	no image 404s in sample	PASS

On-page

Check	Detail	Result
title tag	Home - Grapevine Tree Service	PASS
meta description	*?INDICATES REQUIRED FIELD	PASS
canonical on static host	https://static.grapevinetreeservicepros.com/	PASS

Forms

Check	Detail	Result
contact form present	form tag on homepage	PASS
validation worker referenced	not found - static forms may fail	FAIL
Form validation (manual submit)	VA must submit form on static URL and confirm alerts.	PENDING
CallRail lead capture (manual)	VA must confirm lead in CallRail dashboard.	PENDING

CallRail

Check	Detail	Result
CallRail script present	CallTrk/CallRail detected in HTML	PASS

Sitemap

Check	Detail	Result
page-sitemap lists URLs	11 URLs in page-sitemap.xml	PASS

Orphans

Check	Detail	Result
crawled pages in sitemap	all crawled pages listed	PASS
sitemap URLs reachable	not reached from nav crawl: /confirmation/	PASS

Methodology and scope

Each site is a DevSecSi static deployment: Cloudflare Worker + KV (HTML) + R2 (assets/sitemaps). Checks include crawler user-agents, SEO files, canonical behavior, wp-admin WAF block, internal links and images, on-page SEO, form worker presence, CallRail script, and sitemap orphans. Manual VA testing required for form submission and CallRail lead capture before production approval.