

Standard Operating Procedure

Convert WordPress to fleet static — `static.*` preview, apex cutover, and origin-IP rescrape

Document ID	CT-SOP-FLEET-CONVERT-2026-08
Version / effective	1.0 · 28 August 2026
Owners	John (conversion / Cloudflare) · Usman (WordPress origin) · Sean (QA)
Audience	Conversion operators, WordPress, QA, and backups covering when John is out
Companion files	Markdown: SOP-CONVERT-PREVIEW-CUTOVER-RESCRAPE.md · this HTML · PDF of this document. New PC: SOP-MACHINE-SETUP.pdf

Source of truth

WordPress on the hosting IP is always the source of truth. Static must match the current WP snapshot, never an old KV copy. Never scrape public HTTPS on a host that already returns `x-source: kv` — that recopies stale static (including old popups).

Contents

1. Purpose
2. Architecture
3. Origin IPs and Workers
4. Path A — New convert (apex still WordPress)
5. Path B — Rescrape (already static)
6. Path C — Edit loop
7. Form validation
8. Stay-WordPress
9. Do not
10. Go-live checklist


1. Purpose

This SOP is the operating workflow for fleet static. It replaces converting straight onto live apex for new sites. Use it for three jobs:

1. **New convert** — live WordPress → `static.{domain}` preview → apex static after QA.
2. **Rescrape** — refresh an already-static site from current WordPress (popups, copy, pages).
3. **Edit loop** — roll apex back to WordPress, edit, rescrape, restore fleet routes.

Static is a snapshot of the public frontend (HTML, CSS, JS, images, metadata, robots, sitemaps). It is not WordPress. PHP, Elementor editor, and plugin runtimes do not run on Cloudflare. The page can still look like WordPress; that is expected.

2. Architecture



Each domain has its own key prefix. Sites do not share HTML or wp-content.

Proof the public host is on fleet

```
HTTP 200
x-source: kv
x-fleet-host: example.com
```

x-source: kv without x-fleet-host means the old **per-site Worker**, not the fleet. Treat that as “not on fleet” for cutover and form-validation on live apex.

3. Origin IPs and Workers

Lane	Worker	WordPress origin IP	Use for
Server 2	fleet-static-worker	174.136.29.214	Batches 1–7 live apex
Server 1	fleet-static-worker-server-1	165.140.157.43	New batches after B1–7

Fetch origin with `curl --resolve {domain}:443:{origin-ip}` (and the www host). If this PC cannot reach that IP, stop. Do not fall back to public HTTPS on a fleet site.

Both Workers share `HTML_FLEET` and `fleet-static-assets`.

4. Path A — New convert (apex still WordPress)

1. Confirm the domain is not stay-WordPress. Take a WPVivid backup. Fix pages, forms, and CallRail on **live WordPress**.
2. Scrape WordPress via the correct origin IP into `HTML_FLEET` + `fleet-static-assets`.
3. Attach `static.{domain}/*` **only**. Apex and www stay on WordPress.
4. QA `https://static.{domain}/` against live WP: eyeball, 26-check, forms, images, CallRail.
5. After sign-off, cut over **apex + www** to the same fleet Worker (`-IConfirmApexCutover`).
6. Inject `form-validation.js`. Origin WP never includes this tag.

7. Verify live: 200, x-source: kv, x-fleet-host, /form-validation.js HTTP 200.

```
cd "C:\Users\<You>\Downloads\fleet-static-preview"

# Preview only – apex stays WordPress
powershell -ExecutionPolicy Bypass -File .\scripts\Invoke-PreviewStaticOnFleet.ps1 `
  -SitesCsv .\sites\YOUR.csv `
  -OriginIp 174.136.29.214 `
  -WorkerName fleet-static-worker

# Server 1 preview
# -OriginIp 165.140.157.43 -WorkerName fleet-static-worker-server-1

# After QA
powershell -ExecutionPolicy Bypass -File .\scripts\Invoke-CutoverApexToFleet.ps1 `
  -SitesCsv .\sites\YOUR.csv -IConfirmApexCutover

powershell -ExecutionPolicy Bypass -File .\scripts\Invoke-InjectFleetFormValidation.ps1 `
  -SitesCsv .\sites\YOUR.csv
```

Adam API

POST .../provision-originless and /scrape with "fleet": true attach

preview only

(static.{domain}/*). The API does not take an origin IP and does not touch apex/www. Omit workerName only for Batches 1–7. New batches must send "workerName": "fleet-static-worker-server-1". Apex cutover stays on the conversion operator.

5. Path B — Rescrape (already static)

Use when WordPress already has the correct content (for example popups fixed in the database) and the public site is, or will be, fleet.

Change type	Scrape mode	Routes
HTML, popup, or copy only	HTML-only (-SkipAssets), then inject form-validation	-SkipRoutes if apex is already fleet
Theme, CSS, JS, or media	Full HTML + R2, then inject form-validation	Same
Apex not on fleet yet	Scrape into fleet KV/R2 first	Cut over apex only after QA (Path A step 5)

```
cd "C:\Users\<You>\Downloads\shared-apex-static"

powershell -ExecutionPolicy Bypass -File .\scripts\Invoke-WpOriginToFleet.ps1 `
  -SitesCsv .\reports\YOUR.csv `
  -HostingIp 174.136.29.214 `
  -WorkerName fleet-static-worker `
  -SkipRoutes -SkipAssets

# Server 1
powershell -ExecutionPolicy Bypass -File .\scripts\Invoke-WpOriginToFleet.ps1 `
  -SitesCsv .\reports\YOUR.csv `
  -HostingIp 165.140.157.43 `
  -WorkerName fleet-static-worker-server-1 `
  -SkipRoutes -SkipAssets

powershell -ExecutionPolicy Bypass -File `
  "C:\Users\<You>\Downloads\fleet-static-preview\scripts\Invoke-InjectFleetFormValidation.ps1" `
  -SitesCsv .\reports\YOUR.csv
```

Popup re-export wrapper (selects origin IP from lane):

```
powershell -ExecutionPolicy Bypass -File .\scripts\Invoke-PopupReexportFromOrigin.ps1 `
  -Lane s2 -SkipAssets -InjectFormValidation
# -Lane s1 → 165.140.157.43 + fleet-static-worker-server-1
```

After every HTML scrape

Re-inject /form-validation.js. The WordPress snapshot never contains the fleet snippet. Skipping this leaves native HTML5 validation on popups.

6. Path C — Edit loop

1. Rollback Worker routes so apex hits WordPress. Keep KV and R2.
 2. Edit and verify on live WordPress.
 3. Rescrape using Path B via the hosting IP (not public HTTPS).
 4. Restore fleet routes: B1–7 → fleet-static-worker; new batches → fleet-static-worker-server-1.
 5. Verify 200 / kv / x-fleet-host and form-validation.
- Do not delete WordPress until QA has passed and a lead says so. Keep old per-site Workers at least 48 hours after a fleet cutover.

7. Form validation

The delegated script (form-validation.js with document-level click and submit listeners) covers the **main form and Elementor popups** (GET IN TOUCH / Free Estimate). Native HTML5 “Please fill in this field” means our script did not intercept.

Site type	Who injects	File to use
Remaining WordPress	Usman	Downloads\fleet\assets\form-validation.js
Fleet / static	Conversion via Cloudflare KV + R2	Same file, Invoke-InjectFleetFormValidation.ps1

Do not send copies from Downloads\form-validation.js or static-conversion — those lack popup listeners.

8. Stay-WordPress (never convert)

Hard exclude (other Cloudflare account):

- azaleaparkfoundationrepair.com

Round Rock, Savannah, and Lake Worth are **not** stay-WP — they can convert / fleet like the rest.

9. Do not

Do not	Why
Scrape public HTTPS on a live fleet site	Recopies old KV, including stale popups
Use Invoke-MigrateSitesToFleet.ps1 to refresh content	Copies stale per-site KV
Use Invoke-DeepAssetSync.ps1 on fleet sites	Writes {domain}-worker keys, not {host}:html: / {host}:asset:
Use Adam /provision-originless to refresh live fleet	No origin IP; it fetches the public hostname
Omit workerName on a new-batch domain	Attaches static.* to server 2
Move B1–7 live apex to fleet-static-worker-server-1	Locked Worker split
Skip form-validation inject after an HTML scrape	Origin WP never has the tag
Store rating SVGs as application/xml	Broken badges; must be image/svg+xml

10. Go-live checklist

- ☐ Correct origin IP for the lane (Server 2 174.136.29.214 or Server 1 165.140.157.43)
- ☐ Stay-WordPress exclude checked
- ☐ static.* QA vs origin (new converts) or SkipRoutes confirmed (rescrape)
- ☐ Homepage 200 + x-source: kv + x-fleet-host: {domain}
- ☐ /form-validation.js HTTP 200 and snippet present in HTML
- ☐ Main form and popup validate with our script (not HTML5-only)
- ☐ Images x-source: r2 after a full scrape, or existing R2 left in place after HTML-only
- ☐ Cache purged; hard-refresh verified

Related scripts

Script	Folder	Job
Invoke-PreviewStaticOnFleet.ps1	fleet-static-preview	WP → fleet under static.* only
Invoke-CutoverApexToFleet.ps1	fleet-static-preview	Apex + www after QA
Invoke-WpOriginToFleet.ps1	shared-apex-static	Origin-IP scrape into HTML_FLEET / R2
Invoke-InjectFleetFormValidation.ps1	fleet-static-preview	R2 JS + KV HTML snippet
Invoke-PopupReexportFromOrigin.ps1	shared-apex-static	Popup list; picks Server 1 vs 2 IP

CityThrive / Michael Cloudflare account. Confidential — internal operations. New machine: SOP-MACHINE-SETUP.pdf. Architecture SOP (13 Aug 2026): SOP-FLEET-STATIC-WORKFLOW.md. This document is the convert / preview / cutover / rescrape procedure effective 28 August 2026.