4EBP1 (EIF4EBP1)



4EBP1 (EIF4EBP1)




ADA (ADA)
ADA
−log10 p-value
470
423
376
329
282
235
188
141
94
47
0
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
Chromosome


ADA (ADA)
λGC=0.994
Observed p-value
500
450
400
350
300
250
200
150
100
50
0
0
1
2
3
4
5
6
7
Expected p-value


ARTN (ARTN)
−log10 p-value
Chromosome


ARTN (ARTN)
λGC=1.003
Observed p-value
Expected p-value


AXIN1 (AXIN1)
−log10 p-value
Chromosome


AXIN1 (AXIN1)
λGC=1.007
Observed p-value
Expected p-value


Beta-NGF (NGF)
NGF
CTSL
−log10 p-value
15.0
13.5
12.0
10.5
9.0
7.5
6.0
4.5
3.0
1.5
0.0
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22
Chromosome


Beta-NGF (NGF)
λGC=1.009
Observed p-value
0 1 2 3 4 5 6 7 8 9 10 11
0 1 2 3 4 5 6 7
Expected p-value


CASP-8 (CASP8)
ALS2
−log10 p-value
30
27
24
21
18
15
12
9
6
3
0
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
Chromosome


CASP-8 (CASP8)
λGC=1.000
Observed p-value
30
20
10
0
0
1
2
3
4
5
6
7
Expected p-value


CCL11 (CCL11)
ACKF
ACKF
CCR
RHBL
CCL1
−log10 p-value
50
45
40
35
30
25
20
15
10
5
0
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
Chromosome


CCL11 (CCL11)
λGC=1.015
Observed p-value
50
40
30
20
10
0
0
1
2
3
4
5
6
7
Expected p-value


CCL19 (CCL19)
ICOS
DNAJ
NFKB
HLA-I
HLA-I
CCL2
ATXN
−log10 p-value
70
63
56
49
42
35
28
21
14
7
0
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
Chromosome


CCL19 (CCL19)
λGC=1.022
Observed p-value
70
60
50
40
30
20
10
0
0
1
2
3
4
5
6
7
Expected p-value


CCL20 (CCL20)
CCL2
UNC
−log10 p-value
15.0
13.5
12.0
10.5
9.0
7.5
6.0
4.5
3.0
1.5
0.0
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
Chromosome


CCL20 (CCL20)
λGC=1.017
Observed p-value
0
1
2
3
4
5
6
7
Expected p-value


CCL23 (CCL23)
CCL1
−log10 p-value
240
216
192
168
144
120
96
72
48
24
0
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
Chromosome


CCL23 (CCL23)
λGC=1.012
Observed p-value
240
210
180
150
120
90
60
30
0
0
1
2
3
4
5
6
7
Expected p-value


CCL25 (CCL25)
ABO
B4GAL
CCL25
LOC10
BCAT2
-log10 p-value
650
585
520
455
390
325
260
195
130
65
0
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
Chromosome


CCL25 (CCL25)
λGC=1.021
Observed p-value
900
810
720
630
540
450
360
270
180
90
0
0
1
2
3
4
5
6
7
Expected p-value


CCL28 (CCL28)
−log10 p-value
Chromosome


CCL28 (CCL28)
λGC=1.028
Observed p-value
Expected p-value


CCL4 (CCL4)
CCRL
ALS2
MAP4
RBM
CCL4
TBC1
−log10 p-value
Chromosome


CCL4 (CCL4)
λGC=1.005
Observed p-value
Expected p-value


CD244 (CD244)
MIR6
CD24
SH2E
DLG4
−log10 p-value
80
72
64
56
48
40
32
24
16
8
0
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
Chromosome


CD244 (CD244)
λGC=1.014
Observed p-value
80
70
60
50
40
30
20
10
0
0
1
2
3
4
5
6
7
Expected p-value


CD40 (CD40)
CD40
CDH2
−log10 p-value
290
261
232
203
174
145
116
87
58
29
0
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
Chromosome


CD40 (CD40)
λGC=1.008
Observed p-value
300
270
240
210
180
150
120
90
60
30
0
0
1
2
3
4
5
6
7
Expected p-value


CD5 (CD5)
VPS3
SH2E
ZBTB
−log10 p-value
30
27
24
21
18
15
12
9
6
3
0
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
Chromosome


CD5 (CD5)
λGC=1.028
Observed p-value
30
20
10
0
0
1
2
3
4
5
6
7
Expected p-value


CD6 (CD6)
CD6
ATXN
−log10 p-value
760
684
608
532
456
380
304
228
152
76
0
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
Chromosome


CD6 (CD6)
λGC=1.018
Observed p-value
800
720
640
560
480
400
320
240
160
80
0
0
1
2
3
4
5
6
7
Expected p-value


CDCP1 (CDCP1)
CDCF
CDCF
HLA-I
HLA-I
ST3G
−log10 p-value
Chromosome


CDCP1 (CDCP1)
λGC=1.020
Observed p-value
Expected p-value


CSF-1 (CSF1)
AHC
−log10 p-value
50
45
40
35
30
25
20
15
10
5
0
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
Chromosome


CSF-1 (CSF1)
λGC=1.004
Observed p-value
50
40
30
20
10
0
0
1
2
3
4
5
6
7
Expected p-value


CST5 (CST5)
TAS2R
CA12
LOC10
LINC0
CST5
SYNDI
540
486
432
378
324
270
216
162
108
54
0
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
Chromosome


CST5 (CST5)
λGC=1.020
Observed p-value
540
480
420
360
300
240
180
120
60
0
0
1
2
3
4
5
6
7
Expected p-value


CX3CL1 (CX3CL1)
HLA-I
HLA-I
ABO
CX3C
−log10 p-value
70
63
56
49
42
35
28
21
14
7
0
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22
Chromosome


CX3CL1 (CX3CL1)
λGC=1.019
Observed p-value
70
60
50
40
30
20
10
0
0 1 2 3 4 5 6 7
Expected p-value


CXCL10 (CXCL10)
CXCL
SHRC
SH2E
−log10 p-value
280
252
224
196
168
140
112
84
56
28
0
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
Chromosome


CXCL10 (CXCL10)
λGC=1.006
Observed p-value
300
270
240
210
180
150
120
90
60
30
0
0
1
2
3
4
5
6
7
Expected p-value


CXCL11 (CXCL11)
SDAL
CUX1
JMJD
SH2E
−log10 p-value
50
45
40
35
30
25
20
15
10
5
0
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
Chromosome


CXCL11 (CXCL11)
λGC=1.016
Observed p-value
50
40
30
20
10
0
0
1
2
3
4
5
6
7
Expected p-value


CXCL1 (CXCL1)
CXCL
−log10 p-value
130
117
104
91
78
65
52
39
26
13
0
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
Chromosome


CXCL1 (CXCL1)
λGC=1.002
Observed p-value
140
120
100
80
60
40
20
0
0
1
2
3
4
5
6
7
Expected p-value


CXCL5 (CXCL5)
CXCL
CXCL
ZFPM
BRD3
MIR1
−log10 p-value
180
162
144
126
108
90
72
54
36
18
0
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
Chromosome


CXCL5 (CXCL5)
λGC=1.007
Observed p-value
180
160
140
120
100
80
60
40
20
0
0
1
2
3
4
5
6
7
Expected p-value


CXCL6 (CXCL6)
ACKR
CXCL
CXCL
−log10 p-value
390
351
312
273
234
195
156
117
78
39
0
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
Chromosome


CXCL6 (CXCL6)
λGC=1.008
Observed p-value
400
360
320
280
240
200
160
120
80
40
0
0
1
2
3
4
5
6
7
Expected p-value


CXCL9 (CXCL9)
ART3
PLG
SH2B
−log10 p-value
30
27
24
21
18
15
12
9
6
3
0
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
Chromosome


CXCL9 (CXCL9)
λGC=1.015
Observed p-value
30
20
10
0
0
1
2
3
4
5
6
7
Expected p-value


DNER (DNER)
DNER
−log10 p-value
70
63
56
49
42
35
28
21
14
7
0
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
Chromosome


DNER (DNER)
λGC=1.016
Observed p-value
70
60
50
40
30
20
10
0
0
1
2
3
4
5
6
7
Expected p-value


EN-RAGE (S100A12)
S100
−log10 p-value
40
36
32
28
24
20
16
12
8
4
0
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
Chromosome


EN-RAGE (S100A12)
λGC=1.005
Observed p-value
40
30
20
10
0
0
1
2
3
4
5
6
7
Expected p-value


FGF-19 (FGF19)
RPL9
UBXN
LOC10
−log10 p-value
50
45
40
35
30
25
20
15
10
5
0
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
Chromosome


FGF-19 (FGF19)
λGC=1.007
Observed p-value
50
40
30
20
10
0
0
1
2
3
4
5
6
7
Expected p-value


FGF-21 (FGF21)
GCKI
MLXI
FGF2
−log10 p-value
40
36
32
28
24
20
16
12
8
4
0
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
Chromosome


FGF-21 (FGF21)
λGC=1.004
Observed p-value
40
30
20
10
0
0
1
2
3
4
5
6
7
Expected p-value


FGF-23 (FGF23)
SLC4
CYP2
−log10 p-value
20
18
16
14
12
10
8
6
4
2
0
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
Chromosome


FGF-23 (FGF23)
λGC=1.005
Observed p-value
20
10
0
0
1
2
3
4
5
6
7
Expected p-value


FGF-5 (FGF5)
FGF5
−log10 p-value
390
351
312
273
234
195
156
117
78
39
0
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
Chromosome


FGF-5 (FGF5)
λGC=1.016
Observed p-value
400
360
320
280
240
200
160
120
80
40
0
0
1
2
3
4
5
6
7
Expected p-value


Flt3L (FLT3LG)
SPRE
RPN1
CXXC
TERT
C11or
FLT3
−log10 p-value
Chromosome


Flt3L (FLT3LG)
λGC=1.022
Observed p-value
Expected p-value


hGDNF (GDNF)
GDNF
−log10 p-value
90
81
72
63
54
45
36
27
18
9
0
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
Chromosome


hGDNF (GDNF)
λGC=1.012
Observed p-value
90
80
70
60
50
40
30
20
10
0
0
1
2
3
4
5
6
7
Expected p-value


HGF (HGF)
HGF
HGF
−log10 p-value
20
18
16
14
12
10
8
6
4
2
0
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
Chromosome


HGF (HGF)
λGC=1.007
Observed p-value
20
10
0
0
1
2
3
4
5
6
7
Expected p-value


IFN-gamma (IFNG)
−log10 p-value
Chromosome


IFN-gamma (IFNG)
λGC=1.005
Observed p-value
Expected p-value


IL-10 (IL10)
IL10
HLA-I
IL10F
−log10 p-value
30
27
24
21
18
15
12
9
6
3
0
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
Chromosome


IL-10 (IL10)
λGC=1.015
Observed p-value
30
20
10
0
0
1
2
3
4
5
6
7
Expected p-value


IL-10RA (IL10RA)
−log10 p-value
Chromosome


IL-10RA (IL10RA)
λGC=1.013
Observed p-value
Expected p-value


IL10RB (IL10RB)
FAM1
IL10F
−log10 p-value
320
288
256
224
192
160
128
96
64
32
0
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
Chromosome


IL10RB (IL10RB)
λGC=1.009
Observed p-value
320
280
240
200
160
120
80
40
0
0
1
2
3
4
5
6
7
Expected p-value


IL-12B (IL12B)
BHLHE
LPP-AS
LOC28
LOC28
LINC0
IFITM4
HCP5E
PSORS
HLA-D
SH2B3
FLT3
LOC10
TRAF3
−log10 p-value
370
333
296
259
222
185
148
111
74
37
0
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22
Chromosome


IL-12B (IL12B)
λGC=1.005
Observed p-value
400
360
320
280
240
200
160
120
80
40
0
0 1 2 3 4 5 6 7
Expected p-value


IL-13 (IL13)
−log10 p-value
Chromosome


IL-13 (IL13)
λGC=1.003
Observed p-value
Expected p-value


IL-15RA (IL15RA)
FBXC
IL 15F
−log10 p-value
190
171
152
133
114
95
76
57
38
19
0
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
Chromosome


IL-15RA (IL15RA)
λGC=1.011
Observed p-value
200
180
160
140
120
100
80
60
40
20
0
0
1
2
3
4
5
6
7
Expected p-value


IL-17A (IL17A)
−log10 p-value
Chromosome


IL-17A (IL17A)
λGC=1.017
Observed p-value
Expected p-value


IL-17C (IL17C)
ZC3H
−log10 p-value
15.0
13.5
12.0
10.5
9.0
7.5
6.0
4.5
3.0
1.5
0.0
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22
Chromosome


IL-17C (IL17C)
λGC=1.015
Observed p-value
0 1 2 3 4 5 6 7
Expected p-value


IL-18 (IL18)
NLRC
IL18
−log10 p-value
60
54
48
42
36
30
24
18
12
6
0
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
Chromosome


IL-18 (IL18)
λGC=1.007
Observed p-value
60
50
40
30
20
10
0
0
1
2
3
4
5
6
7
Expected p-value


IL-18R1 (IL18R1)
IL1R2
IL18R
LINCC
PRKC
−log10 p-value
800
720
640
560
480
400
320
240
160
80
0
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
Chromosome


IL-18R1 (IL18R1)
λGC=1.002
Observed p-value
1000
800
600
400
200
0
0
1
2
3
4
5
6
7
Expected p-value


IL-1 (IL1A)
HLA-I
−log10 p-value
40
36
32
28
24
20
16
12
8
4
0
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
Chromosome


IL-1 (IL1A)
λGC=1.005
Observed p-value
40
30
20
10
0
0
1
2
3
4
5
6
7
Expected p-value


IL-20 (IL20)
−log10 p-value
Chromosome


IL-20 (IL20)
λGC=1.012
Observed p-value
Expected p-value


IL-20RA (IL20RA)
−log10 p-value
Chromosome


IL-20RA (IL20RA)
λGC=0.995
Observed p-value
Expected p-value


IL-22RA1 (IL22RA1)
−log10 p-value
Chromosome


IL-22RA1 (IL22RA1)
λGC=0.994
Observed p-value
Expected p-value


IL-24 (IL24)
−log10 p-value
Chromosome


IL-24 (IL24)
λGC=0.997
Observed p-value
Expected p-value


IL-2 (IL2)
−log10 p-value
Chromosome


IL-2 (IL2)
λGC=1.010
Observed p-value
Expected p-value


IL-2RB (IL2RB)
−log10 p-value
Chromosome


IL-2RB (IL2RB)
λGC=0.994
Observed p-value
Expected p-value


IL-33 (IL33)
−log10 p-value
Chromosome


IL-33 (IL33)
λGC=0.993
Observed p-value
Expected p-value


IL-4 (IL4)
−log10 p-value
Chromosome


IL-4 (IL4)
λGC=1.009
Observed p-value
Expected p-value


IL-5 (IL5)
−log10 p-value
Chromosome


IL-5 (IL5)
λGC=0.994
Observed p-value
Expected p-value


IL-6 (IL6)
IL6R
−log10 p-value
50
45
40
35
30
25
20
15
10
5
0
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
Chromosome


IL-6 (IL6)
λGC=1.005
Observed p-value
50
40
30
20
10
0
0
1
2
3
4
5
6
7
Expected p-value


IL-7 (IL7)
IL7
−log10 p-value
15.0
13.5
12.0
10.5
9.0
7.5
6.0
4.5
3.0
1.5
0.0
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22
Chromosome


IL-7 (IL7)
λGC=1.007
Observed p-value
0 1 2 3 4 5 6 7
Expected p-value


IL-8 (IL8)
CXCL
−log10 p-value
15.0
13.5
12.0
10.5
9.0
7.5
6.0
4.5
3.0
1.5
0.0
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22
Chromosome


IL-8 (IL8)
λGC=1.001
Observed p-value
0 1 2 3 4 5 6 7
Expected p-value


LAP (TGFB1)
TGFB
−log10 p-value
50
45
40
35
30
25
20
15
10
5
0
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
Chromosome


LAP (TGFB1)
λGC=1.007
Observed p-value
50
40
30
20
10
0
0
1
2
3
4
5
6
7
Expected p-value


LIF (LIF)
−log10 p-value
Chromosome


LIF (LIF)
λGC=0.998
Observed p-value
Expected p-value


LIF-R (LIFR)
ABO
−log10 p-value
80
72
64
56
48
40
32
24
16
8
0
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
Chromosome


LIF-R (LIFR)
λGC=1.010
Observed p-value
80
70
60
50
40
30
20
10
0
0
1
2
3
4
5
6
7
Expected p-value


MCP-1 (CCL2)
ACKR
ACKR
CCR
−log10 p-value
60
54
48
42
36
30
24
18
12
6
0
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
Chromosome


MCP-1 (CCL2)
λGC=1.000
Observed p-value
60
50
40
30
20
10
0
0
1
2
3
4
5
6
7
Expected p-value


MCP-2 (CCL8)
ACKR
CCL8
−log10 p-value
Chromosome


MCP-2 (CCL8)
λGC=1.009
Observed p-value
Expected p-value


MCP-3 (CCL7)
ACKR
ACKR
LINCC
−log10 p-value
40
36
32
28
24
20
16
12
8
4
0
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
Chromosome


MCP-3 (CCL7)
λGC=1.019
Observed p-value
40
30
20
10
0
0
1
2
3
4
5
6
7
Expected p-value


MCP-4 (CCL13)
ACKR
ACKR
TRPC
CCL1
−log10 p-value
70
63
56
49
42
35
28
21
14
7
0
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22
Chromosome


MCP-4 (CCL13)
λGC=1.010
Observed p-value
70
60
50
40
30
20
10
0
0 1 2 3 4 5 6 7
Expected p-value


MIP-1 (CCL3)
ATXN
CCL3
TBC1
−log10 p-value
210
189
168
147
126
105
84
63
42
21
0
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
Chromosome


MIP-1 (CCL3)
λGC=1.014
Observed p-value
210
180
150
120
90
60
30
0
0
1
2
3
4
5
6
7
Expected p-value


MMP-10 (MMP10)
MMP1
LOC10
−log10 p-value
130
117
104
91
78
65
52
39
26
13
0
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
Chromosome


MMP-10 (MMP10)
λGC=1.002
Observed p-value
140
120
100
80
60
40
20
0
0
1
2
3
4
5
6
7
Expected p-value


MMP-1 (MMP1)
MEF2
ZFPM
−log10 p-value
Chromosome


MMP-1 (MMP1)
λGC=1.009
Observed p-value
Expected p-value


NRTN (NRTN)
−log10 p-value
Chromosome


NRTN (NRTN)
λGC=1.007
Observed p-value
Expected p-value


NT-3 (NTF3)
NTRK
−log10 p-value
15.0
13.5
12.0
10.5
9.0
7.5
6.0
4.5
3.0
1.5
0.0
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22
Chromosome


NT-3 (NTF3)
λGC=1.005
Observed p-value
0 1 2 3 4 5 6 7 8 9 10 11 12
0 1 2 3 4 5 6 7
Expected p-value


OPG (TNFRSF11B)
LOC10
VTN
−log10 p-value
50
45
40
35
30
25
20
15
10
5
0
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
Chromosome


OPG (TNFRSF11B)
λGC=1.021
Observed p-value
50
40
30
20
10
0
0
1
2
3
4
5
6
7
Expected p-value


OSM (OSM)
P2RY
PSMI
−log10 p-value
30
27
24
21
18
15
12
9
6
3
0
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
Chromosome


OSM (OSM)
λGC=1.008
Observed p-value
30
20
10
0
0
1
2
3
4
5
6
7
Expected p-value


PD-L1 (CD274)
CD27
−log10 p-value
30
27
24
21
18
15
12
9
6
3
0
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
Chromosome


PD-L1 (CD274)
λGC=1.011
Observed p-value
30
20
10
0
0
1
2
3
4
5
6
7
Expected p-value


SCF (KITLG)
PON
ABC
PBX
CETP
PSKH
LILRA
PLTP
−log10 p-value
90
81
72
63
54
45
36
27
18
9
0
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22
Chromosome


SCF (KITLG)
λGC=1.018
Observed p-value
90
80
70
60
50
40
30
20
10
0
0 1 2 3 4 5 6 7
Expected p-value


SIRT2 (SIRT2)
NFKE
−log10 p-value
30
27
24
21
18
15
12
9
6
3
0
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
Chromosome


SIRT2 (SIRT2)
λGC=0.993
Observed p-value
30
20
10
0
0
1
2
3
4
5
6
7
Expected p-value


SLAMF1 (SLAMF1)
CD48
LOC10
ATXN2
DLG4
SLC38
−log10 p-value
50
45
40
35
30
25
20
15
10
5
0
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
Chromosome


SLAMF1 (SLAMF1)
λGC=1.023
Observed p-value
50
40
30
20
10
0
0
1
2
3
4
5
6
7
Expected p-value


ST1A1 (SULT1A1)
KLKE
SGF2
−log10 p-value
50
45
40
35
30
25
20
15
10
5
0
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
Chromosome


ST1A1 (SULT1A1)
λGC=1.011
Observed p-value
50
40
30
20
10
0
0
1
2
3
4
5
6
7
Expected p-value


STAMPB (STAMBP)
−log10 p-value
Chromosome


STAMPB (STAMBP)
λGC=0.999
Observed p-value
Expected p-value


TGF-alpha (TGFA)
TGFA
−log10 p-value
15.0
13.5
12.0
10.5
9.0
7.5
6.0
4.5
3.0
1.5
0.0
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22
Chromosome


TGF-alpha (TGFA)
λGC=1.002
Observed p-value
0 1 2 3 4 5 6 7
Expected p-value


TNFB (LTA)
GPX6
ZFP5
LINC
LTA
CSNK
TAP2
LTBR
SH2B
620
558
496
434
372
310
248
186
124
62
0
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
Chromosome


TNFB (LTA)
λGC=1.010
Observed p-value
630
560
490
420
350
280
210
140
70
0
0
1
2
3
4
5
6
7
Expected p-value


TNF (TNF)
−log10 p-value
Chromosome


TNF (TNF)
λGC=1.001
Observed p-value
Expected p-value


TNFRSF9 (TNFRSF9)
TNFR
TNFR
−log10 p-value
30
27
24
21
18
15
12
9
6
3
0
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22
Chromosome


TNFRSF9 (TNFRSF9)
λGC=1.025
Observed p-value
30
20
10
0
0 1 2 3 4 5 6 7
Expected p-value


TNFSF14 (TNFSF14)
TNFS
C3
−log10 p-value
80
72
64
56
48
40
32
24
16
8
0
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22
Chromosome


TNFSF14 (TNFSF14)
λGC=1.020
Observed p-value
80
70
60
50
40
30
20
10
0
0 1 2 3 4 5 6 7
Expected p-value


TRAIL (TNFSF10)
CFH
TNFS
NCEH
KNG1
MYRF
SERF
APOH
MEP1
PLAU
−log10 p-value
Chromosome


TRAIL (TNFSF10)
λGC=1.015
Observed p-value
Expected p-value


TRANCE (TNFSF11)
TNFSF
NCEH
CPN2
LOC38
MAL2
LOC10
VTN
−log10 p-value
50
45
40
35
30
25
20
15
10
5
0
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
Chromosome


TRANCE (TNFSF11)
λGC=1.015
Observed p-value
50
40
30
20
10
0
0
1
2
3
4
5
6
7
Expected p-value


TSLP (TSLP)
−log10 p-value
Chromosome


TSLP (TSLP)
λGC=1.011
Observed p-value
Expected p-value


TWEAK (TNFSF12)
ST3GA
SLC9A
SLC39
SLC39
ABO
NLGN
TNFSF
−log10 p-value
60
54
48
42
36
30
24
18
12
6
0
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
Chromosome


TWEAK (TNFSF12)
λGC=1.010
Observed p-value
60
50
40
30
20
10
0
0
1
2
3
4
5
6
7
Expected p-value


uPA (PLAU)
LY75-
PLAU
ST3G
ASGR
CHST
PLAU
−log10 p-value
50
45
40
35
30
25
20
15
10
5
0
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
Chromosome


uPA (PLAU)
λGC=1.009
Observed p-value
50
40
30
20
10
0
0
1
2
3
4
5
6
7
Expected p-value


VEGF_A (VEGFA)
LINCC
ZFPM
KCNV
MIR1
−log10 p-value
320
288
256
224
192
160
128
96
64
32
0
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
Chromosome


VEGF_A (VEGFA)
λGC=1.004
Observed p-value
320
280
240
200
160
120
80
40
0
0
1
2
3
4
5
6
7
Expected p-value