

Tracked Changes in the Revised Manuscript

Template placeholder

Review Response Template

This PDF is a **placeholder** for your manuscript's tracked-changes file. Replace it with the real `diff.pdf` after you generate `diff.tex`.

About LaTeX Different

LaTeX Different — Tracked Changes (<https://latexdiff.web.app/>) is a browser-only front-end for authors who need journal-style tracked changes without installing Perl or `latexdiff` locally.

- **Diff engine.** Powered by `latexdiff` (F. Tilmann, GPL-3.0) — compares two $\text{\LaTeX}$ files and marks up changes with `\DIFadd` / `\DIFdel`.
- **Runs locally.** Entirely in your browser via `wasm-latex-tools` and `WebPerl` — nothing is uploaded to a server.
- **UI.** Developed by Tan Jing Jie (<https://jingjietan.com>); source at <https://github.com/jingjie00/latexdiff-ui>.

How to generate tracked changes

1. Keep two versions of your manuscript (e.g. `main-old.tex` and `main-new.tex`).
2. Paste the **old** (submitted) source into the *Old* column, or drop the `.tex` file.
3. Paste the **new** (revised) source into the *New* column.
4. Adjust options if needed (`-type`, `-flatten`, math/figure markup, etc.).
5. Click **Generate**. The marked-up `diff.tex` appears in *Tracked Changes*.
6. Use **Preview** in the app: revised passages are highlighted in **blue**, and removed original text in **red** — before you compile a PDF.
7. Copy or download `diff.tex`, save it beside your figures and bibliography files.
8. Compile `diff.tex` (e.g. `latexmk -pdf diff.tex`).

Important: Compile `diff.tex`, not the unchanged `main.tex`. Only `diff.tex` contains `\DIFadd` / `\DIFdel` markup.

How changes are highlighted

latexdiff compares the **old** and **new** files. In the compiled PDF (and in the web app **Preview**):

- **Revised / added text** (`\DIFadd`) — shown in **blue** (default UNDERLINE and CTRADITIONAL styles).
- **Removed original text** (`\DIFdel`) — shown in **red** with strike-through or margin notes, depending on `-type`.

Example (as it appears after diffing):

The model uses a standard encoder and ~~cross-entropy training~~ Longformer encoder with prototypical fine-tuning and cross-entropy guidance.

Choose markup under **Options** on the web app (CTRADITIONAL, UNDERLINE, CHANGEBAR, etc.).

Why use it?

- **Privacy** — sources stay on your machine; no upload.
- **No install** — full latexdiff in the browser.
- **Live Preview** — blue/red highlighting in the editor before compiling.
- **True L^AT_EX diff** — understands commands, floats, citations, and math.
- **Multi-file projects** — `-flatten` inlines `\input` / `\include`.
- **Journal-ready PDF** — compile with `pdflatex` / `latexmk` and attach to your response letter.

Include in your response letter

In `main.tex`, replace:

```
\includepdf[pages=-]{tracked-changes-guide.pdf}
```

with your generated PDF, e.g. `diff.pdf`.