Fitra

Test Coverage Report

Version 1.0

Revision History

Revision Number	Date	Primary Author(s)	Comments
0.1	Oct 29th th, 2026	Gary Quah, Lau Jing Jie, Lee Zheng Wee, Rusyaidi, Quah Yew Yi, Matthew Wong	Initial draft
0.2	Oct 31th, 2026	Gary Quah, Lau Jing Jie, Lee Zheng Wee, Rusyaidi, Quah Yew Yi, Matthew Wong	Updating of draft
1.0	Nov 4th , 2026	Gary Quah, Lau Jing Jie, Lee Zheng Wee, Rusyaidi, Quah Yew Yi, Matthew Wong	Completion of edits for initial report.

Table of Contents

1. Introduction **2**
2. Tests **3**
2.1. Functional requirements evaluation 3
2.1.1. Registration Page 3
2.1.2. Login page 8
2.1.3. Friend page 11
2.1.4. Home page 22
2.1.5. Settings page 27
2.1.6. Training page 29
2.1.7. Nutrition page 42
2.1.8. Leaderboard page 42
2.1.9. AI Assistance page 51
2.2. Coverage report **52**
2.2.2. Frontend 53

1. Introduction

The coverage report's primary focus is to cover the tests carried out to verify that the Fitra system works correctly and meets the business requirements mentioned in the functional requirements. Testing will cover user registration, user login, training data tracking, nutritional data tracking, AI assistance and the leaderboard system.

2. Tests

2.1. Functional requirements evaluation

The tests listed below cover the tests carried out in order to ensure the functional requirements are tested and met.

2.1.1. Registration Page

Test Case ID:	RGT-1		
Test Case Name:	Successful Registration and redirect		
Test Case Description:	The user can successfully register with valid details and is redirected to the login page.		
Pre-Condition	1. The internet connection is stable 2. The user is on the registration page. 3. The email address has not been registered previously.		
Post-Condition	1. The user is authenticated and redirected to the dashboard.		
Assignee:	Rusyaidi		
Test case step no.	**Description**	**Expected Outcome**	**Actual outcome**
1	The user navigates to the Registration page.	The Registration form is displayed.	The Registration form is displayed.
2	The user enters a valid name, email address, password and matching confirm password.	The entered credentials are accepted as input.	The entered credentials are accepted as input.

3	The user clicks the "Register" button.	The registration request is submitted successfully.	The registration request is submitted successfully.
4	The user waits for the registration process to complete.	The user is redirected to the login page.	The user is redirected to the login page.

Test Case ID:	RGT-2		
Test Case Name:	Whitespace-only name validation		
Test Case Description:	Verify that the registration form rejects a name containing only whitespace characters.		
Pre-Condition	1. The internet connection is stable 2. The user is on the registration page.		
Post-Condition	1. Registration is prevented, and an appropriate validation error is displayed.		
Assignee:	Rusyaidi		
Test case step no.	**Description**	**Expected Outcome**	**Actual outcome**
1	The user navigates to the Registration page.	The Registration form is displayed.	The Registration form is displayed.
2	Enter only spaces in the name field.	The name field contains whitespace characters only.	The name field contains whitespace characters only.
3	Enter a valid email address and matching valid passwords.	The remaining fields accept the provided values.	The remaining fields accept the provided values.

4	Click the Register button.	Registration is prevented, and a validation error is displayed for the name field.	Registration is prevented, and a validation error is displayed for the name field.

Test Case ID:	RGT-3		
Test Case Name:	Empty email validation		
Test Case Description:	Verify that the registration form prevents submission when the email field is empty.		
Pre-Condition	1. The internet connection is stable 2. The user is on the registration page.		
Post-Condition	1. Registration is prevented because the email address is missing.		
Assignee:	Rusyaidi		
Test case step no.	**Description**	**Expected Outcome**	**Actual outcome**
1	The user navigates to the Registration page.	The Registration form is displayed.	The Registration form is displayed.
2	Enter a valid name and password.	The provided fields accept the values.	The provided fields accept the values.
3	Leave the email field empty and enter a matching confirm password.	The email field remains empty.	The email field remains empty.
4	Click the Register button.	Registration is prevented, and a validation error is displayed for the name field.	Registration is prevented, and a validation error is displayed for the name field.

Test Case ID:	RGT-4		
Test Case Name:	Password shorter than 8 characters		
Test Case Description:	Verify that the registration form rejects passwords containing fewer than 8 characters.		
Pre-Condition	1. The internet connection is stable 2. The user is on the registration page.		
Post-Condition	1. Registration is prevented, and a password validation error is displayed.		
Assignee:	Rusyaidi		
Test case step no.	**Description**	**Expected Outcome**	**Actual outcome**
1	The user navigates to the Registration page.	The Registration form is displayed.	The Registration form is displayed.
2	Enter a valid name and email address..	The provided fields accept the values.	The provided fields accept the values.
3	Enter a password containing fewer than 8 characters.	The password field accepts the input for validation.	The password field accepts the input for validation.
4	Enter the same password in the confirm password field.	Both password fields contain matching values.	Both password fields contain matching values.
5	Click the Register button.	Registration is prevented, and a password length validation error is displayed.	Registration is prevented, and a password length validation error is displayed.

Test Case ID:	RGT-5		
Test Case Name:	Mismatched passwords		
Test Case Description:	Verify that the registration form rejects passwords that do not match the confirmation password.		
Pre-Condition	1. The internet connection is stable 2. The user is on the registration page.		
Post-Condition	1. Registration is prevented, and a password mismatch error is displayed.		
Assignee:	Rusyaidi		
Test case step no.	**Description**	**Expected Outcome**	**Actual outcome**
1	The user navigates to the Registration page.	The Registration form is displayed.	The Registration form is displayed.
2	Enter a valid name and email address..	The fields accept the provided values.	The fields accept the provided values.
3	Enter a valid password.	The password field accepts the input.	The password field accepts the input.
4	Enter a different password in the confirm password field.	The two password fields contain different values.	The two password fields contain different values.
5	Click the Register button.	Registration is prevented, and a password mismatch error is displayed.	Registration is prevented, and a password mismatch error is displayed.

2.1.2. Login page

Test Case ID:	LGT-1		
Test Case Name:	Successful User Login		
Test Case Description:	The user must be able to log in to their Fitra account using valid credentials		
Pre-Condition	1. The internet connection is stable 2. The website is launched 3. The user has a registered account		
Post-Condition	1. The user is authenticated and redirected to the dashboard.		
Assignee:	Rusyaidi		
Test case step no.	**Description**	**Expected Outcome**	**Actual outcome**
1	The user navigates to the Login page.	The login form is displayed with email and password fields.	The login form is displayed with email and password fields.
2	The user enters a valid email address and password.	The entered credentials are accepted as input.	The entered credentials are accepted as input.
3	The user clicks the "Login" button.	The system authenticates the user and redirects them to the dashboard.	The system authenticates the user and redirects them to the dashboard.

Test Case ID:	LGT-2
Test Case Name:	Login with invalid credentials
Test Case Description:	The system must prevent users from logging in with incorrect credentials.
Pre-Condition	1. The internet connection is stable. 2. The website is launched. 3. The user is on the Login page.
Post-Condition	1. The user remains unauthenticated and receives an appropriate error

	message.		
Assignee:	Rusyaidi		
Test case step no.	**Description**	**Expected Outcome**	**Actual outcome**
1	The user enters an invalid email address or incorrect password.	The login form accepts the input.	The login form accepts the input.
2	The user clicks the "Login" button.	The system rejects the invalid credentials and displays an appropriate error message.	The system rejects the invalid credentials and displays an appropriate error message.
3	The user checks the current page.	The user remains on the Login page and is not redirected to the dashboard.	The user remains on the Login page and is not redirected to the dashboard.

Test Case ID:	LGT-3		
Test Case Name:	Unauthenticated access to protected pages		
Test Case Description:	The system must prevent unauthenticated users from accessing protected pages.		
Pre-Condition	1. The website is launched. 2. The user is not logged in.		
Post-Condition	1. The unauthenticated user is redirected to the Login page and denied access.		
Assignee:	Rusyaidi		
Test case step no.	**Description**	**Expected Outcome**	**Actual outcome**
1	The user attempts to access the	The system checks whether the user has an authenticated session.	The system checks whether the user has an authenticated session.

	dashboard directly through its URL.		
2	The system detects that the user is not logged in.	The user is redirected to the Login page or denied access to the protected page.	The user is redirected to the Login page or denied access to the protected page.

Test Case ID:	LGT-4		
Test Case Name:	Remember Me checkbox toggle		
Test Case Description:	Verify that the Remember Me checkbox can be toggled between its checked and unchecked states.		
Pre-Condition	1. The user is on the login page.		
Post-Condition	1. The Remember Me checkbox reflects the user's selected state.		
Assignee:	Rusyaidi		
Test case step no.	**Description**	**Expected Outcome**	**Actual outcome**
1	Navigate to the login page.	The login form is displayed.	The login form is displayed.
2	Locate the Remember Me checkbox.	The checkbox is visible on the login page.	The checkbox is visible on the login page.
3	Click the Remember Me checkbox.	The checkbox changes to the checked state.	The checkbox changes to the checked state.
4	Click the Remember Me checkbox again.	The checkbox changes back to the unchecked state.	The checkbox changes back to the unchecked state.

2.1.3. Friend page

Test Case ID:	F-1		
Test Case Name:	View existing friends		
Test Case Description:	The user must be able to view their existing friends on the Friends page.		
Pre-Condition	1. The internet connection is stable. 2. The user is logged in. 3. The user has at least one accepted friendship.		
Post-Condition	1. The user's existing friends are displayed on the Friends page.		
Assignee:	Rusyaidi		
Test case step no.	**Description**	**Expected Outcome**	**Actual outcome**
1	The user navigates to the Friends page.	The Friends page is displayed with the "My Friends", "Find Friends" and "Requests" sections.	The Friends page is displayed with the "My Friends", "Find Friends" and "Requests" sections.
2	The user selects the "My Friends" section.	The system retrieves and displays the user's existing friends.	The system retrieves and displays the user's existing friends.
3	The user checks the displayed friend list.	The accepted friends are displayed correctly without duplicate entries.	The accepted friends are displayed correctly without duplicate entries.

Test Case ID:	F-2
Test Case Name:	Search for users
Test Case Description:	The user must be able to search for other registered users to find potential friends.
Pre-Condition	1. The internet connection is stable. 2. The user is logged in. 3. Other registered user profiles exist.
Post-Condition	1. The search results display matching user profiles.

Assignee:	Rusyaidi		
Test case step no.	**Description**	**Expected Outcome**	**Actual outcome**
1	The user navigates to the Friends page and selects "Find Friends".	The user search interface is displayed.	The user search interface is displayed.
2	The user enters the name of an existing user into the search field.	The system searches for matching user profiles.	The system searches for matching user profiles.
3	The user views the search results.	Matching user profiles are displayed.	Matching user profiles are displayed.
4	The user searches for a name that does not exist.	The system displays an appropriate empty state or message indicating that no matching users were found.	The system displays an appropriate empty state or message indicating that no matching users were found.

Test Case ID:	F-3
Test Case Name:	Send a friend request
Test Case Description:	The user must be able to send a friend request to another registered user.
Pre-Condition	1. The internet connection is stable. 2. The user is logged in. 3. The recipient has a registered account. 4. No existing friendship or pending request prevents a new request.
Post-Condition	1. A pending friend request is created for the recipient.
Assignee:	Rusyaidi

Test case step no.	Description	Expected Outcome	Actual outcome
1	The user navigates to "Find Friends" and searches for another registered user.	The matching user profile is displayed.	The matching user profile is displayed.
2	The user clicks the "Add Friend" button for the selected user.	The system creates a friend request.	The system creates a friend request.
3	The user checks the request status.	The request is shown as pending, and the recipient can view it in their Requests section.	The request is shown as pending, and the recipient can view it in their Requests section.

Test Case ID:	F-4		
Test Case Name:	Accept a friend request		
Test Case Description:	The user must be able to accept an incoming friend request.		
Pre-Condition	1. The internet connection is stable. 2. The user is logged in. 3. Another user has sent the user a friend request.		
Post-Condition	1. The friendship is established, and both users can see each other in their respective friend lists.		
Assignee:	Rusyaidi		
Test case step no.	**Description**	**Expected Outcome**	**Actual outcome**
1	The user navigates to the Friends page and selects "Requests".	The incoming friend request is displayed.	The incoming friend request is displayed.

2	The user clicks the "Accept" button for the request.	The system updates the request status and establishes the friendship.	The system updates the request status and establishes the friendship.
3	The user navigates to "My Friends".	The requester appears in the user's friend list.	The requester appears in the user's friend list.
4	The requester checks their own friend list.	The user who accepted the request appears in the requester's friend list.	The user who accepted the request appears in the requester's friend list.

Test Case ID:	F-5		
Test Case Name:	Reject a friend request		
Test Case Description:	The user must be able to reject an incoming friend request.		
Pre-Condition	1. The internet connection is stable. 2. The user is logged in. 3. Another user has sent the user a friend request.		
Post-Condition	1. The request is rejected, and no friendship is established.		
Assignee:	Rusyaidi		
Test case step no.	**Description**	**Expected Outcome**	**Actual outcome**
1	The user navigates to the "Requests" section.	The incoming friend request is displayed.	The incoming friend request is displayed.
2	The user clicks the "Reject" button for the request.	The system rejects the friend request.	The system rejects the friend request.

3	The user checks the Requests and My Friends sections.	The rejected request is no longer pending, and the requester is not added to the friend list.	The rejected request is no longer pending, and the requester is not added to the friend list.

Test Case ID:	F-6		
Test Case Name:	Display outgoing pending request as Request Sent		
Test Case Description:	Verify that the Friends page indicates when a friend request has already been sent to another user and is still pending.		
Pre-Condition	1. The internet connection is stable. 2. The user is logged in. 3. The user has an existing outgoing pending friend request.		
Post-Condition	1. The corresponding user is displayed with a Request Sent status.		
Assignee:	Rusyaidi		
Test case step no.	**Description**	**Expected Outcome**	**Actual outcome**
1	Navigate to the Friends page.	The Friends page is displayed.	The Friends page is displayed.
2	Search for a user to whom a friend request has already been sent.	The matching user profile is displayed.	The matching user profile is displayed.
3	Observe the friend request action displayed for that user.	The action indicates Request Sent instead of allowing another request to be sent.	The action indicates Request Sent instead of allowing another request to be sent.

Test Case ID:	F-7		
Test Case Name:	Prevent self-directed friend requests		
Test Case Description:	The system must prevent users from sending friend requests to their own accounts.		
Pre-Condition	1. The internet connection is stable. 2. The user is logged in.		
Post-Condition	1. No friend request is created between the user and themselves.		
Assignee:	Rusyaidi		
Test case step no.	**Description**	**Expected Outcome**	**Actual outcome**
1	The user searches for their own profile.	The system identifies the profile as belonging to the logged-in user.	The system identifies the profile as belonging to the logged-in user.
2	The user attempts to send a friend request to their own profile.	The system prevents the request from being sent.	The system prevents the request from being sent.
3	The user checks the Requests section.	No self-directed friend request is created.	No self-directed friend request is created.

Test Case ID:	F-8
Test Case Name:	Remove an existing friend
Test Case Description:	The user must be able to remove an existing friend from their friend list.
Pre-Condition	1. The internet connection is stable. 2. The user is logged in. 3. The user has at least one existing friend.
Post-Condition	1. The friendship is removed, and both users no longer appear in each other's friend lists.

Assignee:	Rusyaidi		
Test case step no.	**Description**	**Expected Outcome**	**Actual outcome**
1	The user navigates to the Friends page and selects "My Friends".	The user's existing friends are displayed.	The user's existing friends are displayed.
2	The user clicks the "Remove Friend" option for the selected friend.	The system processes the request to remove the friendship.	The system processes the request to remove the friendship.
3	The user checks their friend list.	The removed friend no longer appears in the list.	The removed friend no longer appears in the list.
4	The other user checks their friend list.	The friendship is no longer displayed for the other user.	The friendship is no longer displayed for the other user.

Test Case ID:	F-9		
Test Case Name:	Clear search input and results		
Test Case Description:	Verify that the search input and displayed search results can be cleared.		
Pre-Condition	1. The internet connection is stable. 2. The user is logged in to friend page. 3. The user has entered a search query that returns results.		
Post-Condition	1. The search input and its displayed results are cleared.		
Assignee:	Rusyaidi		
Test case step	**Description**	**Expected Outcome**	**Actual outcome**

no.			
1	The user navigates to the Friends page.	The Friends page is displayed.	The Friends page is displayed.
2	The user enter a search query that returns matching user profiles.	Matching search results are displayed.	Matching search results are displayed.
3	The user activates the clear search action.	The search input is cleared.	The search input is cleared.
4	Observe the search results section.	The previous search results are cleared.	The previous search results are cleared.

Test Case ID:	F-10		
Test Case Name:	Display outgoing pending friend requests		
Test Case Description:	Verify that the Requests section displays friend requests sent by the current user that are still pending.		
Pre-Condition	1. The internet connection is stable. 2. The user is logged in to friend page. 3. The current user has at least one outgoing pending friend request.		
Post-Condition	1. The outgoing pending friend requests are displayed in the Requests section.		
Assignee:	Rusyaidi		
Test case step no.	**Description**	**Expected Outcome**	**Actual outcome**

1	The user navigates to the Friends page.	The Friends page is displayed.	The Friends page is displayed.
2	The user navigates to the Requests section.	The Requests section is displayed.	The Requests section is displayed.
3	Observe the outgoing requests area.	The user's outgoing pending friend requests are displayed.	The user's outgoing pending friend requests are displayed.
4	Verify the displayed request information.	The displayed requests correspond to the current user's pending outgoing requests.	The displayed requests correspond to the current user's pending outgoing requests.

Test Case ID:	F-11		
Test Case Name:	Navigate to Requests after responding to an incoming request from search		
Test Case Description:	Verify that the Friends page navigates to the Requests section after the user responds to an incoming friend request found through search.		
Pre-Condition	1. The internet connection is stable. 2. The user is logged in to friend page. 3. An incoming pending friend request exists from a user who can be found through search.		
Post-Condition	1. After responding to the incoming request, the user is navigated to the Requests section.		
Assignee:	Rusyaidi		
Test case step no.	**Description**	**Expected Outcome**	**Actual outcome**
1	The user navigates to the Friends page.	The Friends page is displayed.	The Friends page is displayed.

2	The user searches for a user who has sent the current user an incoming pending friend request.	The matching user profile is displayed.	The matching user profile is displayed.
3	Respond to the incoming friend request using the available request action.	The friend request response is submitted successfully.	The friend request response is submitted successfully.
4	Observe the current page section.	The user is navigated to the Requests section.	The user is navigated to the Requests section.

Test Case ID:	F-12		
Test Case Name:	Display error when responding to friend request fails		
Test Case Description:	Verify that the Friends page displays an error message when an operation to respond to an incoming friend request fails.		
Pre-Condition	1. The internet connection is stable. 2. The user is logged in to friend page. 3. The user has an incoming pending friend request. 4. Response operation is configured to fail.		
Post-Condition	1. The failure is handled, and an appropriate error message is displayed.		
Assignee:	Rusyaidi		
Test case step no.	**Description**	**Expected Outcome**	**Actual outcome**
1	The user navigates to the Friends page.	The Friends page is displayed.	The Friends page is displayed.

2	The user locates an incoming pending friend request.	The incoming friend request is displayed.	The incoming friend request is displayed.
3	The user configures the friend request response operation to return an error.	The response operation is set to simulate a failure.	The response operation is set to simulate a failure.
4	Attempt to respond to the incoming friend request.	The operation fails and the error is handled.	The operation fails and the error is handled.
5	Observe the Friends page.	An appropriate error message is displayed to the user.	An appropriate error message is displayed to the user.

2.1.4. Home page

Test Case ID:	HT-1		
Test Case Name:	User data modification		
Test Case Description:	The user must be able to update their health information such as height and weight.		
Pre-Condition	4. The internet connection is stable 5. The website is launched		
Post-Condition	2. A pop-up interface will appear with the user's current health details as input fields for the user to edit their health details.		
Assignee:	Gary		
Test case step no.	**Description**	**Expected Outcome**	**Actual outcome**
1	The user clicks on the "Edit" health button	A modal pops up with input fields for the user to modify their health data	A modal pops up with input fields for the user to modify their health data
2	The user modifies the input field data and clicks "Save"	The modal closes, and the user's health data is updated on the dashboard.	The modal closes, and the user's health data is updated on the dashboard.

Test Case ID:	HT-2		
Test Case Name:	Health data overview		
Test Case Description:	The user must be able to view their health data in the form of numerical data.		
Pre-Condition	1. The internet connection is stable 2. The website is launched		
Post-Condition	1. The user interface will display the user's health data consisting of height and weight.		
Assignee:	Gary		
Test case step	**Description**	**Expected Outcome**	**Actual outcome**

no.			
1	The user is on the home page	The user's height and weight are displayed on the dashboard's health data segment	The user's height and weight are displayed on the dashboard's health data segment

Test Case ID:	HT-3		
Test Case Name:	Latest training data overview		
Test Case Description:	The user must be able to view their training data consisting of the latest activity name, duration of activity, average heart rate, Rate of Perceived Exertion (RPE), volume and calories burnt.		
Pre-Condition	1. The internet connection is stable. 2. The user is on the home page. 3. The user has selected the “Latest” tab under the training data dashboard.		
Post-Condition	1. The user interface will display the user's latest activity data.		
Assignee:	Gary		
Test case step no.	**Description**	**Expected Outcome**	**Actual outcome**
1	The user selects the “Latest” tab under the training overview segment in the dashboard	The metrics for the latest activity are displayed in numeric form.	The metrics for the latest activity are displayed in numeric form.

Test Case ID:	HT-4
Test Case Name:	Daily training data overview
Test Case Description:	The user must be able to view their daily training data consisting of numeric data representing a summary of the last 7 days of training data. The user must be able to view daily training volume for the last 7 days as a

	bar chart, with a tooltip on hover displaying each day's volume, duration and calories burnt.		
Pre-Condition	1. The internet connection is stable. 2. The user is on the home page. 3. The user has selected the “Daily” tab under the training data dashboard.		
Post-Condition	1. The user interface will display the user's past 7 days of training data.		
Assignee:	Gary		
Test case step no.	**Description**	**Expected Outcome**	**Actual outcome**
1	The user selects the “Daily” tab under Training overview on the home dashboard.	A bar chart displays daily training volume for the last 7 days, together with total volume, total duration and total calories for that period.	A bar chart displays daily training volume for the last 7 days, together with total volume, total duration and total calories for that period.
2	The user hovers over individual bar charts representing each day of the past week	A tooltip appears, displaying numerical data on each day's volume, duration and calories burnt.	A tooltip appears, displaying numerical data on each day's volume, duration and calories burnt.

Test Case ID:	HT-5
Test Case Name:	Daily food consumption data overview
Test Case Description:	The user must be able to view their daily food consumption data consisting of bar charts with a tooltip upon hovering over individual bars, displaying summarised data of the day, such as the calorie intake for the day and the target calorie intake.
Pre-Condition	1. The internet connection is stable. 2. The user is on the home page. 3. The user has selected the “Daily” tab under the food consumption segment in the dashboard.

Post-Condition	1. The user interface will display the user's daily food consumption data.		
Assignee:	Gary		
Test case step no.	**Description**	**Expected Outcome**	**Actual outcome**
1	The user selects the “Daily” tab under the food consumption segment in the dashboard	A bar graph representing the past 7 days of food consumption data is displayed.	A bar graph representing the past 7 days of food consumption data is displayed.
2	The user hovers over any bar in the bar chart.	A tooltip appears, showing the calories consumed for the day along with the user's target calories.	A tooltip appears, showing the calories consumed for the day along with the user's target calories.

Test Case ID:	HT-6		
Test Case Name:	Weekly food consumption overview		
Test Case Description:	The user must be able to view their weekly food consumption data consisting of bar charts with a tooltip upon hovering over individual bars, displaying the total calories consumed for the week, average calories consumed per day, and the average calorie target per day.		
Pre-Condition	1. The internet connection is stable. 2. The user is on the home page. 3. The user has selected the “Weekly” tab under the food consumption segment in the dashboard.		
Post-Condition	1. The user interface will display the user's past 5 weeks of food consumption		
Assignee:	Gary		
Test case step no.	**Description**	**Expected Outcome**	**Actual outcome**

1	The user selects the “Weekly” tab under the food consumption segment in the dashboard	A bar graph representing the past 5 weeks of food consumption data is displayed.	A bar graph representing the past 5 weeks of food consumption data is displayed.
2	The user hovers over individual bar charts representing each week for the past 5 weeks.	A tooltip appears, displaying total calorie intake for the week, average daily calorie intake and average daily target calorie intake.	A tooltip appears, displaying total calorie intake for the week, average daily calorie intake and average daily target calorie intake.

Test Case ID:	HT-7		
Test Case Name:	Daily check-in		
Test Case Description:	The user must be able to view their check-in status, check-in streak and be directed to the leaderboard page to check in if the user has yet to do so for the day.		
Pre-Condition	1. The internet connection is stable. 2. The user is on the home page. 3. The user clicks on the “Check in” button in the daily check-in segment of the dashboard.		
Post-Condition	1. The user is directed to the leaderboard page to check in.		
Assignee:	Gary		
Test case step no.	**Description**	**Expected Outcome**	**Actual outcome**
1	The user is looking at the Daily check-in	A 2-week calendar displays the days the user has checked in, failed to check in, and yet to check in.	A 2-week calendar displays the days the user has checked in, failed to check in, and yet to check in.

	segment of the dashboard		
2	The user clicks on the “Check in” button	The user is directed to the leaderboard page to check in.	The user is directed to the leaderboard page to check in.

2.1.5. Settings page

Test Case ID:	ST-1		
Test Case Name:	Profile Settings & TDEE Calculation		
Test Case Description:	The user must be able to set & update their biological metrics to calculate their BMR, TDEE & daily target macronutrients.		
Pre-Condition	1. The internet connection is stable 2. User is authenticated 3. User is navigated to the Settings page		
Post-Condition	1. Database is updated with new biological metrics and fitness goals 2. Application calculates & displays the updated metrics to the users		
Assignee:	Jing Jie		
Test case step no.	**Description**	**Expected Outcome**	**Actual outcome**
1	User navigates to the Settings page	Settings page is shown to the user	Settings page is shown to the user
2	User inputs valid biological metrics	Input field accepts user value and displays it correctly without errors	Input is accepted without errors
3	User selects their activity level and fitness goals	Selected values are accepted in the application	Selected values are accepted in the application
4	User clicks on “save profile” button	Application backend calculates BMR, TDEE, daily	Application backend calculates BMR, TDEE,

		macronutrients and saves into the database. UI is refreshed with the user's metrics	daily macronutrients and saves into the database. UI is refreshed and reflects user data

Test Case ID:	ST-2		
Test Case Name:	Link Strava Account via OAuth 2.0		
Test Case Description:	The user links their Strava account to authorize the application to fetch their Strava data		
Pre-Condition	1. The internet connection is stable 2. User is authenticated 3. User is navigated to the Settings page		
Post-Condition	1. A persistent Strava Access Token and Refresh Token are stored in the database 2. Settings page UI reflects that the user has linked their account		
Assignee:	Jing Jie		
Test case step no.	**Description**	**Expected Outcome**	**Actual outcome**
1	User navigates to the Settings page	Settings page is shown to the user	Settings page is shown to the user
2	User clicks the “Link Strava” Button	The application redirects users to the official Strava OAuth authorization portal	User is redirected to Strava OAuth portal
3	Users logs into their Strava account	Strava redirects users back to the application together with the authorization code	Users are redirected back with their authorization code
4	Application backend receives the authorization code and exchanges it for access and refresh tokens and saves them	Application backend receives the authorization code and exchanges it for an access and refresh token and saves them	Application backend receives the authorization code and exchanges it for an access and refresh token and saves them

2.1.6. Training page

Test Case ID:	T-1		
Test Case Name:	Set training preferences		
Test Case Description:	The user sets how many days a week, for how long and with which activities they train, plus optional rest days and exam dates, so that a plan can be generated.		
Pre-Condition	1. The internet connection is stable 2. User is authenticated 3. User is on the Training page (Training in the top menu) 4. User has not saved preferences yet		
Post-Condition	1. The preferences are saved and are shown again when the Preferences tab is reopened 2. The Generate plan button on the Plan tab is enabled		
Assignee: Zheng Wee			
Test case step no.	**Description**	**Expected Outcome**	**Actual outcome**
1	User opens the Preferences tab	The form is shown with 3 days a week and 45 minutes suggested; no activity type or rest day is selected	As expected (T-1.10)
2	User selects the activity types Run and Gym, enters 4 training days and 50 minutes, and selects Saturday and Sunday as rest days	The chosen activity types and rest days show as selected	As expected (T-1.11, T-1.16)
3	(Optional) User enters an exam date and presses Add date	The date is listed in date order with its weekday and can be removed again	As expected (T-1.17)
4	User clicks Save preferences	"Training preferences saved" is shown	As expected (T-1.11)
5	User leaves the tab and opens Preferences again	The saved values are shown again	As expected (T-1.11)
6	User opens the Plan tab	Generate plan is enabled (it is disabled until preferences exist)	As expected (T-1.19)

Test Case ID:	T-1 Exception
Test Case Name:	Reject invalid training preferences
Test Case Description:	Preferences that are out of range or inconsistent are refused with the reason, and nothing is saved. The server refuses the same input as the form.
Pre-Condition	1. The internet connection is stable 2. User is authenticated 3. User is on the Training page (Training in the top menu)
Post-Condition	1. No preferences are saved 2. The reason is shown beside each invalid field

Assignee: Zheng Wee

Test case step no.	Description	Expected Outcome	Actual outcome
1	User clicks Save preferences without selecting an activity type	"Select at least one activity type" is shown; nothing is saved	As expected (T-1.12)
2	User selects Run and enters 0 training days (then 8, 2.5, or leaves it blank) and clicks Save preferences	The field is marked invalid with "must be at least 1", "must be at most 7", "must be a whole number" or "must be a number"; nothing is saved	As expected (T-1.13, T-1.02)
3	User enters a session duration of 14 minutes (then 181) and clicks Save preferences	Refused with the limit (15 to 180 minutes). 15 and 180 are accepted	As expected (T-1.14, T-1.03)
4	User marks five weekdays as rest days, enters 3 training days and clicks Save preferences	"Only 2 days are free, but you want 3 training days" is shown; with 3 free days it is saved	As expected (T-1.15, T-1.05)
5	User adds an exam date that has passed, a date already in the list, a date more than 730 days away, or an 11th date	"That date has passed. Pick today or later", "That date is already in the list", "Pick a date within the next 730 days" or "You can add up to 10 exam dates"	As expected (T-1.18, T-1.06)

Test Case ID:	T-2
Test Case Name:	Generate a training plan

Test Case Description:	From the saved preferences, the last 4 weeks of training and the profile goal, the user generates a plan with a deload week every 4th week and a safe weekly increase.		
Pre-Condition	1. The internet connection is stable 2. User is authenticated 3. User is on the Training page (Training in the top menu) 4. User has saved preferences		
Post-Condition	1. An active plan is created and listed week by week 2. The plan carries the not-medical-advice notice		
Assignee: Zheng Wee			
Test case step no.	**Description**	**Expected Outcome**	**Actual outcome**
1	User opens the Plan tab	Generate plan is enabled and the plan length field is shown	As expected (T-1.19)
2	User enters 8 as the plan length and clicks Generate plan	An 8-week plan starting this Monday is created	As expected (T-2.20, T-2.22)
3	User reads the plan header	The dates, length, baseline from the user's own history and weekly progression are shown	As expected (T-2.25)
4	User reads the Week by week table	Every week is listed; weeks 4 and 8 are deload weeks	As expected (T-2.21, T-2.26)
5	User clicks Replace plan	The user is asked to confirm first. Cancel changes nothing; Confirm replaces the plan with a new one starting this Monday	As expected (T-2.24)

Test Case ID:	T-2 Exception
Test Case Name:	Reject an invalid plan length
Test Case Description:	A plan length outside 2 to 16 whole weeks is refused with the reason and no plan is created.
Pre-Condition	1. The internet connection is stable 2. User is authenticated 3. User is on the Training page (Training in the top menu) 4. User has saved preferences
Post-Condition	1. No plan is created or replaced

Assignee: Zheng Wee			
Test case step no.	**Description**	**Expected Outcome**	**Actual outcome**
1	User enters a plan length of 1 (then 17, 8.5, or leaves it blank) and clicks Generate plan	"must be at least 2", "must be at most 16", "must be a whole number" or "must be a number" is shown; no plan is created	As expected (T-2.23, T-2.01)
2	User enters 2 (then 16) and clicks Generate plan	A plan of that many weeks is created	As expected (T-2.22)
3	User with an existing plan enters an invalid length and clicks Replace plan	The invalid length is refused before the user is asked to confirm	As expected (T-2.24)

Test Case ID:	T-3
Test Case Name:	View daily readiness score
Test Case Description:	The user sees today's readiness score (the AI component), what is driving it, and can add last night's sleep, which changes the score.
Pre-Condition	1. The internet connection is stable 2. User is authenticated 3. User is on the Training page (Training in the top menu) 4. User has an active plan
Post-Condition	1. The score is shown only to the owning user 2. The sleep entry is saved and the score reflects it

Assignee: Zheng Wee			
Test case step no.	**Description**	**Expected Outcome**	**Actual outcome**
1	User opens the Today tab	A score out of 100 is shown with its class (deload, light or push), a one-line reason and what is driving it	As expected (T-3.20)
2	User reads the list of factors	Each factor says in words whether it helps, hurts or is neutral, so colour alone is not needed	As expected (T-3.21)
3	User reads the scorer note and the privacy label	The note says which scorer produced the score; the card is marked as visible only to the user	As expected (T-3.22, T-3.23)

4	User enters 4 hours of sleep and clicks Save	The sleep is saved and confirmed, the score drops and Sleep is named as a factor that hurts	As expected (T-3.25, T-3.26)
5	User clicks Clear	The entry is removed and the score goes back	As expected (T-3.28)
6	User adds an exam date within the next 7 days on the Preferences tab and returns to Today	An Academic load factor appears and lowers the score; exams more than 7 days away change nothing	As expected (T-3.29)

Test Case ID:	T-3 Exception		
Test Case Name:	Reject invalid sleep hours		
Test Case Description:	Sleep outside 0 to 16 hours is refused with the reason and the score does not change.		
Pre-Condition	1. The internet connection is stable 2. User is authenticated 3. User is on the Training page (Training in the top menu) 4. User has an active plan		
Post-Condition	1. No sleep entry is saved 2. The readiness score is unchanged		
Assignee: Zheng Wee			
Test case step no.	**Description**	**Expected Outcome**	**Actual outcome**
1	User opens the Today tab without having entered sleep	Save is disabled and the user is invited to add sleep	As expected (T-3.24)
2	User enters 16.1 hours (then -1, 25) and clicks Save	"Sleep must be between 0 and 16 hours" is shown; the score does not change	As expected (T-3.27, T-3.01)

Test Case ID:	T-4
Test Case Name:	Accept, swap or skip today's recommended workout

Test Case Description:	The user sees today's planned session reconciled with today's readiness and accepts it, swaps it for another activity or skips it.		
Pre-Condition	1. The internet connection is stable 2. User is authenticated 3. User is on the Training page (Training in the top menu) 4. User has an active plan with a session planned today		
Post-Condition	1. The session is accepted, swapped (and accepted) or marked missed		
Assignee: Zheng Wee			
Test case step no.	**Description**	**Expected Outcome**	**Actual outcome**
1	User opens the Today tab	The planned session, the recommendation with the readiness score and the Accept, Swap, Skip and Log workout actions are shown	As expected (T-4.20)
2	User clicks Accept	The session is confirmed and shown as accepted	As expected (T-4.21)
3	User clicks Swap and chooses an activity	Only the other activities are offered (never the planned one); the session is swapped, accepted and the user is told	As expected (T-4.22)
4	User clicks Skip	The session is marked missed and the user is told it counts; only Log workout is left	As expected (T-4.23)
5	User opens the Today tab on a day with nothing planned	The user is told it is a rest day and can still log a session	As expected (T-4.24)

Test Case ID:	HR-2
Test Case Name:	Low readiness downgrades a hard session; high readiness never upgrades a light one
Test Case Description:	Reconciliation of the planned session with readiness is one-directional so that the periodisation of the plan is never undone (Hard Rule 2).
Pre-Condition	1. The internet connection is stable 2. User is authenticated 3. User is on the Training page (Training in the top menu) 4. User has an active plan

Post-Condition	1. The recommendation is never harder than the planned session		
Assignee: Zheng Wee			
Test case step no.	**Description**	**Expected Outcome**	**Actual outcome**
1	Today's planned session is light and readiness is high (push)	The planned light session stays light and the user is told why	As expected (HR-2.20)
2	Today's planned session is push and readiness is low (light)	The push session is dialled back to light, shorter and lighter, with the reason	As expected (HR-2.21)
3	Today's planned session is a deload and readiness is higher	The deload session is never raised	As expected (HR-2.22)
4	User clicks Accept on a downgraded recommendation	The user can still accept the planned session as it stands	As expected (HR-2.23)

Test Case ID:	T-5		
Test Case Name:	Log a completed workout		
Test Case Description:	The user logs a planned session from a form pre-filled with the plan, edits the actual numbers, and the session becomes Completed or Partial.		
Pre-Condition	1. The internet connection is stable 2. User is authenticated 3. User is on the Training page (Training in the top menu) 4. User has a planned session today		
Post-Condition	1. The workout is saved with the user's own numbers 2. The session shows Completed or Partial		
Assignee: Zheng Wee			
Test case step no.	**Description**	**Expected Outcome**	**Actual outcome**
1	User clicks Log workout on the Today tab	The form is pre-filled from the planned session	As expected (T-5.20)
2	User changes the duration	The load follows the duration until the user sets it	As expected (T-5.23)
3	User enters their own RPE (for example 6) and average heart rate (for example 150)	The user's own numbers are kept	As expected (T-5.22)

4	User saves the log	The session is completed, what was logged is shown and the user is told	As expected (T-5.21)
5	User logs 17 points against 22 planned (under 80%), and on another day 18 or more	The first session is Partial; 18 or more is Completed	As expected (T-5.24)
6	User clicks Log workout on a session that was skipped	It can still be logged if the user did it after all	As expected (T-5.30)

Test Case ID:	T-5 Ad hoc		
Test Case Name:	Log an ad hoc workout		
Test Case Description:	The user logs a session that has no planned entry, from the Today tab or from the Schedule tab.		
Pre-Condition	1. The internet connection is stable 2. User is authenticated 3. User is on the Training page (Training in the top menu)		
Post-Condition	1. The workout is saved with no link to a planned session		
Assignee: Zheng Wee			
Test case step no.	**Description**	**Expected Outcome**	**Actual outcome**
1	User clicks Log ad hoc session on a day with nothing planned	An empty form on today's date is shown and says it is not linked to a planned session	As expected (T-5.31)
2	User enters a duration of 30 minutes and saves	The load is worked out from the duration and the workout is logged with no plan entry	As expected (T-5.32)
3	User saves without a duration or load	A duration and a load are required, as for any other log	As expected (T-5.33)
4	User opens the Schedule tab, selects a day and clicks Log ad hoc session	The same form opens	As expected (T-5.34)

Test Case ID:	T-5 Exception
Test Case Name:	Reject invalid workout log values
Test Case Description:	Each out-of-range value gets its own message and nothing is logged. The server refuses the same input.
Pre-Condition	1. The internet connection is stable 2. User is authenticated 3. User is on the Training page (Training in the top menu) 4. User has a planned session today
Post-Condition	1. No workout is saved

Assignee: Zheng Wee

Test case step no.	Description	Expected Outcome	Actual outcome
1	User enters a duration of 0 (then 601), a load of 0 (then 1000.5), an RPE of 0 (then 11), an average heart rate of 29 (then 231) or calories of -1 (then 20001) and logs the workout	The field's own message is shown (for example "must be at least 1", "at most 10"); nothing is logged	As expected (T-5.25, T-5.02 to T-5.06)
2	User enters tomorrow's date	"Date can't be in the future" is shown	As expected (T-5.26, T-5.08)
3	User enters yesterday's date	The log is accepted	As expected (T-5.27)
4	User changes the activity from run or cycling to gym	A distance is asked for only on runs and rides, and is dropped when switching to one without	As expected (T-5.28, T-5.07)
5	User clicks Cancel	The form closes and nothing is logged	As expected (T-5.29)

Test Case ID:	T-6
Test Case Name:	View training schedule
Test Case Description:	The user sees planned and logged sessions on a weekly and a monthly calendar, and can tell planned, completed, partial and missed apart without relying on colour.

Pre-Condition	1. The internet connection is stable 2. User is authenticated 3. User is on the Training page (Training in the top menu) 4. User has an active plan		
Post-Condition	1. The calendar shows every entry with a text label and an icon		
Assignee: Zheng Wee			
Test case step no.	**Description**	**Expected Outcome**	**Actual outcome**
1	User opens the Schedule tab	The current week is shown with seven days, each with its number of entries; today is marked	As expected (T-6.20)
2	User clicks Next, Previous and Today	The calendar moves through the weeks and back to this week	As expected (T-6.21)
3	User clicks Month	The whole month is shown in six weeks of seven days, and every entry has a text label	As expected (T-6.22)
4	User reads planned, completed, partial and missed sessions	Each has a text status label, so colour alone is not needed	As expected (T-6.23)
5	User reads the legend	All six statuses are listed, each with its own label and its own icon	As expected (T-6.24, T-6.25)
6	User selects a completed day and a planned day	The completed day shows what was logged; the planned day shows the target	As expected (T-6.26)
7	A user with no plan opens the Schedule tab	Only logged workouts are shown and sessions cannot be planned	As expected (T-6.28)

Test Case ID:	T-7
Test Case Name:	Move a planned session
Test Case Description:	The user moves a planned session to another day; the week's volume is unchanged.

Pre-Condition	1. The internet connection is stable 2. User is authenticated 3. User is on the Training page (Training in the top menu) 4. User has a planned session that has not been completed 5. A free day that has not passed is available inside the plan		
Post-Condition	1. The session is on the new day and shows as Moved 2. The week's volume is unchanged		
Assignee: Zheng Wee			
Test case step no.	**Description**	**Expected Outcome**	**Actual outcome**
1	User opens the Schedule tab and selects the day of a planned session	Move, Edit and Remove are offered	As expected (T-7.20)
2	User clicks Move	A dialog opens with the date set to the current day and Move disabled	As expected (T-7.21)
3	User chooses a free day later in the week and clicks Move session	"Session moved to <day>" is shown, the session shows as Moved and the week's volume is unchanged	As expected (T-7.20)
4	User opens Move again and clicks Cancel	The dialog closes and nothing changes	As expected (T-7.25)

Test Case ID:	T-7 Exception		
Test Case Name:	Refuse a move that is not allowed		
Test Case Description:	A move that puts two push sessions on consecutive days, that lands in the past or outside the plan, or that involves a finished session is refused, and the nearest valid day is offered.		
Pre-Condition	1. The internet connection is stable 2. User is authenticated 3. User is on the Training page (Training in the top menu) 4. User has an active plan with a push session next to a free day		
Post-Condition	1. The session stays where it was		
Assignee: Zheng Wee			
Test case step no.	**Description**	**Expected Outcome**	**Actual outcome**

1	User moves a push session to the day beside another push session	It is refused with the reason, Move is disabled, and "Use nearest valid day: <day>" moves it there instead	As expected (T-7.22, T-7.08)
2	User chooses a day that has already passed, or a day after the plan ends	It is refused, with today or the last plan day suggested	As expected (T-7.23, T-7.06, T-7.07)
3	User selects a completed, partial or missed session	"can't be moved" is shown and there is no Move, Edit or Remove (a missed session can still be logged)	As expected (T-7.24, T-7.04)

Test Case ID:	T-7 Remove		
Test Case Name:	Remove a planned session		
Test Case Description:	The user removes a planned session; the week's volume is spread across the other sessions.		
Pre-Condition	1. The internet connection is stable 2. User is authenticated 3. User is on the Training page (Training in the top menu) 4. User has a planned session that has not been completed		
Post-Condition	1. The session is gone 2. The week's volume is kept		
Assignee: Zheng Wee			
Test case step no.	**Description**	**Expected Outcome**	**Actual outcome**
1	User selects a planned session and clicks Remove	The user is asked first, with the session and day named	As expected (T-7.26)
2	User clicks Cancel	The session is kept	As expected (T-7.26)
3	User clicks Remove, then Remove session	"Session removed. Its volume was spread across the other sessions this week." is shown and the week's volume is kept	As expected (T-7.27)

Test Case ID:	T-7 Plan by hand		
Test Case Name:	Add and edit a session by hand		
Test Case Description:	The user plans a session on a free day and changes a planned session's activity, intensity or length where it stands.		
Pre-Condition	1. The internet connection is stable 2. User is authenticated 3. User is on the Training page (Training in the top menu) 4. User has an active plan with a free day from today onwards		
Post-Condition	1. The new or changed session is on the calendar 2. The week's load stays the plan's own		
Assignee: Zheng Wee			
Test case step no.	**Description**	**Expected Outcome**	**Actual outcome**
1	User selects a free day from today to the plan's end and clicks Add session	The dialog defaults to light and the preferred length for it	As expected (T-7.30, T-7.36)
2	User clicks Add session	The session appears on the calendar and "Session added on <day>." is shown	As expected (T-7.31)
3	User enters a length of 14 or 181 minutes	Refused with the message and nothing is added; 15 and 180 are accepted	As expected (T-7.33)
4	User chooses Push on a day beside a push session	Refused at once with the nearest valid day to use instead	As expected (T-7.35)
5	User adds a session in a deload week	Only Deload is offered, with the reason	As expected (T-7.34)
6	User selects a planned session, clicks Edit and sets the length to 60	"Session updated. The rest of that week was adjusted so its load stays the same." is shown	As expected (T-7.42)
7	User clicks Edit and then Save changes without changing anything	"Nothing has changed yet." is shown	As expected (T-7.41)

Test Case ID:	T-8
Test Case Name:	Adapt the training plan

Test Case Description:	The user adapts the plan from what was actually completed; only the weeks still to come are regenerated, and never silently.		
Pre-Condition	1. The internet connection is stable 2. User is authenticated 3. User is on the Training page (Training in the top menu) 4. User has an active plan that is part-way through		
Post-Condition	1. The remaining weeks are regenerated from the completed sessions 2. The user is told that it happened and why		
Assignee: Zheng Wee			
Test case step no.	**Description**	**Expected Outcome**	**Actual outcome**
1	User opens the Plan tab and reads the note under Adapt plan	It says the plan also adapts on its own after 3 missed sessions in a row, or 3 days in a row of low readiness	As expected (T-8.25)
2	User clicks Adapt plan, then Cancel	The user is asked first; Cancel changes nothing	As expected (T-8.20)
3	User clicks Adapt plan and confirms	"Plan adapted. The banner above explains what changed and why." is shown, with a banner saying when, why and what changed	As expected (T-8.21)
4	User compares past sessions before and after	Sessions already in the past are left exactly as they were; only the weeks still to come changed	As expected (T-8.23)
5	User clicks Got it	The banner is dismissed for good	As expected (T-8.22)
6	A user with no plan opens the Plan tab	There is no Adapt plan button because there is nothing to adapt	As expected (T-8.24)

2.1.7. Nutrition page

Test Case ID:	NT-1
Test Case Name:	Upload a meal image
Test Case Description:	The user must be able to upload a supported meal photo and reject invalid uploads.
Pre-Condition	1. The user is logged in and the Nutrition page is open. 2. JPEG, PNG, WEBP, HEIC and HEIF rice-image fixtures are available. 3. An unsupported text file and a 10 MB + 1 byte image fixture are

	available.		
Post-Condition	1. Valid images are staged for analysis; invalid uploads are rejected.		
Assignee:	Matthew Wong		
Test case step no.	**Description**	**Expected Outcome**	**Actual outcome**
1	Upload the JPEG, PNG and WEBP meal images in turn.	Each supported image is accepted and Analyze meal is enabled.	The images were accepted and Analyze meal was enabled.
2	Replace the photo with HEIC and HEIF files; analyse the HEIC image.	An unavailable preview falls back to the filename. HEIC analysis produces a meal estimate.	HEIC/HEIF filenames appeared when previews were unavailable; HEIC analysis returned a meal estimate.
3	Choose the unsupported text file.	The upload is rejected with a supported-format message.	The file was rejected with a supported-format message.
4	Choose the image larger than 10 MB.	The upload is rejected with a size-limit message.	The upload was rejected with a 10 MB size-limit message.

Test Case ID:	NT-2		
Test Case Name:	Add a context note		
Test Case Description:	The user must be able to provide optional preparation or workout context for meal analysis.		
Pre-Condition	1. The user is logged in and a supported meal image is staged.		
Post-Condition	1. Valid notes accompany analysis; the approved note-length limit is enforced.		
Assignee:	Matthew Wong		
Test case step no.	**Description**	**Expected Outcome**	**Actual outcome**
1	Enter the note describing rice eaten after an easy run, with no sauce or added oil.	The note is displayed with a character counter and analysis accepts it.	The note and character counter were displayed, and analysis accepted the note.
2	Analyse the HEIC photo with the context-note field empty.	Analysis is permitted without a context note.	Analysis completed successfully with the note field empty.
3	Enter 501 characters in the context-note field.	The SRS maximum of 500 characters is enforced and a warning or truncation is provided.	The note was limited to 500 characters, the counter showed 500/500, and a limit warning appeared.

Test Case ID:	NT-3		
Test Case Name:	Analyse calories and macronutrients		
Test Case Description:	The user must be able to analyse a meal image and receive a structured estimate before saving.		
Pre-Condition	1. The user is logged in with a supported image staged. 2. The daily journal initially contains no meals for the test date.		
Post-Condition	1. A valid estimate is available for review; analysis alone does not save a meal.		
Assignee:	Matthew Wong		
Test case step no.	**Description**	**Expected Outcome**	**Actual outcome**
1	Click Analyze meal for the rice photo.	A loading indicator appears and the analysis controls are disabled while processing.	The loading indicator appeared and analysis controls were disabled.
2	Wait for the estimate and inspect the meal journal before confirming.	The review card appears; analysis alone does not add a journal entry or change consumed calories.	The review card appeared; the journal and consumed calories were unchanged.
3	Upload and analyse the blank non-food image.	A no-food error is shown, no meal is saved, and analysis/manual-entry controls become usable again.	A no-food error appeared, no meal was saved, and the controls became usable again.

Test Case ID:	NT-4		
Test Case Name:	Review the estimated meal breakdown		
Test Case Description:	The user must be able to inspect estimated calories, macronutrients, confidence and ingredients.		
Pre-Condition	1. Live analysis of the rice photo has completed successfully.		
Post-Condition	1. The estimate is visible as an editable, unsaved draft.		
Assignee:	Matthew Wong		
Test case step no.	**Description**	**Expected Outcome**	**Actual outcome**
1	Inspect the rice estimate.	The card shows the meal name, 95% visual confidence, 260 kcal, 5.4 g protein, 57.2 g carbohydrates and 0.4 g fat.	The card showed 95% confidence, 260 kcal, 5.4 g protein, 57.2 g carbohydrates and 0.4 g fat.
2	Inspect the ingredient and category fields.	The 200 g rice ingredient and its nutrients are visible; the meal name and category can be edited before confirmation.	The 200 g rice ingredient was displayed; the meal name and category could be edited.

Test Case ID:	NT-5		
Test Case Name:	Edit the meal breakdown		
Test Case Description:	The user must be able to adjust portions and ingredients while keeping draft totals consistent.		
Pre-Condition	1. The review card contains 200 g rice estimated at 260 kcal, protein 5.4 g, carbohydrates 57.2 g and fat 0.4 g.		
Post-Condition	1. Draft totals reflect the reviewed ingredients and invalid negative portions are rejected.		
Assignee:	Matthew Wong		
Test case step no.	**Description**	**Expected Outcome**	**Actual outcome**
1	Change the rice portion from 200 g to 100 g.	The draft updates to 130 kcal, protein 2.7 g, carbohydrates 28.6 g and fat 0.2 g.	Totals changed to 130 kcal, 2.7 g protein, 28.6 g carbohydrates and 0.2 g fat.
2	Add a second named ingredient with 20 kcal.	The calorie total increases from 130 to 150 kcal.	Adding the ingredient increased the total to 150 kcal.
3	Remove the second ingredient.	The calorie total returns to 130 kcal and only the rice ingredient remains.	Removing the ingredient restored the total to 130 kcal.
4	Enter −1 as the rice portion weight.	The invalid negative value is not retained; the valid 100 g portion and totals remain.	The negative value was rejected; the portion remained at 100 g.

Test Case ID:	NT-6		
Test Case Name:	View the training-context note		
Test Case Description:	The user must be able to read the recovery guidance returned with a meal estimate.		
Pre-Condition	1. Meal analysis has returned an estimate and a non-empty recovery note.		
Post-Condition	1. The recovery note is visible in the meal-review callout.		
Assignee:	Matthew Wong		
Test case step no.	**Description**	**Expected Outcome**	**Actual outcome**
1	Analyse the rice photo with the easy-run context note.	Fuel & recovery insight is displayed and its advice refers to glycogen replenishment after the easy run.	The recovery callout referred to replenishing glycogen after the easy run.
2	Inspect the callout after changing the ingredient portion.	The callout remains visible and states that ingredient edits update totals only; the nutrient totals reflect the edited portion.	The note remained visible with its totals-only disclaimer, while the nutrients updated.

Test Case ID:	NT-7		
Test Case Name:	Log or discard a confirmed meal		
Test Case Description:	The user must be able to save reviewed or manually entered meals and safely discard an unsaved draft.		
Pre-Condition	1. The user is logged in on the test date. 2. A reviewed 100 g rice draft is available. 3. Test meal names are clearly marked REVIEW TEST.		
Post-Condition	1. Confirmed meals persist with correct totals; discarding an unsaved draft follows the SRS confirmation rule.		
Assignee:	Matthew Wong		
Test case step no.	**Description**	**Expected Outcome**	**Actual outcome**
1	Name the reviewed rice meal, choose Snack and click Confirm & log meal.	A success message appears, the draft resets, and the journal/daily totals show the 130 kcal meal.	The meal was saved, the draft reset, and the journal showed the 130 kcal snack.
2	Reload the Nutrition page.	The saved rice meal, category, ingredients and 130 kcal totals remain available.	The rice meal and its details remained after reloading.
3	Open manual entry, enter a named 100 kcal meal with protein 5 g, carbohydrates 15 g and fat 2 g, then save and reload.	The manual meal persists without AI analysis. With the rice meal, daily totals are 230 kcal, protein 7.7 g, carbohydrates 43.6 g and fat 2.2 g.	The manual meal persisted; daily totals showed 230 kcal and 7.7/43.6/2.2 g protein/carbohydrates/fat.
4	Open an unsaved meal estimate and choose Discard draft.	The SRS confirmation prompt is shown before the draft is cleared; cancelling retains the draft.	A confirmation prompt appeared; cancelling kept the draft and confirming discarded it.

Test Case ID:	NT-8		
Test Case Name:	View and delete journal entries		
Test Case Description:	The user must be able to inspect saved meal details and confirm or cancel deletion.		
Pre-Condition	1. The journal contains the 130 kcal rice meal and 100 kcal manual test meal.		
Post-Condition	1. Only the chosen test meals are deleted, and the recalculated journal state persists.		
Assignee:	Matthew Wong		
Test case step no.	**Description**	**Expected Outcome**	**Actual outcome**
1	Expand the manual test meal in the journal.	Its category, 100 g ingredient, 100 kcal and 5/15/2 g protein/carbohydrates/fat are shown.	The meal's category, ingredient and recorded nutrients were displayed.
2	Choose Delete meal, then Keep meal.	Deletion is cancelled and the meal remains in the journal.	The deletion was cancelled and the meal remained.
3	Confirm deletion of the manual test meal.	The meal is removed and daily intake returns to 130 kcal.	The manual meal was removed and daily intake returned to 130 kcal.
4	Confirm deletion of the rice test meal and reload the page.	Both test meals remain absent and daily intake returns to 0 kcal.	Both test meals remained deleted after reloading; daily intake was 0 kcal.

Test Case ID:	NT-9		
Test Case Name:	View the calorie calendar and update a daily target		
Test Case Description:	The user must be able to browse dates and save a valid daily calorie target.		
Pre-Condition	1. The user is logged in and the calendar is loaded. 2. The original displayed target for 4 November 2026 is 1,994 kcal.		
Post-Condition	1. Date selection and targets remain consistent; the test target is restored to 1,994 kcal.		
Assignee:	Matthew Wong		
Test case step no.	**Description**	**Expected Outcome**	**Actual outcome**
1	Navigate to the previous seven days, return to Today, and select 5 November.	The calendar range changes correctly; selecting the date updates the journal date and target heading.	The calendar range changed correctly; selecting 5 November updated the journal date and target heading.
2	Return to Today, enter 0 as the daily target and attempt to save.	The invalid target is rejected and a minimum-value validation message is shown.	The value was rejected with a minimum-value validation message.
3	Save 2,100 kcal for 4 November and reload.	The selected date retains a 2,100 kcal saved target; other displayed dates remain at 1,994 kcal.	The 2,100 kcal target persisted after reloading; other dates stayed at 1,994 kcal.
4	Restore the selected date to 1,994 kcal and reload.	The selected date retains the restored 1,994 kcal target.	The restored 1,994 kcal target remained after reloading.

2.1.8. Leaderboard page

Test Case ID:	LT-1

Test Case Name:	View the friends leaderboard by XP		
Test Case Description:	The user must be able to see themselves and their accepted friends ranked by total XP, without anyone who is not a friend appearing.		
Pre-Condition	1. The internet connection is stable 2. The website is launched 3. The user, Alice Wong, is logged in with 50 XP 4. Alice's accepted friends are Bob Tan (100 XP) and Carol Lim (0 XP) 5. Dave Ng has 250 XP and has only sent Alice a friend request, which is still pending		
Post-Condition	1. The leaderboard shows the user and their friends ranked by XP, and no data is changed.		
Assignee:	Yew Yi		
Test case step no.	**Description**	**Expected Outcome**	**Actual outcome**
1	The user opens the Leaderboard page	The Leaderboard card opens on the XP tab.	The leaderboard data was returned for the XP tab.
2	The user reads the ranking	Bob Tan is 1st with 100 XP (Bronze), the user is 2nd with 50 XP (Beginner) and Carol Lim is 3rd with 0 XP (Beginner).	Bob Tan was returned 1st with 100 XP (Bronze), Alice 2nd with 50 XP (Beginner) and Carol Lim 3rd with 0 XP (Beginner).
3	The user checks which row is marked as theirs	Only the user's row is highlighted and shows "You".	Only Alice's entry was flagged as the current user.
4	The user looks for Dave Ng on the leaderboard	Dave is not listed even though Dave has the most XP, and the friend count is 2.	Dave was not returned and the friend count was 2.

Test Case ID:	LT-2

Test Case Name:	Complete the daily check-in		
Test Case Description:	The user must be able to answer the three check-in questions to save a daily check-in, earn XP and build a streak.		
Pre-Condition	1. The internet connection is stable 2. The website is launched 3. The user, Alice Wong, is logged in with no check-ins and 0 XP 4. The server time is 12:00 on 4 Oct 2026 in Singapore		
Post-Condition	1. Alice has check-ins on 4 and 5 Oct 2026, 22 XP and a 2-day streak.		
Assignee:	Yew Yi		
Test case step no.	**Description**	**Expected Outcome**	**Actual outcome**
1	The user opens the Leaderboard page	The Daily check-in card shows three questions and “No streak yet”, and the stats show 0 XP and a 0-day streak.	The server returned not checked in, 0 XP and a 0-day streak.
2	The user rates muscle soreness 3, mood 4 and diet 5, and clicks “Check in”	The notice “+10 XP · 1-day streak” appears and the card changes to “Checked in for today”.	The check-in was saved with 10 XP and a 1-day streak.
3	The user reads the stats panel	Rank is Beginner, total XP is 10 and “90 XP to Bronze” is shown.	The server returned rank Beginner, 10 XP and 90 XP to Bronze.
4	At 00:30 on 5 Oct 2026 in Singapore, which is still 4 Oct in UTC, the user reloads the page	The card is open again and shows “Check in today to make it 2 days” with +12 XP.	The server returned not checked in for the new day.

5	The user answers the questions and clicks “Check in”	The notice “+12 XP · 2-day streak” appears and total XP is 22.	The check-in was saved for 5 Oct 2026 with 12 XP, a 2-day streak and 22 XP in total.

Test Case ID:	LT-3		
Test Case Name:	Check in twice on the same day		
Test Case Description:	The user must not be able to check in more than once on the same day, or earn extra XP by trying.		
Pre-Condition	1. The internet connection is stable 2. The website is launched 3. The user, Alice Wong, is logged in and has checked in today (10 XP, 1-day streak) 4. Bob Tan is logged in on two browser tabs and has not checked in today		
Post-Condition	1. Each user has one check-in for the day. 2. No extra XP is awarded.		
Assignee:	Yew Yi		
Test case step no.	**Description**	**Expected Outcome**	**Actual outcome**
1	Alice opens the Leaderboard page	The card shows “Checked in for today”.	The server reported Alice as checked in today.
2	Alice submits the check-in again from a tab opened earlier	The check-in is refused and the card shows “Checked in for today”.	The server refused the check-in (409) with “You have already checked in today”.
3	Alice reads the stats panel	Total XP is still 10 and the streak is still 1 day.	The server returned 10 XP and a 1-day streak.

4	Bob submits the check-in from both tabs at the same moment	One check-in is saved and the other is refused with no XP awarded.	The second request was refused (409) and no XP was recorded for it.

Test Case ID:	LT-4		
Test Case Name:	Re-sync XP that is on hold		
Test Case Description:	The user must be able to see XP held back for a meal that failed its check, and collect it with a re-sync once the meal is fixed.		
Pre-Condition	1. The internet connection is stable 2. The website is launched 3. The user, Alice Wong, is logged in with 0 XP 4. A logged meal has no calorie estimate, so its 10 XP is on hold		
Post-Condition	1. Alice has 10 XP. 2. No XP is on hold.		
Assignee:	Yew Yi		
Test case step no.	**Description**	**Expected Outcome**	**Actual outcome**
1	The user opens the Leaderboard page	An alert shows “10 XP on hold” and lists the meal with the reason “no calorie estimate”.	The server returned 1 held item of 10 XP with the reason “no calorie estimate”.
2	The user clicks “Re-sync” without fixing the meal	“Re-synced: 1 still on hold” is shown and the alert stays.	0 XP was awarded and 1 item stayed on hold.
3	The user adds the meal’s calories (650 kcal) on the Meal page and clicks “Re-sync”	“Re-synced: +10 XP added” is shown and the alert clears.	10 XP was awarded, 1 item was released and none stayed on hold.

4	The user reads the stats panel	Total XP is 10.	The server returned 10 XP.

Test Case ID:	LT-5		
Test Case Name:	Accept an invitation and earn the reward		
Test Case Description:	The user must be able to accept a challenge invitation, make progress through logged workouts and receive the 100 XP reward only once.		
Pre-Condition	1. The internet connection is stable 2. The website is launched 3. The user, Bob Tan, is logged in with 0 XP 4. Alice Wong has created the challenge "Week of grind" (Workouts, target 2, 5 to 11 Oct 2026) and invited Bob and Carol Lim		
Post-Condition	1. Bob has completed the challenge. 2. Bob has 200 XP, including one 100 XP reward.		
Assignee:	Yew Yi		
Test case step no.	**Description**	**Expected Outcome**	**Actual outcome**
1	The user opens the Challenges section of the Leaderboard page	The card shows "Alice Wong invited you" with Decline and Accept buttons.	The server returned Bob's status as invited, by Alice Wong.
2	The user clicks "Accept"	The user shows as accepted and the buttons disappear.	Bob's status changed to accepted.
3	The user logs 2 workouts on the Training page and reloads the Leaderboard page	The user shows 2 / 2 with a tick and "Target reached: +100 XP earned".	Bob's progress was 2 and the target was marked as reached.

4	The user reloads the page again	Total XP is 200 (2 × 50 + 100) and Recent XP has one “Challenge completed” entry.	The server returned 200 XP and one challenge reward.
5	The user clicks “Accept” again from a tab opened earlier	“You have already responded to this challenge” is shown.	The server refused the request (409) with that message.

Test Case ID:	LT-6		
Test Case Name:	Switch the leaderboard to Streak and Mileage		
Test Case Description:	The user must be able to re-rank themselves and their friends by current check-in streak and by running distance over the last 30 days.		
Pre-Condition	1. The internet connection is stable 2. The website is launched 3. The user, Alice Wong, is logged in and checked in yesterday and today 4. Alice’s accepted friends are Bob Tan, who checked in today, and Carol Lim, who last checked in 3 days ago 5. Bob ran 10.3 km today, 5 km 29 days ago and 42 km 30 days ago 6. Alice logged an 8 km run by hand, and Carol cycled 20 km		
Post-Condition	1. The leaderboard shows the ranking for the selected metric, and no data is changed.		
Assignee:	Yew Yi		
Test case step no.	**Description**	**Expected Outcome**	**Actual outcome**

1	The user selects “Streak” under Rank by	The user is 1st with 2 days and Bob Tan is 2nd with 1 day. Carol Lim is not listed because Carol’s streak has lapsed.	Alice was returned 1st with a 2-day streak and Bob Tan 2nd with 1 day. Carol Lim was not returned.
2	The user selects “Mileage” under Rank by	Bob Tan is 1st with 15.3 km, the user is 2nd with 8.0 km and Carol Lim is 3rd with 0.0 km.	Bob Tan was returned 1st with 15.3 km, Alice 2nd with 8.0 km and Carol Lim 3rd with 0.0 km.
3	The user checks which activities counted	Bob’s 42 km run from 30 days ago and Carol’s ride are left out, and Alice’s hand-logged run counts.	The returned totals left out the 42 km run and the ride, and included the hand-logged run.

Test Case ID:	LT-7		
Test Case Name:	Create a challenge and invite friends		
Test Case Description:	The user must be able to create a challenge, invite friends from their friend list, and see the challenge with each person’s status.		
Pre-Condition	1. The internet connection is stable 2. The website is launched 3. The user, Alice Wong, is logged in 4. Alice’s accepted friends are Bob Tan and Carol Lim 5. The server date is 5 Oct 2026 in Singapore		
Post-Condition	1. Two challenges exist: “Week of grind” (active) and a second challenge starting 12 Oct 2026 (upcoming). 2. Bob and Carol are invited to both challenges.		
Assignee:	Yew Yi		
Test case step no.	**Description**	**Expected Outcome**	**Actual outcome**

1	The user clicks “New challenge” under Challenges	The form opens and “Invite friends” lists only Bob Tan and Carol Lim.	The invite list returned Bob Tan and Carol Lim.
2	The user enters the name “Week of grind” with extra spaces around it, chooses Workouts with target 2 from 5 to 11 Oct 2026, ticks Bob and Carol, and clicks “Create challenge”	A card named “Week of grind” appears with the badge “Active”. The user is accepted, Bob and Carol show “invited”, and “Reach the target to earn +100 XP” is shown.	The challenge was created (201) as active with the spaces trimmed and a 100 XP reward, with Alice accepted and Bob and Carol invited.
3	The user reloads the Challenges section	“Week of grind” is still listed.	The challenge was returned in the user’s list.
4	The user creates another challenge from 12 to 18 Oct 2026	The new card’s badge is “Upcoming”.	The challenge was created with the status upcoming.

Test Case ID:	LT-8
Test Case Name:	Invite someone who is not a friend
Test Case Description:	The system must block a challenge that invites someone who is not an accepted friend, or an account that no longer exists.

Pre-Condition	1. The internet connection is stable 2. The website is launched 3. The user, Alice Wong, is logged in 4. Alice's accepted friends are Bob Tan and Carol Lim 5. Dave Ng has only sent Alice a friend request, which is still 2pending		
Post-Condition	1. No challenge is created.		
Assignee:	Yew Yi		
Test case step no.	**Description**	**Expected Outcome**	**Actual outcome**
1	The user sends a create-challenge request inviting Bob and Dave. The form only lists friends, so this needs an edited request	"You can only invite your friends" is shown and no challenge is created.	The server refused the request (422) with that message and saved nothing.
2	Carol's account is deleted, then the user creates a challenge inviting Bob and Carol	"One or more invited athletes don't exist" is shown and no challenge is created.	The server refused the request (422) with that message and saved nothing.

2.1.9. AI Assistance page

Test Case ID:	AT-1
Test Case Name:	ChatBot AI Query
Test Case Descriptio	The user interacts with the AI chatbot by submitting a natural language question and receives a response tailored to their historical and physiological data

n:			
Pre-Condition	1. The internet connection is stable 2. User is authenticated 3. User is navigated to the Chatbot page		
Post-Condition	1. The chat session history on the UI is updated 2. Both the user prompt and the AI-generated response are displayed		
Assignee:	Jing Jie		
Test case step no.	**Description**	**Expected Outcome**	**Actual outcome**
1	User navigates to the Chatbot page	Chatbot page is shown to the user	Chatbot page is shown to the user
2	User enters a natural language query into the text input on the Chatbot page and clicks “Send” button	The input field is cleared. Query appears immediately in the chat pane, and a loading indicator is displayed while awaiting AI response.	The input field is cleared. Query appears immediately in the chat pane, and a loading indicator is displayed while awaiting AI response.
3	Backend extracts user profile context and sends the payload to Gemini API	Context data is injected into the prompt payload	Context data is injected into the prompt payload
4	The application receives and renders the AI response	Loading indicator is dismissed, and AI response is displayed on the chat pane	Loading indicator is dismissed, and AI response is displayed on the chat pane

2.2. Coverage report

The coverage report covers the code coverage of the project, aiming for a minimum baseline of 80% code coverage per file to adhere to the standards set in the quality plan.

2.2.1. Backend

The backend uses Pytest and mock API calls to test if APIs will return the responses in expected formats and data types. The backend has a final code coverage of 97%.



Coverage report: 97%

Files | Functions | Classes

coverage.py v7.17.0, created at 2026-11-04 10:01 +0800

File	statements	missing	excluded	coverage
app\controllers\checkin.py	10	0	0	100%
app\controllers\gamification.py	47	0	0	100%
app\controllers\strava.py	30	0	0	100%
app\controllers\users.py	30	0	0	100%
app\main.py	33	0	0	100%
app\models\chat.py	35	0	0	100%
app\models\checkin.py	5	0	0	100%
app\models\gamification.py	106	0	0	100%
app\models\nutrition.py	71	0	0	100%
app\models\users.py	35	0	0	100%
app\training__init__.py	7	0	0	100%
app\training\clock.py	16	0	0	100%
app\training\coach.py	99	0	4	100%
app\training\config.py	108	0	0	100%
app\training\errors.py	16	0	0	100%
app\training\forecast.py	223	0	0	100%
app\training\ml__init__.py	0	0	0	100%
app\training\ml\features.py	25	0	0	100%
app\training\ml\scorer.py	57	0	0	100%
app\training\ml\synthetic.py	42	0	0	100%
app\training\models.py	245	0	0	100%
app\training\readiness.py	160	0	6	100%
app\training\repository.py	189	0	41	100%
app\services\gamification.py	231	2	0	99%
app\services\strava.py	117	1	0	99%
app\training\planner.py	164	2	0	99%
app\training\router.py	109	1	0	99%
app\training\rules.py	77	1	0	99%
app\training\ml\network.py	85	2	0	98%
app\training\service.py	448	7	0	98%
app\training\strava_sync.py	203	4	5	98%
app\commons\config.py	28	2	0	93%
app\services\nutrition.py	192	14	0	93%
app\services\gemini.py	119	13	0	89%
app\training\strava_router.py	27	3	0	89%
app\controllers\chat.py	115	14	0	88%
app\training\ml\artifact.py	32	4	0	88%
app\training\ml\train.py	82	14	0	83%
app\commons\auth\deps.py	21	4	0	81%
app\controllers\nutrition.py	62	12	0	81%
Total	3701	100	56	97%

2.2.2. Frontend

The frontend uses Vitest, testing components and views to ensure the results returned are as expected and views are rendered correctly. The frontend has a final code coverage of 92.65%.

All files

92.65% Statements 3418/3689 **85.22%** Branches 2338/2738 **93.28%** Functions 959/1028 **94.04%** Lines 3051/3286

Press *n* or *j* to go to the next uncovered block, *b*, *p* or *k* for the previous block.

Filter:

File	Statements		Branches		Functions		Lines	
frontend	100%	35/35	100%	18/18	100%	7/7	100%	35/35
frontend/app	100%	6/6	100%	4/4	100%	4/4	100%	6/6
frontend/app/(app)/dashboard	100%	4/4	50%	1/2	100%	1/1	100%	4/4
frontend/app/(app)/dashboard/leaderboard/_components	100%	272/272	92.15%	188/204	100%	92/92	100%	236/236
frontend/app/(auth)/login	100%	23/23	100%	6/6	100%	5/5	100%	23/23
frontend/app/(auth)/register	100%	48/48	100%	18/18	100%	3/3	100%	48/48
frontend/app/api	100%	44/44	94.73%	18/19	100%	6/6	100%	41/41
frontend/app/api/auth/callback	100%	24/24	100%	16/16	100%	2/2	100%	24/24
frontend/app/api/user	100%	30/30	100%	8/8	100%	2/2	100%	30/30
frontend/lib/checkin	100%	7/7	100%	4/4	100%	1/1	100%	7/7
frontend/lib/supabase	100%	14/14	100%	12/12	100%	6/6	100%	14/14
frontend/lib/gamification	99.5%	200/201	100%	88/88	100%	76/76	99.41%	170/171
frontend/app/(app)/dashboard/nutrition	99.19%	245/247	95.17%	217/228	100%	85/85	100%	149/149
frontend/app/(app)/dashboard/leaderboard	96.66%	29/30	85.71%	12/14	90%	9/10	100%	23/23
frontend/app/(app)/dashboard/training	94.33%	50/53	81.57%	31/38	93.33%	14/15	95.55%	43/45
frontend/app/(app)/dashboard/ai/_components	93.61%	88/94	92.4%	73/79	90.74%	49/54	97.64%	83/85
frontend/app/(app)	92.3%	36/39	70.37%	19/27	100%	9/9	92.1%	35/38
frontend/app/(app)/dashboard/training/_components	91.32%	705/772	86.48%	672/777	90.47%	209/231	93.92%	649/691
frontend/lib/training	91.29%	954/1045	82.62%	580/702	93.33%	252/270	93.03%	815/876
frontend/app/(app)/dashboard/components	89.01%	243/273	67.51%	106/157	83.01%	44/53	89.65%	234/261
frontend/app/(app)/dashboard/friends	88.51%	131/148	81.18%	82/101	95%	38/40	91.48%	129/141
frontend/lib	86.11%	31/36	100%	24/24	76.92%	10/13	84.37%	27/32
frontend/app/(app)/dashboard/settings	82.19%	60/73	80%	56/70	84.61%	11/13	83.33%	60/72
frontend/app/(app)/dashboard/ai	81.28%	139/171	62.5%	65/104	80%	24/30	84.41%	130/154