

a
GSE131907
GSE274934
BACH1-detected fraction
203
84
752
121
197
22
5
2116
630
700
309
2
4351
1372
2483
347
P0025
P0006
P0030
P0031
P0019
P0008
P0009
P0034
P0018
P0028
P0020
AL02
AL08
AL10
AL11
AL06
Patient; numbers show malignant epithelial cells
b
DoRothEA mean-z
DoRothEA mean-z
shared genes excluded
lung effector mean-z
CollecTRI mean-z
Klenja inverse mean-z
n=15, med=0.087
Holm-adjusted P = 3.1 × 10−4
n=15, med=0.096
Holm-adjusted P = 3.1 × 10−4
n=15, med=0.065
Holm-adjusted P = 0.001
n=15, med=0.036
Holm-adjusted P = 0.051
n=14, med=-0.015
Holm-adjusted P = 0.502
Patient-level delta: BACH1-detected - undetected
c
ρ=0.868
Holm-adjusted P = 2.7 × 10−5
Hallmark hypoxia mean-z
shared genes excluded
GSE131907
GSE274934
DoRothEA BACH1 mean-z
shared genes excluded
d
Original
DoRothEA vs hypoxia
LOPO sensitivity
Shared genes removed
from both scores
Spearman ρ; line shows LOPO range
e
observed ρ=0.87
empirical P = 0.002
Permutation count
Matched-gene null
Matched random score vs de-overlapped hypoxia ρ