Contents

Usage of OPTIONS	1
Test proceedings	2
Test 1.1 (const space: $BM_UV = NaN$)	3
Test 1.2 (const space, banking: $BM_UV = NaN$)	4
Test 1.3 (const space, slope: $BMUV = NaN$)	5
Test 1.4 (variable space, banking, slope: $BM_UV = NaN$)	6
Test 2.1 (const space: $BMUV = Set Zero$)	7
Test 2.2 (const space, banking: $BM_UV = Set Zero$)	8
Test 2.3 (const space, slope: $BM_UV = Set Zero$)	9
Test 2.4 (variable space, slope, banking: $BM_UV = Set Zero$)	10
Test 3.1 (const space: $BM_UV = Keep Last$)	11
Test 3.2 (const space, banking: $BMUV = Keep Last$)	12
Test 3.3 (const space, slope: $BM_UV = Keep Last$)	13
Test 3.4 (variable space, slope, banking: BM_UV = Keep Last)	14
Test 4.1 (const space: $BM_UV = Repeat$)	15
Test 4.2 (const space, banking: $BMUV = Repeat$)	16
Test 4.3 (const space, slope: $BM_UV = Repeat$)	17
Test 4.4 (variable space, slope banking: $BM_{-}UV = Repeat$)	18
Test 5.1 (const space: $BM_UV = Reflect$)	19
Test 5.2 (const space, banking: $BM_UV = Reflect$)	20
Test 5.3 (const space, slope: $BMUV = Reflect$)	21
Test 5.4 (variable space, banking: $BM_UV = Reflect$)	22
Test 6.1 (const space, banking: smoothing)	23
Test 6.2 (const space, slope: smoothing)	24

Usage of OPTIONS

Test scripts to display results of option settings. Examples are included. The file comments are optimized for the matlab publishing makro.

```
%
   Copyright 2005-2011 OpenCRG - VIRES Simulationstechnologie GmbH -
%
   Holger Helmich
%
%
   Licensed under the Apache License, Version 2.0 (the "License");
%
   you may not use this file except in compliance with the License.
   You may obtain a copy of the License at
%
%
       http://www.apache.org/licenses/LICENSE-2.0
%
%
   Unless required by applicable law or agreed to in writing, software
%
   distributed under the License is distributed on an "AS IS" BASIS,
   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
   See the License for the specific language governing permissions and
   limitations under the License.
%
%
   More Information on OpenCRG open file formats and tools can be found at
%
%
       http://www.opencrg.org
%
%
    $Id: crg_test_options.m 1 2011-06-08 11:22:00Z hhelmich $
```


Test proceedings

- $\bullet \ \ {\rm read} \ {\rm crg\text{-}file}$
- ullet set options
- display results

```
% DEFAULT SETTINGS
% clear environment
clear all;
close all;
% range
u = -1:0.01:11;
v = -2:0.01:2;
```


Test 1.1 (const space: $BM_UV = NaN$)

```
data = crg_read('demo1.crg');
data.opts.bdmu = 0;
data.opts.bdmv = 0;
```




Test 1.2 (const space, banking: $BM_UV = NaN$)

```
data = crg_read('demo7.crg');
data.opts.bdmu = 0;
data.opts.bdmv = 0;
```




Test 1.3 (const space, slope: $BM_UV = NaN$)

```
data = crg_read('demo9.crg');
data.opts.bdmu = 0;
data.opts.bdmv = 0;
```




```
Test 1.4 ( variable space, banking, slope: BM_UV = NaN )
```

```
data = crg_read('demo8.crg');
data.opts.bdmu = 0;
data.opts.bdmv = 0;
```




Test 2.1 (const space: $BM_UV = Set Zero$)

```
data = crg_read('demo1.crg');
data.opts.bdmu = 1;
data.opts.bdmv = 1;
```




Test 2.2 (const space, banking: $BM_UV = Set Zero$)

```
data = crg_read('demo7.crg');
data.opts.bdmu = 1;
data.opts.bdmv = 1;
crg_show_road_uv2surface(data, u, v);
```




Test 2.3 (const space, slope: $BM_UV = Set Zero$)

```
data = crg_read('demo9.crg');
data.opts.bdmu = 1;
data.opts.bdmv = 1;
```




Test 2.4 (variable space, slope, banking: $\rm BM_{\scriptscriptstyle -}UV = Set\ Zero$)

```
data = crg_read('demo8.crg');
data.opts.bdmu = 1;
data.opts.bdmv = 1;
crg_show_road_uv2surface(data, u, v);
```




Test 3.1 (const space: $BM_UV = Keep Last$)

```
data = crg_read('demo1.crg');
data.opts.bdmu = 2;
data.opts.bdmv = 2;
```




Test 3.2 (const space, banking: BM_UV = Keep Last)

```
data = crg_read('demo7.crg');
data.opts.bdmu = 2;
data.opts.bdmv = 2;
```




Test 3.3 (const space, slope: BM_UV = Keep Last)

data = crg_read('demo9.crg');
data.opts.bdmu = 2;
data.opts.bdmv = 2;




Test 3.4 (variable space, slope, banking: $\rm BM_{\scriptscriptstyle -}UV = Keep\ Last$)

```
data = crg_read('demo8.crg');
data.opts.bdmu = 2;
data.opts.bdmv = 2;
crg_show_road_uv2surface(data, u, v);
```




Test 4.1 (const space: $\rm BM_{\scriptscriptstyle -}UV = Repeat$)

```
data = crg_read('demo1.crg');
data.opts.bdmu = 3;
data.opts.bdmv = 3;
```




Test 4.2 (const space, banking: BM_UV = Repeat)

```
data = crg_read('demo7.crg');
data.opts.bdmu = 3;
data.opts.bdmv = 3;
```




Test 4.3 (const space, slope: $BM_UV = Repeat$)

```
data = crg_read('demo9.crg');
data.opts.bdmu = 3;
data.opts.bdmv = 3;
```




```
Test 4.4 ( variable space, slope banking: \rm BM_-UV = Repeat )
```

```
data = crg_read('demo8.crg');
data.opts.bdmu = 3;
data.opts.bdmv = 3;
crg_show_road_uv2surface(data, u, v);
```




Test 5.1 (const space: BM_UV = Reflect) data = crg_read('demo1.crg');

data.opts.bdmu = 4;
data.opts.bdmv = 4;




Test 5.2 (const space, banking: BM_UV = Reflect)

```
data = crg_read('demo7.crg');
data.opts.bdmu = 4;
data.opts.bdmv = 4;
```



Test 5.3 (const space, slope: BM_UV = Reflect)


```
data = crg_read('demo9.crg');
data.opts.bdmu = 4;
data.opts.bdmv = 4;
```



Test 5.4 (variable space, banking: BM_UV = Reflect)

```
data = crg_read('demo8.crg');
data.opts.bdmu = 4;
data.opts.bdmv = 4;
```


crg_show_road_uv2surface(data, u, v);



23


Test 6.1 (const space, banking: smoothing)

```
data = crg_read('demo7.crg');
data.opts.bdmu = 1;
data.opts.bdmv = 0;
data.opts.bdss = 3;
data.opts.bdse = 3;
crg_show_road_uv2surface(data, u, v);
```




Test 6.2 (const space, slope: smoothing)

```
data = crg_read('demo9.crg');
data.opts.bdmu = 1;
data.opts.bdmv = 0;
data.opts.bdss = 3;
data.opts.bdse = 3;
crg_show_road_uv2surface(data, u, v);
```



Test 6.3 (variable space, banking, slope: smoothing)

```
data = crg_read('demo8.crg');
data.opts.bdmu = 4;
data.opts.bdmv = 0;
data.opts.bdss = 3;
data.opts.bdse = 3;
crg_show_road_uv2surface(data, -1:0.01:15, v);
```



2011-06-08 11:34:10