




A PENDING gate is not a passed gate.

Panel (a) plots two tabulated pair counts and nothing derived: T01.n_nested before masking against T01.n_primary_Pa after it, for every assay that has both a floor and a pair channel. On 2 of the 4, $n_{\text{nested}} - n_{\text{nested_censor_touching}}$ lands exactly on $n_{\text{primary_Pa}}$; on the rest $n_{\text{primary_Pa}}$ is smaller still, because it also drops pairs excluded for reasons other than censoring -- which is why the bars are the two counts themselves and not their difference. G5 also requires unmasked T(4) ≥ 5 and a $\geq 10\times$ collapse; the T(4) half is PENDING, so the panel shows the collapse; the T(4) numbers themselves are printed on the panel from T02_g5_censoring.csv, which is not in the Sec.6 table list.

Panel (c): power is the fraction of the 40 injected-surrogate replicates per (assay, amplitude, rate) cell that the pipeline stamps SUPPORTED, aggregated from T02j's per-replicate rows; one line per injected rate, one marker shape per assay. Panel (d) reads G4 off the RANDOMISED empirical p-value; the conservative form is plotted beside it because ties make it reject uniformity on assays whose statistic is discrete -- that is a property of the tie handling, not evidence that the surrogate machinery is biased, and showing only the favourable form would hide it. Points ABOVE the diagonal are conservative, not anti-conservative.