

EDA Armed Conflict

Jingxuan (Anna) He

Quarto

```
library(here)
```

here() starts at C:/Users/anna_/OneDrive/Desktop/CHL8010/armed_conflict_vc

```
finaldata <- read.csv(here("data", "finaldata.csv"), header = TRUE)
names(finaldata)
```

```
[1] "country_name" "ISO"          "region"      "year"        "gdp1000"
[6] "OECD"         "OECD2023"    "popdens"     "urban"       "agedep"
[11] "male_edu"     "temp"        "rainfall1000" "MatMor"      "InfMor"
[16] "NeoMor"       "Under5Mor"   "drought"     "earthquake"  "totdeath"
[21] "armconflict"
```

```
dim(finaldata)
```

```
[1] 3720  21
```

```
finaldata |>
dplyr::filter(country_name == "Canada")
```

	country_name	ISO	region	year	gdp1000	OECD	OECD2023	popdens
1	Canada	CAN	Northern America	2000	24.27100	1	1	66.19704
2	Canada	CAN	Northern America	2001	23.82206	1	1	66.45361
3	Canada	CAN	Northern America	2002	24.25534	1	1	66.71112
4	Canada	CAN	Northern America	2003	28.30046	1	1	66.96384
5	Canada	CAN	Northern America	2004	32.14368	1	1	67.21715

6	Canada	CAN	Northern	America	2005	36.38251	1	1	67.47283
7	Canada	CAN	Northern	America	2006	40.50406	1	1	67.73674
8	Canada	CAN	Northern	America	2007	44.65990	1	1	67.99444
9	Canada	CAN	Northern	America	2008	46.71051	1	1	68.25765
10	Canada	CAN	Northern	America	2009	40.87631	1	1	68.53354
11	Canada	CAN	Northern	America	2010	47.56208	1	1	68.80739
12	Canada	CAN	Northern	America	2011	52.22370	1	1	69.04842
13	Canada	CAN	Northern	America	2012	52.66909	1	1	69.27604
14	Canada	CAN	Northern	America	2013	52.63517	1	1	69.50772
15	Canada	CAN	Northern	America	2014	50.95600	1	1	69.76876
16	Canada	CAN	Northern	America	2015	43.59614	1	1	69.98853
17	Canada	CAN	Northern	America	2016	42.31560	1	1	70.21484
18	Canada	CAN	Northern	America	2017	45.12943	1	1	70.40863
19	Canada	CAN	Northern	America	2018	46.54864	1	1	70.63614
20	Canada	CAN	Northern	America	2019	46.32867	1	1	70.83794

	urban	agedep	male_edu	temp	rainfall1000	MatMor	InfMor	NeoMor
1	56.14335	46.34463	12.30281	5.486244	0.9971559	9	5.3	3.8
2	56.40270	45.89632	12.35258	6.469105	0.8644873	10	5.3	3.8
3	56.67093	45.46660	12.40182	5.979147	0.9460938	10	5.3	3.9
4	56.94365	45.07468	12.45053	5.416964	1.0189234	10	5.3	3.9
5	57.20020	44.67374	12.49870	5.556961	1.0008237	10	5.3	3.9
6	57.41671	44.26641	12.54635	6.187472	1.0367199	11	5.2	3.9
7	57.59143	43.96370	12.59349	6.895084	1.0917386	11	5.2	3.9
8	57.75691	43.83612	12.64015	5.900051	1.0134091	11	5.1	3.8
9	57.97905	43.85426	12.68634	5.650118	1.0693435	12	5.1	3.8
10	58.24228	43.94937	12.73207	5.398867	0.9928497	12	5.0	3.8
11	58.52809	44.13587	12.77735	6.781766	1.0379754	11	5.0	3.8
12	58.81437	44.53578	12.82218	6.269133	1.1343442	11	4.9	3.7
13	59.05573	45.18393	12.86660	7.249497	0.9747708	11	4.9	3.7
14	59.19713	45.95404	12.91059	5.954381	1.0282075	11	4.8	3.6
15	59.30361	46.75493	12.95414	5.584650	1.0377695	11	4.7	3.6
16	59.42627	47.59164	12.99723	6.436884	0.9632446	11	4.7	3.6
17	59.50521	48.41410	13.03988	7.184514	0.9677826	10	4.6	3.5
18	59.59325	49.14806	13.08210	6.539669	1.0995322	10	4.6	3.4
19	59.68433	49.80166	13.12388	6.539677	1.0991469	NA	4.5	3.3
20	59.75984	50.47739	13.16522	6.539633	1.0987523	NA	4.4	3.3

	Under5Mor	drought	earthquake	totdeath	armconflict
1	6.2	0	0	11	0
2	6.2	0	0	23	0
3	6.2	0	0	1	0
4	6.2	0	0	0	0
5	6.1	0	0	0	0
6	6.1	0	0	0	0

7	6.0	0	0	0	0
8	6.0	0	0	0	0
9	5.9	0	0	0	0
10	5.8	0	0	0	0
11	5.7	0	0	0	0
12	5.7	0	0	0	0
13	5.6	0	0	0	0
14	5.5	0	0	0	0
15	5.4	0	0	0	0
16	5.4	0	0	0	0
17	5.3	0	0	0	0
18	5.2	0	0	0	0
19	5.1	0	0	0	0
20	5.1	0	0	0	0

```
finaldata |>
dplyr::filter(country_name == "Ecuador")
```

	country_name	ISO		region	year	gdp1000	OECD	OECD2023
1	Ecuador	ECU	Latin America and the Caribbean	2000	1.451531	0	0	
2	Ecuador	ECU	Latin America and the Caribbean	2001	1.904814	0	0	
3	Ecuador	ECU	Latin America and the Caribbean	2002	2.184209	0	0	
4	Ecuador	ECU	Latin America and the Caribbean	2003	2.438344	0	0	
5	Ecuador	ECU	Latin America and the Caribbean	2004	2.703566	0	0	
6	Ecuador	ECU	Latin America and the Caribbean	2005	3.014310	0	0	
7	Ecuador	ECU	Latin America and the Caribbean	2006	3.340841	0	0	
8	Ecuador	ECU	Latin America and the Caribbean	2007	3.579032	0	0	
9	Ecuador	ECU	Latin America and the Caribbean	2008	4.260433	0	0	
10	Ecuador	ECU	Latin America and the Caribbean	2009	4.240703	0	0	
11	Ecuador	ECU	Latin America and the Caribbean	2010	4.640246	0	0	
12	Ecuador	ECU	Latin America and the Caribbean	2011	5.202656	0	0	
13	Ecuador	ECU	Latin America and the Caribbean	2012	5.678456	0	0	
14	Ecuador	ECU	Latin America and the Caribbean	2013	6.050355	0	0	
15	Ecuador	ECU	Latin America and the Caribbean	2014	6.374631	0	0	
16	Ecuador	ECU	Latin America and the Caribbean	2015	6.130587	0	0	
17	Ecuador	ECU	Latin America and the Caribbean	2016	6.079089	0	0	
18	Ecuador	ECU	Latin America and the Caribbean	2017	6.246404	0	0	
19	Ecuador	ECU	Latin America and the Caribbean	2018	6.321349	0	0	
20	Ecuador	ECU	Latin America and the Caribbean	2019	6.233258	0	0	
	popdens	urban	agedep	male_edu	temp	rainfall1000	MatMor	InfMor
1	23.27432	36.19963	67.44216	7.738627	19.54855	1.4201653	122	24.7
2	23.39372	36.67994	66.57356	7.843942	19.66622	1.1667746	117	23.4

3	23.52087	37.08903	65.65488	7.949449	20.24695	1.4577981	110	22.4
4	23.58358	37.23792	64.71472	8.055240	20.05016	1.5781807	100	21.5
5	38.43743	37.39268	63.78049	8.161433	20.10136	1.0683450	94	20.7
6	38.55361	37.36968	62.86530	8.268176	19.88163	0.8555447	94	19.9
7	38.65018	37.47567	61.97042	8.375587	20.07087	1.1114502	90	19.2
8	38.76505	37.68172	61.11422	8.483729	19.49536	1.0899082	85	18.5
9	38.83977	37.67445	60.31015	8.592603	19.85711	1.6184816	82	17.7
10	38.92613	37.39437	59.55262	8.702180	20.39298	1.0870796	80	17.0
11	39.03066	37.26838	58.83793	8.812409	20.11160	1.7045703	78	16.3
12	39.09586	37.61553	58.16553	8.923172	19.86633	1.4518388	76	15.6
13	39.13343	38.00733	57.51051	9.034284	20.19000	1.7520003	71	14.9
14	39.18619	38.22511	56.84804	9.145523	19.85177	1.3735605	67	14.3
15	39.27871	38.12421	56.17001	9.256679	20.42252	1.2572257	65	13.7
16	39.38824	38.15633	55.46511	9.367582	20.95595	1.7284273	63	13.2
17	39.46201	38.45745	54.73369	9.478071	20.77476	1.3168761	61	12.8
18	39.53609	38.65993	53.99096	9.587993	20.53262	1.9544485	59	12.4
19	39.58380	38.87253	53.12249	9.697221	20.53714	1.9573265	NA	12.0
20	39.75109	39.05144	52.29278	9.805670	20.54169	1.9602443	NA	11.6

	NeoMor	Under5Mor	drought	earthquake	totdeath	armconflict
1	14.1	29.5	0	0	0	0
2	13.4	28.0	0	0	0	0
3	12.7	26.6	0	0	2	0
4	12.1	25.4	0	0	0	0
5	11.6	24.4	0	0	26	1
6	11.1	23.5	0	0	0	0
7	10.6	22.6	0	0	0	0
8	10.2	21.7	0	0	0	0
9	9.7	20.8	0	0	0	0
10	9.3	19.9	1	0	25	1
11	8.9	19.0	0	0	0	0
12	8.5	18.1	0	0	0	0
13	8.1	17.3	0	0	0	0
14	7.8	16.6	1	0	0	0
15	7.5	15.9	0	1	0	0
16	7.3	15.4	0	0	0	0
17	7.1	14.8	0	1	0	0
18	6.9	14.4	0	0	0	0
19	6.9	13.9	0	0	0	0
20	6.8	13.4	0	1	0	0

```
finaldata |>
  summary()
```

country_name	ISO	region	year
Length:3720	Length:3720	Length:3720	Min. :2000
Class :character	Class :character	Class :character	1st Qu.:2005
Mode :character	Mode :character	Mode :character	Median :2010
			Mean :2010
			3rd Qu.:2014
			Max. :2019

gdp1000	OECD	OECD2023	popdens
Min. : 0.1105	Min. :0.000	Min. :0.0000	Min. : 0.00
1st Qu.: 1.2383	1st Qu.:0.000	1st Qu.:0.0000	1st Qu.:14.79
Median : 4.0719	Median :0.000	Median :0.0000	Median :27.52
Mean : 11.4917	Mean :0.171	Mean :0.1882	Mean :30.57
3rd Qu.: 13.1531	3rd Qu.:0.000	3rd Qu.:0.0000	3rd Qu.:40.72
Max. :123.6787	Max. :1.000	Max. :1.0000	Max. :99.86
NA's :62			NA's :20

urban	agedep	male_edu	temp
Min. : 0.1025	Min. : 16.17	Min. : 1.067	Min. : -2.405
1st Qu.:17.2872	1st Qu.: 47.94	1st Qu.: 5.904	1st Qu.:12.928
Median :30.2535	Median : 55.51	Median : 8.368	Median :21.958
Mean :30.6948	Mean : 61.94	Mean : 8.258	Mean :19.625
3rd Qu.:41.6558	3rd Qu.: 77.11	3rd Qu.:10.849	3rd Qu.:25.869
Max. :93.4135	Max. :111.48	Max. :14.441	Max. :29.676
NA's :20		NA's :20	NA's :20

rainfall1000	MatMor	InfMor	NeoMor
Min. :0.01993	Min. : 2.0	Min. : 1.60	Min. : 0.80
1st Qu.:0.59146	1st Qu.: 17.0	1st Qu.: 7.60	1st Qu.: 4.90
Median :1.01288	Median : 66.0	Median : 18.90	Median :12.10
Mean :1.20216	Mean : 210.6	Mean : 28.90	Mean :16.18
3rd Qu.:1.68706	3rd Qu.: 299.8	3rd Qu.: 44.52	3rd Qu.:25.32
Max. :4.71081	Max. :2480.0	Max. :138.10	Max. :60.90
NA's :20	NA's :426	NA's :20	NA's :20

Under5Mor	drought	earthquake	totdeath
Min. : 2.00	Min. :0.00000	Min. :0.00000	Min. : 0.0
1st Qu.: 9.00	1st Qu.:0.00000	1st Qu.:0.00000	1st Qu.: 0.0
Median : 22.20	Median :0.00000	Median :0.00000	Median : 0.0
Mean : 40.50	Mean :0.08737	Mean :0.08333	Mean : 361.1
3rd Qu.: 61.33	3rd Qu.:0.00000	3rd Qu.:0.00000	3rd Qu.: 2.0
Max. :224.90	Max. :1.00000	Max. :1.00000	Max. :78644.0
NA's :20			

armconflict
Min. :0.0000
1st Qu.:0.0000

```
Median :0.0000
Mean   :0.1892
3rd Qu.:0.0000
Max.    :1.0000
```

There are 62 missing values in GDP, 20 missing values in population density, urban residence, male education, temperature, rainfall, infant mortality, neonatal mortality, and under5 mortality, and 426 missing values in maternal mortality.

```
table(finaldata$country_name)
```

Afghanistan	Albania
20	20
Algeria	Andorra
20	20
Angola	Antigua and Barbuda
20	20
Argentina	Armenia
20	20
Australia	Austria
20	20
Azerbaijan	Bahrain
20	20
Bangladesh	Barbados
20	20
Belarus	Belgium
20	20
Belize	Benin
20	20
Bhutan	Bolivia
20	20
Bosnia and Herzegovina	Botswana
20	20
Brazil	Brunei
20	20
Bulgaria	Burkina Faso
20	20
Burundi	Cambodia
20	20
Cameroon	Canada

	20		20
Cape Verde		Central African Republic	
	20		20
Chad		Chile	
	20		20
China		Colombia	
	20		20
Comoros		Congo	
	20		20
Costa Rica		Cote d'Ivoire	
	20		20
Croatia		Cuba	
	20		20
Cyprus		Czech Republic	
	20		20
Democratic Republic of the Congo		Denmark	
	20		20
Djibouti		Dominica	
	20		20
Dominican Republic		Ecuador	
	20		20
Egypt		El Salvador	
	20		20
Equatorial Guinea		Eritrea	
	20		20
Estonia		Ethiopia	
	20		20
Federated States of Micronesia		Fiji	
	20		20
Finland		France	
	20		20
Gabon		Georgia	
	20		20
Germany		Ghana	
	20		20
Greece		Grenada	
	20		20
Guatemala		Guinea	
	20		20
Guinea-Bissau		Guyana	
	20		20
Haiti		Honduras	
	20		20

Hungary	Iceland
20	20
India	Indonesia
20	20
Iran	Iraq
20	20
Ireland	Italy
20	20
Jamaica	Japan
20	20
Jordan	Kazakhstan
20	20
Kenya	Kiribati
20	20
Kuwait	Kyrgyzstan
20	20
Laos	Latvia
20	20
Lebanon	Lesotho
20	20
Liberia	Libya
20	20
Lithuania	Luxembourg
20	20
Macedonia	Madagascar
20	20
Malawi	Malaysia
20	20
Maldives	Mali
20	20
Malta	Marshall Islands
20	20
Mauritania	Mauritius
20	20
Mexico	Moldova
20	20
Mongolia	Montenegro
20	20
Morocco	Mozambique
20	20
Myanmar	Namibia
20	20
Nepal	Netherlands

20	20
New Zealand	Nicaragua
20	20
Niger	Nigeria
20	20
North Korea	Norway
20	20
Oman	Pakistan
20	20
Panama	Papua New Guinea
20	20
Paraguay	Peru
20	20
Philippines	Poland
20	20
Portugal	Puerto Rico
20	20
Qatar	Romania
20	20
Russian Federation	Rwanda
20	20
Saint Lucia	Saint Vincent and the Grenadines
20	20
Samoa	Sao Tome and Principe
20	20
Saudi Arabia	Senegal
20	20
Serbia	Seychelles
20	20
Sierra Leone	Singapore
20	20
Slovakia	Slovenia
20	20
Solomon Islands	Somalia
20	20
South Africa	South Korea
20	20
South Sudan	Spain
20	20
Sri Lanka	Sudan
20	20
Suriname	Swaziland
20	20

Sweden	Switzerland
20	20
Syria	Tajikistan
20	20
Tanzania	Thailand
20	20
The Bahamas	The Gambia
20	20
Timor-Leste	Togo
20	20
Tonga	Trinidad and Tobago
20	20
Tunisia	Turkey
20	20
Turkmenistan	Uganda
20	20
Ukraine	United Arab Emirates
20	20
United Kingdom	United States
20	20
Uruguay	Uzbekistan
20	20
Vanuatu	Venezuela
20	20
Vietnam	Yemen
20	20
Zambia	Zimbabwe
20	20

```
table(finaldata$armconflict)
```


```

0    1
3016 704
```


Distribution of mortality ratios

```
lapply(X=c("MatMor", "InfMor", "NeoMor", "Under5Mor"), FUN=function(s)
  hist(finaldata[, s], xlab=s, main=paste("Histogram of", s)))
```


Histogram of MatMor




Histogram of InfMor



Histogram of NeoMor



Histogram of Under5Mor



```
[[1]]
$breaks
[1] 0 200 400 600 800 1000 1200 1400 1600 1800 2000 2200 2400 2600
```

```

$counts
[1] 2293 342 277 188 84 64 26 8 7 2 1 1 1

$density
[1] 3.480571e-03 5.191257e-04 4.204614e-04 2.853673e-04 1.275046e-04
[6] 9.714633e-05 3.946570e-05 1.214329e-05 1.062538e-05 3.035823e-06
[11] 1.517911e-06 1.517911e-06 1.517911e-06

$mids
[1] 100 300 500 700 900 1100 1300 1500 1700 1900 2100 2300 2500

$xname
[1] "finaldata[, s]"

$equidist
[1] TRUE

attr("class")
[1] "histogram"

[[2]]
$breaks
[1] 0 10 20 30 40 50 60 70 80 90 100 110 120 130 140

$counts
[1] 1146 774 443 293 265 227 189 146 90 64 45 9 5 4

$density
[1] 0.0309729730 0.0209189189 0.0119729730 0.0079189189 0.0071621622
[6] 0.0061351351 0.0051081081 0.0039459459 0.0024324324 0.0017297297
[11] 0.0012162162 0.0002432432 0.0001351351 0.0001081081

$mids
[1] 5 15 25 35 45 55 65 75 85 95 105 115 125 135

$xname
[1] "finaldata[, s]"

$equidist
[1] TRUE

attr("class")

```

```

[1] "histogram"

[[3]]
$breaks
[1] 0 5 10 15 20 25 30 35 40 45 50 55 60 65

$counts
[1] 961 625 530 299 342 301 231 180 137 62 23 8 1

$density
[1] 5.194595e-02 3.378378e-02 2.864865e-02 1.616216e-02 1.848649e-02
[6] 1.627027e-02 1.248649e-02 9.729730e-03 7.405405e-03 3.351351e-03
[11] 1.243243e-03 4.324324e-04 5.405405e-05

$mids
[1] 2.5 7.5 12.5 17.5 22.5 27.5 32.5 37.5 42.5 47.5 52.5 57.5 62.5

$xname
[1] "finaldata[, s]"

$equidist
[1] TRUE

attr("class")
[1] "histogram"

[[4]]
$breaks
[1] 0 20 40 60 80 100 120 140 160 180 200 220 240

$counts
[1] 1725 706 326 279 251 164 105 67 51 16 8 2

$density
[1] 2.331081e-02 9.540541e-03 4.405405e-03 3.770270e-03 3.391892e-03
[6] 2.216216e-03 1.418919e-03 9.054054e-04 6.891892e-04 2.162162e-04
[11] 1.081081e-04 2.702703e-05

$mids
[1] 10 30 50 70 90 110 130 150 170 190 210 230

$xname
[1] "finaldata[, s]"

```


```
$equidist  
[1] TRUE
```

```
attr(,"class")  
[1] "histogram"
```


By scanning the distribution of 4 types of mortality ratios, I find except MatMor, all other three types are roughly concentrated below 50. The ranges of the ratios are below 200. However, MatMor spans from 0 and 2480, and most of the data concentrated in the first bar. Also, the empty area on the tail shows it may have outliers.

Distributions of 10 covariates


```
lapply(X=c("gdp1000", "OECD", "popdens", "urban", "agedep", "male_edu", "temp", "rainfall1000",  
          "hist(finaldata[, s], xlab=s, main=paste("Histogram of", s)))
```




Histogram of OECD




Histogram of popdens




Histogram of urban




Histogram of agedep




Histogram of male_edu




Histogram of temp




Histogram of rainfall1000



Histogram of drought



Histogram of earthquake



```
[[1]]
$breaks
[1]  0  10  20  30  40  50  60  70  80  90 100 110 120 130

$counts
[1] 2584  398  208  133  164   86   33   15   13    8    7    6    3

$density
[1] 7.063969e-02 1.088026e-02 5.686167e-03 3.635867e-03 4.483324e-03
[6] 2.351011e-03 9.021323e-04 4.100601e-04 3.553855e-04 2.186987e-04
[11] 1.913614e-04 1.640241e-04 8.201203e-05

$mids
[1]  5  15  25  35  45  55  65  75  85  95 105 115 125

$xname
[1] "finaldata[, s]"

$equidist
[1] TRUE

attr("class")
[1] "histogram"
```

```

[[2]]
$breaks
[1] 0.0 0.1 0.2 0.3 0.4 0.5 0.6 0.7 0.8 0.9 1.0

$counts
[1] 3084 0 0 0 0 0 0 0 0 0 636

$density
[1] 8.290323 0.000000 0.000000 0.000000 0.000000 0.000000 0.000000 0.000000
[9] 0.000000 1.709677

$mids
[1] 0.05 0.15 0.25 0.35 0.45 0.55 0.65 0.75 0.85 0.95

$xname
[1] "finaldata[, s]"

$equidist
[1] TRUE

attr("class")
[1] "histogram"

[[3]]
$breaks
[1] 0 10 20 30 40 50 60 70 80 90 100

$counts
[1] 530 739 736 740 357 249 122 131 65 31

$density
[1] 0.0143243243 0.0199729730 0.0198918919 0.0200000000 0.0096486486
[6] 0.0067297297 0.0032972973 0.0035405405 0.0017567568 0.0008378378

$mids
[1] 5 15 25 35 45 55 65 75 85 95

$xname
[1] "finaldata[, s]"

$equidist
[1] TRUE

```

```

attr("class")
[1] "histogram"

[[4]]
$breaks
[1] 0 10 20 30 40 50 60 70 80 90 100

$counts
[1] 472 682 661 848 502 350 97 52 16 20

$density
[1] 0.0127567568 0.0184324324 0.0178648649 0.0229189189 0.0135675676
[6] 0.0094594595 0.0026216216 0.0014054054 0.0004324324 0.0005405405

$mids
[1] 5 15 25 35 45 55 65 75 85 95

$xname
[1] "finaldata[, s]"

$equidist
[1] TRUE

attr("class")
[1] "histogram"

[[5]]
$breaks
[1] 10 20 30 40 50 60 70 80 90 100 110 120

$counts
[1] 26 29 166 983 963 384 337 436 278 112 6

$density
[1] 0.0006989247 0.0007795699 0.0044623656 0.0264247312 0.0258870968
[6] 0.0103225806 0.0090591398 0.0117204301 0.0074731183 0.0030107527
[11] 0.0001612903

$mids
[1] 15 25 35 45 55 65 75 85 95 105 115

$xname

```

```

[1] "finaldata[, s]"

$equidist
[1] TRUE

attr("class")
[1] "histogram"

[[6]]
$breaks
[1] 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15

$counts
[1] 45 113 207 273 318 324 398 469 362 324 396 368 84 19

$density
[1] 0.012162162 0.030540541 0.055945946 0.073783784 0.085945946 0.087567568
[7] 0.107567568 0.126756757 0.097837838 0.087567568 0.107027027 0.099459459
[13] 0.022702703 0.005135135

$mids
[1] 1.5 2.5 3.5 4.5 5.5 6.5 7.5 8.5 9.5 10.5 11.5 12.5 13.5 14.5

$xname
[1] "finaldata[, s]"

$equidist
[1] TRUE

attr("class")
[1] "histogram"

[[7]]
$breaks
[1] -4 -2 0 2 4 6 8 10 12 14 16 18 20 22 24 26 28 30

$counts
[1] 1 14 5 13 97 166 244 293 216 159 191 171 286 340 636 663 205

$density
[1] 0.0001351351 0.0018918919 0.0006756757 0.0017567568 0.0131081081
[6] 0.0224324324 0.0329729730 0.0395945946 0.0291891892 0.0214864865
[11] 0.0258108108 0.0231081081 0.0386486486 0.0459459459 0.0859459459

```

```

[16] 0.0895945946 0.0277027027

$mids
[1] -3 -1  1  3  5  7  9 11 13 15 17 19 21 23 25 27 29

$xname
[1] "finaldata[, s]"

$equidist
[1] TRUE

attr(,"class")
[1] "histogram"

[[8]]
$breaks
[1] 0.0 0.5 1.0 1.5 2.0 2.5 3.0 3.5 4.0 4.5 5.0

$counts
[1] 746 1078 748 531 253 242 59 36 5 2

$density
[1] 0.403243243 0.582702703 0.404324324 0.287027027 0.136756757 0.130810811
[7] 0.031891892 0.019459459 0.002702703 0.001081081

$mids
[1] 0.25 0.75 1.25 1.75 2.25 2.75 3.25 3.75 4.25 4.75

$xname
[1] "finaldata[, s]"

$equidist
[1] TRUE

attr(,"class")
[1] "histogram"

[[9]]
$breaks
[1] 0.0 0.1 0.2 0.3 0.4 0.5 0.6 0.7 0.8 0.9 1.0

$counts
[1] 3395 0 0 0 0 0 0 0 0 0 325

```



```

$density
[1] 9.1263441 0.0000000 0.0000000 0.0000000 0.0000000 0.0000000 0.0000000
[8] 0.0000000 0.0000000 0.8736559

$mids
[1] 0.05 0.15 0.25 0.35 0.45 0.55 0.65 0.75 0.85 0.95

$xname
[1] "finaldata[, s]"

$equidist
[1] TRUE

attr("class")
[1] "histogram"

[[10]]
$breaks
[1] 0.0 0.1 0.2 0.3 0.4 0.5 0.6 0.7 0.8 0.9 1.0

$counts
[1] 3410 0 0 0 0 0 0 0 0 0 310

$density
[1] 9.1666667 0.0000000 0.0000000 0.0000000 0.0000000 0.0000000 0.0000000
[8] 0.0000000 0.0000000 0.8333333

$mids
[1] 0.05 0.15 0.25 0.35 0.45 0.55 0.65 0.75 0.85 0.95

$xname
[1] "finaldata[, s]"


$equidist
[1] TRUE



attr("class")
[1] "histogram"


```

The distribution of GDP is skewed to the right, and the empty area on the right tail may show outliers of the variable.

```
mor <- c("MatMor", "InfMor", "NeoMor", "Under5Mor")
for (i in 1:4) {
  plot(finaldata$totdeath, finaldata[[mor[i]]], ylab=mor[i])
}
```







group by country