

3D PDF DATASHEET



 **eCATALOG**solutions



 **BIM**catalogs.net



 **PART**solutions



Create Your Individual 3D PDF
Datasheet



Learn How to Create Your
Mechanical Product Catalog



Learn How to Create Your BIM
Product Catalog



Reduce Your Costs in
Engineering and Purchasing



80/20® Inc.
The Industrial Erector Set®

25-5050-2133.6-CL

T-Slotted Profile - 25 Series

3D View

To activate the interactive 3D view, you must trust this document (see hint on the top) in Adobe Acrobat and click on the question mark.



Zoom

Moves you toward or away from objects in the scene when you drag vertically. You can also zoom with the hand tool by holding down Shift as you drag.



Pan

Moves the model vertically and horizontally only. You can also pan with the hand tool: Ctrl-drag.



Rotate

Turns 3D objects around relative to the screen. How the objects move depends on the starting view, where you start dragging and the direction in which you drag.

3D PDF DATASHEET



 **eCATALOG**solutions



 **BIM** catalogs.net



 **PART**solutions



Create Your Individual 3D PDF
Datasheet



Learn How to Create Your
Mechanical Product Catalog



Learn How to Create Your BIM
Product Catalog



Reduce Your Costs in
Engineering and Purchasing



80/20® Inc.
The Industrial Erector Set®

25-5050-2133.6-CL


T-Slotted Profile - 25 Series

2D derivation

ISO View



3D PDF DATASHEET



Create Your Individual 3D PDF
Datasheet

Learn How to Create Your
Mechanical Product Catalog

Learn How to Create Your BIM
Product Catalog


Reduce Your Costs in
Engineering and Purchasing

25-5050-2133.6-CL

T-Slotted Profile - 25 Series

80/20® Inc.
The Industrial Erector Set®

Technical drawings



3D PDF DATASHEET

Create Your Individual 3D PDF
Datasheet



 **eCATALOG**solutions

Learn How to Create Your
Mechanical Product Catalog



 **BIM**catalogs.net

Learn How to Create Your BIM
Product Catalog



 **PART**solutions

Reduce Your Costs in
Engineering and Purchasing



80/20® Inc.
The Industrial Erector Set®

25-5050-2133.6-CL

T-Slotted Profile - 25 Series

Technical Data

| | |
|--|------------------|
| PN (Part No.) | 25-5050-2133.6 |
| FIN (Finish) | Clear Anodize |
| L (Length (0.05mm Increment for Custom Length) / mm) | 2133.6 |
| LS (Length Type Selection) | Custom Length |
| SERIES (Series) | 25-5050 |
| MAT (Material) | 6105-T5 Aluminum |
| W (Weight Per Meter / kg/m) | 1.9748 |
| MIX (Moment of Inertia IX / cm ⁴) | 21.1231 |
| MIY (Moment of Inertia IY / cm ⁴) | 21.1231 |
| EA (Estimated Area / cm ²) | 7.3397 |

3D PDF DATASHEET

Create Your Individual 3D PDF
Datasheet



 **eCATALOG**solutions

Learn How to Create Your
Mechanical Product Catalog



 **BIM** catalogs.net

Learn How to Create Your BIM
Product Catalog



 **PART**solutions

Reduce Your Costs in
Engineering and Purchasing



80/20® Inc.
The Industrial Erector Set®

25-5050-2133.6-CL

T-Slotted Profile - 25 Series

Bill of Materials

| N° | Description | Amount |
|-----|----------------|--------|
| 1.1 | 25-5050-2133.6 | 1 |