# **3D PDF DATASHEET**









Learn How to Create Your Mechanical Product Catalog

Reduce Your Costs in Engineering and Purchasing


3342

Flanged Button Head Socket Cap Screws



### 3D View

To activate the interactive 3D view, you must trust this document (see hint on the top) in Adobe Acrobat and click on the question mark.





Zoom

Moves you toward or away from objects in the scene when you drag vertically. You can also zoom with the hand tool by holding down Shift as you drag.



Moves the model vertically and horizontally only. You can also pan with the hand tool: Ctrl-drag.



👍 Rotate

Turns 3D objects around relative to the screen. How the objects move depends on the starting view, where you start dragging and the direction in which you drag.












Create Your Individual 3D PDF Datasheet Learn How to Create Your Mechanical Product Catalog Learn How to Create Your BIM
Product Catalog

Reduce Your Costs in Engineering and Purchasing



3342 Flanged Button Head Socket Cap Screws

2D derivation ISO View














Create Your Individual 3D PDF Datasheet Learn How to Create Your Mechanical Product Catalog Learn How to Create Your BIM Product Catalog Reduce Your Costs in Engineering and Purchasing




Flanged Button Head Socket Cap Screws



## Technical drawings





## 3D PDF DATASHEET









Create Your Individual 3D PDF Datasheet Learn How to Create Your Mechanical Product Catalog Learn How to Create Your BIM
Product Catalog

Reduce Your Costs in Engineering and Purchasing



Flanged Button Head Socket Cap Screws



### **Technical Data**

PN (Part No.)	3342
FIN (Finish)	Black Zinc
THRD (Thread)	1/4-20
L (L Length / INCH)	1/2
W (Weight / lbs.)	.009
PN1 ()	3280

## 3D PDF DATASHEET









Create Your Individual 3D PDF Datasheet



Learn How to Create Your BIM
Product Catalog

Reduce Your Costs in Engineering and Purchasing

3342

Flanged Button Head Socket Cap Screws



### **Bill of Materials**

N°	Description	Amount
1.1	3342	1