



## DevOps

[Video Tutorials](#) [Articles](#) [Ebooks](#) [Free Practice Tests](#) [On-demand Webinars](#)

[Home](#) [Resources](#) [DevOps](#) [Jenkins Tutorial: A Step by Step Tutorial for Beginners](#) [Top Jenkins Interview Questions and Answers for 2022](#)

# Top Jenkins Interview Questions and Answers for 2022

Lesson 4 of 4

By Shivam Arora

Last updated on Jun 27, 2022

105033

[Previous](#)

[Tutorial Playlist](#)

## Table of Contents

[Beginner Level Jenkins Interview Questions](#)

[Intermediate Level Jenkins Interview Questions](#)

[Advance Level Jenkins Interview Questions](#)

[Conclusion](#)

Jenkins is one of the most sought-after tools when it comes to searching for a job in the [DevOps](#) domain. So, to help you excel in Jenkins and make sure you land in a [Jenkins](#) interview, you must

give it your best shot. Here is the set of Jenkins Interview Questions that might help you meet and realize your goals.

We have compiled the top 40 [Jenkins](#) interview questions beginning with the most straightforward questions, and as we progress, the level of the questions' complexity increases.

[DevOps Engineer](#) is one of the top emerging jobs of this decade. Explore the endless opportunities and get hands-on experience of working on several projects by choosing our [DevOps Engineer Certification Course](#). Contact us and reserve your seat TODAY!

## Beginner Level Jenkins Interview Questions

### 1. What is Jenkins?

Jenkins is an open-source free automation tool used to build and test software projects. The tool makes it painless for developers to integrate changes to the project. Jenkins' primary focus is to keep track of the version control system and initiate and monitor a build system if there are any changes. It keeps an eye on the entire process and provides reports and notifications to alert.

Some typical reasons as to why Jenkins is so widely used are:

- Developers and testers use Jenkins to detect defects in the software development lifecycle and automate the testing of builds.
- They use it to continuously monitor the code in real-time and integrate changes into the build.
- Jenkins as it turns out, is a great fit for building a [CI/CD pipeline](#) because of its plugin-capabilities, and simple-to-use nature.

## Post Graduate Program in DevOps

Designed in collaboration with Caltech CTME

[EXPLORE COURSE](#)

## 2. What are the features of Jenkins?

Some of the crucial features of Jenkins are the following:

- It is a free and open-source automation tool
- Jenkins provides a vast number of plugins
- It is easy to set up and install on multiple operating systems
- Provides pipeline support
- Fast release cycles
- Easy upgrades

## 3. What is Groovy in Jenkins?

- Apache Groovy is a dynamic object-oriented [programming language](#) used as a scripting language for [Java](#) platforms.
- Groovy is used to orchestrate the Jenkins pipeline and enables different teams to contribute to the work in different languages.
- Groovy's syntax is very similar to that of Java, making it more seamless with the Java interface.
- The language has several features like Java compatibility and Development support.

## 4. How do you install Jenkins?

Follow the steps mentioned below to [install Jenkins](#):

- Install Java
- Install Apache Tomcat Server
- Download Jenkins war File
- Deploy Jenkins war File

## 5. Which commands can be used to begin Jenkins?


Here are the commands used to start Jenkins:

- Open the command prompt
- After the command prompt opens, browse to the directory where Jenkins war is present
- Then run the following command:

```
D:\>Java -jar Jenkins.war
```

## 6. What is "Continuous Integration" with reference to Jenkins?

- **Continuous Integration** is a development practice where the codes can be integrated into a shared repository.
- The practice uses automated verifications for the early detection of **code** problems.
- Continuous Integration triggers the build to find and identify bugs present in the code.
- It adds consistency to the build process.
- It's a means to build things faster and prevents broken code.



## Free Course: Introduction to DevOps Tools

Master the Fundamentals of DevOps Tools

ENROLL NOW

## 7. What are the differences between Continuous Integration, Continuous Delivery, and

## Continuous Deployment?

Continuous Integration	Continuous Delivery	Continuous Deployment
Continuous Integration (CI) is a DevOps software development practice that permits developers to combine/merge the changes to their code in the central repository to run automated builds and tests.	Continuous Delivery (CD) refers to the building, testing, and delivering improvements to the software code. The most critical part of the CD is that the code is always in a deployable state.	Continuous Deployment (CD) is the ultimate stage in the DevOps pipeline. It refers to automatic release of any developer change from the repository to the production stage.

## 8. What is a CI/CD pipeline?

CI/CD Pipeline or Continuous Integration/ Continuous Delivery is considered the DevOps approach's backbone. The pipeline is responsible for building codes, running tests, and deploying new software versions.

## 9. What is a Jenkins pipeline?

- The pipeline represents the continuous delivery and continuous integration of all the jobs in the SDLC and DevOps life cycle.
- The Jenkins pipeline is a set of plugins that support implementation and integration of continuous delivery pipelines into Jenkins. It connects this pipeline in a particular format by Jenkins.
- The Jenkins pipeline solves several problems like the maintenance of thousands of jobs and maintaining deployment with needing to resort to other powerful methods.

## 10. Name the three different types of pipelines in Jenkins?

The three different types of Jenkins pipelines are:

- CI/CD pipeline
- Scripted pipeline
- Declarative pipeline

## 11. How can you set up a Jenkins job?

To set up a Jenkins job, you may follow these steps:

- Select New item from the menu
- Next, enter a name for the job and select a free-style job
- Click on OK to create a new job
- Hence, the next page that appears will allow you to configure your job.

## DevOps Certification Training Course

Gain expertise in the top DevOps tools

EXPLORE COURSE

## 12. What are the requirements for using Jenkins?

To use Jenkins, you require the following:

- A source code repository that can be accessed, for example, a Git repository.
- A build script, for example, a Maven script.

## 13. Name the two components that Jenkins is mostly integrated with.

Jenkins is typically integrated with these two components:

1. Version Control systems like [Git](#) and SVN (Apache Subversion)
2. Build tools like [Maven](#)

#### 14. Name some of the useful plugins in Jenkins.

Some of the plugins in Jenkins include:

- [Maven 2 project](#)
- [Amazon EC2](#)
- Copy artifact
- Join
- [HTML](#) publisher
- Green Balls

#### 15. How can you create a backup and copy files in Jenkins?

- Jenkins stores all the settings, builds scripts, and logs in the home directory.
- Then, if you want to create a backup of this Jenkins set up all you have to do is copy this directory.
- The job directory may also be copied to clone a job or rename the directory.

### Intermediate Level Jenkins Interview Questions

#### 16. How can you deploy a custom build of a core plugin?

If you wish to deploy a custom build of a core plugin, you follow the following steps:

- Stop Jenkins
- Then copy the custom HPI to `$Jenkins_Home/plugins`
- After that, delete the previously expanded plugin directory
- Next, make an empty file called `<plugin>.hpi.pinned`
- Finally, start Jenkins

#### 17. What could be the steps to move or copy Jenkins from one server to another?

There are multiple ways to move or copy Jenkins from one server to another:

- You may move a job from one Jenkins installation to another just by copying the corresponding job directory.
- You may make a copy of an already existing job by making a clone of the job directory with an uncommon name.
- You may also just rename a current job by renaming a directory.



## 18. Name some more continuous Integration tools other than Jenkins.

Some of the top continuous integration tools other than Jenkins are:

- TeamCity
- Travis CI
- Go CD
- Bamboo
- GitLab CI
- CircleCI
- Codeship

## 19. Assume that you have a pipeline. The first job that you performed was successful, but the second one failed. What would you do now?

You don't have to worry, and you just have to restart the pipeline from the point where it failed by doing 'restart from stage.'

## 20. Explain the process in which Jenkins works?

Here's the process in which Jenkins works:

- Jenkins checks changes in repositories regularly, and developers must secure their code regularly.



- Once the changes are defined, Jenkins detects them and uses them to prepare a new build.
- After that, Jenkins will transverse through various stages in its usual pipeline. As one stage completes, the process will move further on to the next stage.
- If a stage fails, the Jenkins build will stop there, and the software will email the team using it. When completed successfully, the code implements itself in the proper server so that testing begins.
- After the successful testing phase, Jenkins shares the results with the team using it.

## 21. What is Jenkinsfile?

Jenkins file is a text file that has a definition of a Jenkins pipeline and is checked into the source control repository. It enables code review and iteration on the pipeline. It also permits an audit trail for the pipeline.

## 22. Differentiate between Maven, Ant, and Jenkins.

Maven	ANT	Jenkins
1. Build tool 2. Perform build operations	1. Build tool 2. Perform build operations	1. Continuous Integration tool 2. Jenkins may run unit tests and deploy applications

## 23. Differentiate between Bamboo and Jenkins?

S.no	Bamboo	Jenkins
1	Commercial tool	Open-source tool

2	Dedicated development team	Huge global community
3	Comparatively more user friendly	Less user-friendly
4	Many built-in features and plugins are available in the Atlassian marketplace.	Many plugins to perform different functions

## Free Course: Getting Started with Jenkins

Master the Basics of Jenkins

**ENROLL NOW**

### 24. What is the difference between Jenkins and Hudson?

S.no	Jenkins	Hudson
1	Jenkins is a free open-source Continuous Integration server.	Hudson is an extensible Continuous Integration server.

2	Forked by Hudson	Continuous Integration tool
3	Used by companies like Netflix, Facebook, eBay, Instacart, LinkedIn, etc.	Used by companies like LogiYazilim, TableAir UAB and OptoSweden AB.
4	Jenkins supports a lot of plugins	Hudson supports a lesser number of plugins

## 25. Why is Jenkins used with Selenium?

Using [Selenium](#) allows Jenkins's testing whenever there are any software changes or any changes in the environment. When the Selenium test suite is integrated with Jenkins, the testing part is also automated as part of the build process.

## 26. What is the process to integrate Git with Jenkins?

To integrate Git with Jenkins, you can follow the following steps:

- First, create a new Jenkins job and open the Jenkins dashboard.
- Now, enter the desired project name and select the job type.
- Click on OK.
- Then enter the project information.
- After that, visit the 'Source Code Management' tab.



Source: <https://plugins.jenkins.io/git/>

- If the Git plugin is pre-installed in Jenkins, there will be 'Git'.

- If it is not installed, you must reinstall the plugins (GitHub plugin, GitHub Branch Source plugin, GitHub API plugin, Git client plugin, etc.).
- After we install the plugins, restart Jenkins.
- To check if Git is installed, you can go to Command Prompt and type Git, and you would see various options like usage, version, help, etc.

## 27. Explain Kubernetes, and how can you integrate Jenkins with Kubernetes?

- **Kubernetes** is a portable and open-source platform that is used for managing workloads and services that are containerized.
- With the help of Kubernetes, the group of hosts running the Linux containers can be easily and efficiently managed.
- To manage a Continuous Delivery (CD) pipeline, the most efficient way is to deploy Jenkins with Kubernetes Engine.
- Kubernetes enables the creation of multiple container instances to satisfy more fault tolerance.
- Kubernetes deploy plug may be used with Jenkins for Continuous Deployment.

## Free Course: Introduction to Kubernetes

Master the Fundamentals of Kubernetes

**ENROLL NOW**

## 28. What is DSL Jenkins?

DSL stands for Domain Specific Language. Jenkins job DSL is a plugin that allows us to define jobs in the programmatic form with minimal effort. You can describe your jobs in Jenkins using a Groovy Based Language. They designed Jenkins job DSL plugin to create versions of the job, manage the records

## 29. What is the process to configure Third-party tools in Jenkins?

The process to configure Third-party tools in Jenkins can be seen in four significant steps:

- Install the third-party software
- Then install a Jenkins plugin supporting the third-party tool
- Now, configure the tool from the Manage Jenkins section
- Finally, your plugin is ready to be used

### 30. What are some of the default environmental variables in Jenkins?

Some of the Jenkins environmental variables are:

- \$JOB\_NAME - The name that you give your job when it is first set up.
- \$NODE\_NAME - This is the name of the node on which the current build is running.
- \$WORKSPACE - Refers to the path of the workspace
- \$BUILD\_URL - Indicates the URL where the results of the builds can be found.
- \$JENKINS\_URL - This is set to the URL of the Jenkins master that is responsible for running the build.

## Advance Level Jenkins Interview Questions

### 31. What are some of the critical aspects of the Jenkins pipeline?

Some of the Jenkins Pipeline key aspects are:

- Pipeline: User-defined model of a CD pipeline. Pipeline's code takes the role of defining the entire build process, including building, testing, and delivering an application.
- Node: A machine as a part of the Jenkins environment which is capable of executing a pipeline.



- Step: An individual task that communicates to Jenkins about what to do at a particular point in time

- Stage: This defines distinct subset of tasks that are conceptually unique and performed through the pipeline (build, test, deploy stages)



### 32. Let's say there is a broken build in the Jenkins project, then what can be done?

Initially, you will have to open the console output where the broken builds are created and then figure out if there are any file changes that were missed. In case there are no issues found there, then you will need to update your local workspace, replicate the problem, and then try to solve it.

### 33. How to deploy a custom build of a core plugin?

The steps to deploy a custom build of a core plugin are:

- First, copy the .hpi file to \$JENKINS\_HOME/plugins
- Then remove the plugin's development directory
- Next, create an empty file called <plugin>.hpi.pinned
- Finally, restart Jenkins and use your custom build of a core plugin

### 34. What is the process of making a Multibranch Pipeline in Jenkins?

To create a Multibranch Pipeline in Jenkins, follow the following steps:

- Open the Jenkins dashboard and create a new item by clicking on 'new item'
- Enter the project name and, from the options, select 'Multibranch pipeline'
- Click on OK



Source: <https://www.jenkins.io/doc/book/pipeline/multibranch/>

- Then select the repository location, branch source (GitHub/Bitbucket), and add the branch source credentials.
- Save the project
- Now, Jenkins automatically creates new Multibranch Pipelines for repositories

- Then to connect to the [GitHub](#) repo, we need the HookURL
- To get this URL from the repository settings, add this HookURL to the Webhooks section
- Once the jobs are created, Jenkins will automatically trigger the build

### 35. How can the parameters be defined in Jenkins?

In Jenkins, a build can take many input parameters to execute.

- To define parameters for the job, select the “this project is parameterized” box.
- The drop down “Add Parameter” is enabled with the parameter types list. Any number of parameters may be added in the list.

There are several parameter types provided in the list.

### 36. Explain the ways to configure Jenkins node agent to communicate with Jenkins master?

There are two ways to configure Jenkins node agent to communicate with Jenkins master:

1. Browser–If we launch the Jenkins node agent from a browser, a Java Web Start or JNLP file is downloaded. The downloaded file launches a new process on the client machine to run jobs.
2. Command-line–If you want to start the node agent using the command line, you need the executable agent.jar file. When this file runs, it launches a client's process to communicate with the Jenkins master to run build jobs.

### 37. What is the use of the JENKINS\_HOME directory?

- JENKINS\_HOME directory is the place where all the settings, logs, and configurations are stored. It stores all this information in XML files.
- The directory contains a subdirectory for every Jenkins build job being operated.
- Every directory has two subdirectories: builds and workspace., and some other files as well.
- These sub directories are important, as the workspace directory is located at the place where Jenkins is building the project, and it contains the source code.
- The builds directory stores the history of all the builds performed for this job.

### 38. Explain a backup plugin and its uses.

It includes job configs, plugins, logs, plugin configuration, etc. Jenkins provides a backup plugin which can be used to get critical backup configuration. This is most important when there is a failure; it prevents the loss of any settings.

### 39. What do you understand by a trigger concerning a pipeline?

A trigger is something that defines when and how the pipelines should be executed. There may be several triggers like a pull request trigger that is used to deploy a pull request, or there may be a stage trigger that is used in configuring how each stage in the release will be triggered.

### 40. What are the three security mechanisms Jenkins uses to authenticate users?

The three mechanisms are as follows:

- Jenkins uses an internal database to store user data and credentials.
- Jenkins can use a lightweight Directory Access Protocol (LDAP) server to authenticate users.
- We can configure Jenkins to employ the application server's authentication mechanism upon which we deploy it.

## Conclusion

By now, you should be well prepared for a Jenkins interview. You now know the answers to the top 40 questions from a beginner's level to an advanced level.

In addition to these Jenkins interview questions, there are also many other helpful [DevOps interview questions](#) that you can check out and supplement your DevOps knowledge.

If you have any questions for us, please let us know in the comment section of the Jenkins Interview Questions, and we will get our experts to answer it for you.

However, if you want to learn more about Jenkins and DevOps in general, you can check this fantastic set of [DevOps Certification Training courses](#) that will be valuable in helping you land that coveted job in development.



## Find our DevOps Engineer Online Bootcamp in top cities:

Name	Date	Place
<a href="#">DevOps Engineer</a>	Class starts on 23rd Jul 2022, Weekend batch	Your City
<a href="#">DevOps Engineer</a>	Class starts on 6th Aug 2022, Weekend batch	Dubai
<a href="#">DevOps Engineer</a>	Class starts on 13th Aug 2022, Weekend batch	Abu Dhabi

## About the Author


 [Shivam Arora](#)

Shivam Arora is a Senior Product Manager at Simplilearn. Passionate about driving product growth, Shivam has managed key AI and IOT based products across different business functio...

[View More](#)

---

## Recommended Programs



DevOps Engineer

17627 Learners

Lifetime Access\*

## CI/CD Pipeline with Jenkins

7547 Learners

## DevOps Certification Training

20843 Learners

Lifetime  
Access\*

\*Lifetime access to high-quality, self-paced e-learning content.

[Explore Category](#)

## Find DevOps Engineer Master's Program in these cities

DevOps Engineer Training in Abu Dhabi | DevOps Engineer Training in Dubai | DevOps  
Engineer Training in Sharjah

## Recommended Resources

How to Become a  
DevOps  
Engineer?: Rol...

DevOps Engineer  
Resume Guide

0 Comments   Simplilearn    Disqus' Privacy Policy

 1 Login ▾

 Favorite    Tweet    Share

Sort by Best ▾



Start the discussion...

LOG IN WITH

OR SIGN UP WITH DISQUS 

Name

Be the first to comment.

---

 **Subscribe**  **Add Disqus to your site**[Add Disqus](#)[Add](#)  **Do Not Sell My Data**

© 2009 -2022- Simplilearn Solutions

#### Disclaimer

PMP, PMI, PMBOK, CAPM, PgMP, PfMP, ACP, PBA, RMP, SP, and OPM3 are registered marks of the Project Management Institute, Inc.