

可复制的动效灵感

Opus 5.5

动效提示词合集

22 条案例 · 15 个视频动效 · 7 个交互网页

每条包含效果、适用场景、提示词和原出处。点击目录可跳到对应条目；下载 PDF 后可选中文字复制提示词。

提示词中的 [方括号] 是需要替换的输入。标为“摘录”的条目不是完整原文。

视频中展示的预览，是按提示词加示例输入制作的演示版，不是原作者成片。这份 PDF 提供完整文字资料，不包含可运行的交互预览。

整理：小红书 | AI伐木工

GitHub 项目说明：<https://github.com/jinhanbuilds/opus-5-5-motion-gallery>

整理日期：2026-09-27

目录

- | | |
|----------------------------------|-----------------------------------|
| 01 一句话动效作品集 / 视频 | 12 光学全反射实验室解说 / 视频 |
| 02 15 秒 App 发布片 / 视频 | 13 睡前故事频道片头 / 视频 |
| 03 高端极简产品广告片 / 视频 | 14 降噪耳机竖屏解说 / 视频 |
| 04 30 秒业务解说 / 视频 | 15 水循环无缝循环动画 / 视频 |
| 05 什么是 Transformer / 视频 | 16 玻璃拟态冥想 App 落地页 / 网页 |
| 06 天为什么是蓝的 (1950 年代教科书风) / 视频 | 17 灯塔守望者长文专题 / 网页 |
| 07 单一形体 UI 变形 / 视频 | 18 装饰艺术风酒店落地页 / 网页 |
| 08 演讲文字动效片《BUILD THE FLOOR》 / 视频 | 19 PULSE 生成式音乐可视化 / 网页 |
| 09 从房间推进到夸克 / 视频 | 20 独立制表品牌官网 (3D 机芯 + 滚动拆解) / 网页 |
| 10 地图路线动画 / 视频 | 21 霓虹流体模拟 / 网页 |
| 11 雨夜站台重逢短片 / 视频 | 22 樱花山谷 3D 体素场景 / 网页 |

一句话动效作品集

动效技法 · 16:9

效果

15 秒动态图形 showreel，让模型自由发挥审美和节奏

适合用在

第一次试 Opus 5.5 的动效上限；给团队演示它能做到什么程度

提示词（来源原文）

make a dynamic 15-second motion graphics video that shows what an incredible motion designer you are, like it's your showreel for a résumé. go all out.

可替换的中文模板

先调研 [产品网址]。为 [产品名] 做一支 [30] 秒的动态图形视频，展示你作为顶级动效设计师的水平，像简历里的作品集那样。放开做。

出处

@ajith_io · X (经 Tripo 提示词库收录) · 2026-09-25

收录页：<https://www.tripo3d.ai/3d-prompts/claude-opus-5-5-2103504887439065439>

原帖或成片：https://x.com/ajith_io/status/2103449416325890146

15 秒 App 发布片

产品与品牌 · 16:9

效果

开场品牌名 → 三个功能逐一动画出现 → 网址收尾

适合用在

新功能上线、App Store 预览、社媒发布贴

提示词（来源原文）

Make a 15-second launch video for my app, [app name], at 1920x1080.
Open with the name, show these three features one at a time with smooth animations: [feature 1], [feature 2], [feature 3], and end on [your URL]. Use these brand colors: [colors].

出处

Scale My Vibe Code · 博客 · 2026-09

收录页：<https://scalemyvibe.dev/blog/opus-5-5-initial-thoughts-and-prompting-advice/>

高端极简产品广告片

产品与品牌 · 16:9

效果

120 BPM 卡点：钩子逐词落拍 → 词变 UI → 圆形转场 → 3D 轮播 → 大数字 → Logo

适合用在

要 Apple 式克制高级感的产品片；有自己的实拍素材和音乐

提示词（来源原文）

<inputs>

Ask me for: the product name and a one-line promise, 3 to 5 UI moments to show, one accent color, 10 to 20 real vertical clips I own, and a royalty-free song with a clear drop (e.g. Mixkit, free for commercial use).

</inputs>

<direction>

High-end minimal. One idea per shot, lots of empty space, one accent color, one clean sans (Geist or Inter) with tight tracking. Masked type reveals, match cuts, one smooth camera language. Real footage only, never placeholder cards. No full stops in on-screen text.

Banned: shockwave rings, particle bursts, RGB split, camera shake, lens flares, neon glows, grid floors, flashing backgrounds, bouncy easing.

</direction>

<structure>

10 bars at 120 BPM, 2 seconds each.

Bar 1: the hook lands word by word on the beats.

Bar 2: one hook word morphs into the product UI. A cursor types and clicks.

The drop: a circle opens out of the button into a dark scene.

Then one move per bar: a wall of real clips with a scan line and 3 winners, the key output as big type, a 3D carousel of real videos with floor reflections and a motion-blurred whip onto one hero clip, the hero in a phone next to a panel that flips into results, big stats on push cuts, a 3-word ticker, a logo reveal, a fade to black.

</structure>

<build>

1. One HTML file at 1920x1080. Every style is computed from time inside seek(t): no CSS animations, no timers, no state between frames.

2. Real video: extract clips to 30fps JPEG sequences with ffmpeg and swap img sources per frame. seek awaits the image decodes.

3. Analyze the song with numpy: tempo, beat grid, energy per bar, the drop. Calibrate the grid to the real kick hits. Every cut sits on a downbeat, every UI hit on a beat.

4. Render with Playwright: 3 subframes per frame at t minus, at, and plus 1/240s, then blend with ffmpeg tmix for real motion blur at 60fps.

5. Place each sound effect so its measured peak, not its file start, lands on the event. Keep the effects quiet under the music. Loudnorm to -14 LUFS.

6. Probe 20 or more frames before the full render. Fix anything cluttered, overlapping or hard to read.

</build>

<gotchas>

Never set opacity or filter on a preserve-3d element, because it flattens and both faces show. Fade its wrapper instead. Measure element positions at runtime for match cuts. Only use music and sound effects whose license allows commercial use.

</gotchas>

<start>

Ask me for the inputs, then show me a storyboard with every timing on the beat grid before you write any code.

</start>

出处

@zero (twocliping) · X (经 YouMind 收录) · 2026-09-23

收录页 : <https://youmind.com/video-prompts/high-end-product-video-prompt-11292>

30 秒业务解说

产品与品牌 · 16:9

效果

五个场景：客户痛点 → 你做什么 → 三步流程 → 一个证据 → 名字收尾

适合用在

官网首屏视频、销售开场、投资人一分钟介绍

提示词（来源原文）

Adopt the role of an expert motion designer. Build a 30-second animated explainer for my business as a single HTML page. 5 scenes. The customer's problem, what I do, how it works in 3 steps, one proof point, and my name at the end. Bold text, smooth transitions, my brand colours. My business [DESCRIBE WHAT YOU SELL, WHO IT'S FOR AND YOUR COLOURS]

出处

@alex_prompter (Alex Prompter) · X (经 YouMind 收录) · 2026-09-25

收录页：<https://youmind.com/video-prompts/business-explainer-video-prompt-11359>

什么是 Transformer

知识科普 · 16:9

效果

高中生能懂又有细节的科普动画：注意力机制与数学直觉

适合用在

技术概念科普、课程片头、公众号配图视频

提示词（来源原文）

Help me create a video using JS with the theme: What is a Transformer. It should be profound yet simple, understandable even for high school students. Not only explain it clearly at a high level but also include details, covering attention mechanisms and even some mathematical concepts. You can use any tools or install tools, and you can search online. Please surprise me.

出处

@宝玉 (dotey) · X (经 YouMind 收录) · 2026-09-26

收录页：<https://youmind.com/video-prompts/transformer-explainer-video-11391>

天为什么是蓝的（1950年代教科书风）

知识科普 · 16:9

效果

20 秒复古科学教科书风格解说，一句话指定主题 + 年代风格

适合用在

科普短视频；想要统一的复古画风

提示词（来源原文）

Why is the sky blue? A 20-second explainer in the style of a 1950s science textbook.

出处

iArt.ai · 博客 · 2026-09

收录页：<https://www.iart.ai/blog/ai-javascript-animation>

单一形体 UI 变形

动效技法 · 1:1

效果

一个形体不切镜头连续变成按钮、加载、播放器、滑块、开关、图表、⌘K、Toast，首尾相接可循环

适合用在

产品 UI 动效展示、Dribbble 作品、发布会过场

提示词（来源原文）

<inputs>

Ask me for: 8 to 12 UI states I want the shape to become (e.g. button, loader, player, slider, toggle, tabs, chart, command palette, toast), pure black and white or one accent color, and a royalty-free song around 120 BPM (e.g. Mixkit, free for commercial use).

</inputs>

<direction>

Dribbble-level UI motion. One shape, never cut: every state is the same element morphing its size, radius and color while its content swaps with a short blur. A cursor drives every change with real clicks and drags. Light warm-gray canvas, black and white components, one clean UI font (Geist). Springs everywhere, a tiny overshoot at most. The camera zooms so each state fills the frame. The last frame is the first frame, so it loops.

Banned: bouncy easing, particle bursts, glows, gradients on UI chrome, mismatched icon strokes, dead time, anything that looks like a template.

</direction>

<structure>

120 BPM, 7 bars, something happens on every beat.

Button → loader → check → dynamic island → music player with a play/pause morph → scrub the progress bar → it becomes a volume slider that stretches when dragged past max → a toggle flips on the beat → the knob becomes a liquid tab indicator → the tabs open into a chart that draws itself, with a tooltip on hover → it collapses into ⌘K → type to filter → enter → toast → back to the button.

</structure>

<build>

1. One HTML file, square 1440x1440. Every style is computed from time inside seek(t): no CSS transitions, no timers, no state carried between frames.
2. Springs are closed-form step responses. A value that changes target many times is the sum of one spring per change, so it stays a pure function of time.
3. The tab indicator's two edges ride different springs, so the leading edge stretches ahead of the trailing one. Same trick for the toggle knob.
4. Drags are direct manipulation: while the cursor is held, the value is computed from its position. On release it springs back from wherever it was.
5. Analyze the song with numpy for the beat grid and start on a downbeat. Place every UI sound by its measured peak.
6. Render with Playwright: 4 subframes per frame, blended with ffmpeg tmix for motion blur at 60fps.
7. Render one frame per beat before the full render. Fix anything off the grid, cramped or hard to read.

</build>

<gotchas>

Never put will-change on anything the camera scales or the text renders blurry. Text that swaps inside a morphing container needs its own enter and

exit timing or it overlaps. Make the last frame identical to the first, cursorposition and speed included, or the loop stutters.

</gotchas>

<start>

Ask me for the inputs, then show me the state list on the beat grid before you write any code.

</start>

出处

@zero (twocliping) · X (经 YouMind 收录) · 2026-09-24

收录页 : <https://youmind.com/video-prompts/ui-morphing-motion-template-11361>

演讲文字动效片 《BUILD THE FLOOR》

动效技法 · 1:1

效果

20 秒纯排版演讲：每句话改变画面结构，最后一句站在前面文字搭起的「地板」上

适合用在

金句海报视频、品牌宣言、发布会开场

提示词（来源摘录）

Create a 20.00-second kinetic spoken-word film titled "BUILD THE FLOOR." Treat this as an original miniature speech staged entirely through typography. Every line changes the architecture of the frame. The final declaration must stand on something the earlier words physically constructed. Deliver one self-contained HTML file, 1080×1080, targeting 60fps, using SVG and/or Canvas. Embed all required assets.

ART DIRECTION

Background #102820. Paper #F4E9D5. Structural accent #F2B544. A literary editorial world with the scale and confidence of a public monument. Use a high-contrast serif for the speech, a heavy grotesque for load-bearing words, and a restrained monospace for small timing marks. No distressed protest-poster clichés, megaphones, flags, crowds, microphones, or stock footage.

ORIGINAL SPEECH — EXACT WORDS, EXACT ORDER

"We were told to wait."

"So we learned the weight of waiting."

"Then one voice made room."

"Then another."

"Now the floor belongs to us."

出处

@TechHalla · X (经 YouMind 收录) · 2026-09-25

收录页 : <https://youmind.com/video-prompts/kinetic-typography-speech-film-11293>

从房间推进到夸克

镜头与地图 · 16:9

效果

一镜到底连续推进：房间 → 笔记本 → 芯片 → 原子 → 夸克

适合用在

尺度类科普、品牌「深入细节」概念片

提示词（来源原文）

Create an animated sequence that starts in a room, zooms into a MacBook, then into an Apple M4 chip, followed by atoms, and finally quarks. Use HTML and Three.js for rendering.

出处

Victor Taelin (@Taelin) · X (经 YouMind 收录) · 2026-09-25

收录页：<https://youmind.com/video-prompts/room-to-quarks-zoom-animation-11283>

地图路线动画

镜头与地图 · 16:9

效果

路线从洛杉矶画到纽约，镜头跟随

适合用在

物流/出行/融资路演里的地理叙事

提示词（来源原文）

/remotion-maps Animate a route from Los Angeles to New York and make the camera follow it.

出处

Remotion 官方文档 · remotion.dev · 2026

收录页：<https://www.remotion.dev/docs/ai/skills>

雨夜站台重逢短片

故事与片头 · 16:9

效果

雨夜月台上二人隔着驶过的列车相望而错过，转场为撑伞背影的意外重逢

适合用在

情感向2D故事短片、影视分镜预览，需要一镜到底运镜与景深的叙事片段

提示词（来源原文）

Help me create a 30-second 2D animated storyboard preview short film titled 'Rain Station', with benchmark-level quality. Do not use HyperFrames/Remotion; write all code yourself (Python + ffmpeg).

Story (24fps, 2.39:1, 4K): A rainy night at an elevated station platform. She wears a beige trench coat and holds a transparent umbrella, standing on the near-side platform; he stands under a streetlight on the opposite side, wearing a dark grey long coat and a scarf.

1. 0–6.4s Close-up of raindrops on the transparent umbrella → Pull back, focus shifts to him appearing on the opposite side (over-the-shoulder shot)
2. 6.4–9.4s Medium close-up of him: Head down → Looks up towards the left of the frame
3. 9.4–12.4s Frontal close-up of her: Blinks → Recognizes him; distant horn sound
4. 12.4–17s Long shot: Headlights arrive first, a 5-car train passes; he is still visible in the gap of the first car, but the second is empty
5. 17–18.8s Close-up of her teary eyes, light bands from windows sweep across her face, hair blown by wind

6. 18.8–22.4s Tail lights recede, opposite platform is empty; his streetlight flickers a few times then goes out
7. 22.4–28.6s Her back view, focus pulls from empty platform back to her; footsteps behind, a black umbrella covers her head, she turns to look at the camera; male voice says 'Long time no see.', with subtitles
8. 28.6–30s Black screen title 'Rain Station / RAIN STATION'

Method:

- Original Art: Use GPT Image 2.5 to draw the background, him, her, and the train (head/middle/tail cars). Characters must have pure green #00FF00 backgrounds for self-matting (using reference images with transparent backgrounds may result in fake checkerboards). Keep various poses of the same character in one session, editing continuously based on a base image; only composite changed areas when switching poses.
- Quality: Use Real-ESRGAN x4plus anime 6B (safetensors version from HF, write your own RRDBNet, run on MPS) to upscale all original art by 4x; use Depth Anything V2 to estimate background depth for per-pixel parallax.
- Rendering: Write your own 2.5D compositor. Place layers according to real depth, move pinhole camera according to real focal length; implement circular bokeh, rack focus, 3D rain streaks, train motion blur, volumetric light, bloom/glow/film halo, fine grain, and color grading. Use mesh deformation for characters to simulate breathing, wind-blown hair, and umbrella shake, switching key poses in Japanese 'one-frame-two' style. 4K supersampling, cache frames to disk, parallelize rendering into 3 processes by time segment (16GB memory).
- Sound: Mixkit real SFX (rain, umbrella rain, train, horn, footsteps); compose music according to plot nodes, render with Steinway piano and string samples from Logic/GarageBand; dialogue uses Kokoro Chinese male voice; apply distance-based audio panning/volume, loudness -16 LUFS.
- Render preview frames at each step, stitch them together for self-checking, fix issues before final output. Deliver 4K master and 1080p share version.

出处

Feicai (@zhu185178) · X (经 YouMind 收录) · 2026-09-26

收录页 : <https://youmind.com/video-prompts/rain-station-animated-short-11378>

原帖或成片 : <https://x.com/zhu185178/status/2103757767727255661>

光学全反射实验室解说

知识科普 · 16:9

效果

暗色实验台上激光穿过半圆玻璃块，角度超过临界角后发生全反射，标题随公式实时改写

适合用在

物理/光学等硬核概念科普，需要真实公式驱动画面与字幕的讲解短片

提示词（来源原文）

Make a 30 second explainer on why light gets trapped in glass: a laser, a half-round block, the angle going past critical, then water and diamond.

可替换的中文模板

做一个 30 秒的解说：为什么会出现 [现象，如「光会被困在玻璃里」]。道具依次是 [激光、半圆玻璃块]，然后换成 [水和钻石] 做对比。

出处

misbahsy · GitHub : [claude-horizon-animation](https://github.com/misbahsy/claude-horizon-animation) · 2026-09

收录页：<https://github.com/misbahsy/claude-horizon-animation>

睡前故事频道片头

故事与片头 · 16:9

效果

15秒暖色调动画开场，灯笼与星光渐次亮起，收尾停在频道名上

适合用在

无露脸YouTube/播客频道的开场标识，尤其适合儿童向或助眠向内容

提示词（来源原文）

Opening sequence for my faceless YouTube bedtime-story channel 'Sleepy Lantern'. Cozy, 15 seconds, ends on the channel name.

可替换的中文模板

为我的无露脸 YouTube [睡前故事] 频道「[频道名]」做一段开场。风格 [温馨]，时长 [15] 秒，结尾停在频道名上。

出处

iArt.ai · 博客 · 2026-09-24

收录页：<https://www.iart.ai/blog/ai-javascript-animation>

降噪耳机竖屏解说

知识科普 · 9:16

效果

9:16科普短片，三步讲清降噪原理，镜头推入耳罩内部演示声波抵消

适合用在

抖音/TikTok/小红书竖屏知识短视频、硬件原理解科普

提示词（来源原文）

How do noise-cancelling headphones actually cancel noise? Short vertical explainer for TikTok, ~20s.

可替换的中文模板

[你的问题，如「降噪耳机到底是怎么消除噪音的？」] 竖屏短解说，投给 [TikTok/抖音]，大约 [20] 秒。

出处

iArt.ai · 博客 · 2026-09-24

收录页：<https://www.iart.ai/blog/ai-javascript-animation>

水循环无缝循环动画

知识科普 · 16:9

效果

蒸发-凝结-降水-径流首尾相接，云雨山川循环往复、无缝衔接

适合用在

科普短片素材、网站背景循环视频、社媒无缝循环片段

提示词（来源原文）

Create a seamless looping animation of the water cycle, entirely in code.

出处

Higgsfield AI (@higgsfield_ai) · X (经 GitHub awesome-opus-5-5-prompts 收录) ·
2026-09-23

收录页：<https://github.com/TripoGrowthLab/awesome-opus-5-5-prompts/blob/main/docs/catalog.en.1.md>

原帖或成片：https://x.com/higgsfield_ai/status/2102781807179735211

玻璃拟态冥想 App 落地页

落地页 · 16:10

效果

Canvas 极光背景跟随鼠标弯曲；4-7-8 呼吸球；3D 倾斜卡片带高光

适合用在

消费类 App 官网、需要氛围感的首屏

提示词（来源原文）

Design a premium landing page for "Stillwater", a fictional breathing and meditation app, in refined glassmorphism. Background: deep midnight (#070b1f) with three slow-drifting aurora ribbons rendered on a canvas (layered, sine-deformed gradient bands in teal #2de2c4, violet #7b5cfe and rose #ff6fa8, additive blending, very soft) over a faint twinkling star field. Foreground: frosted-glass panels (backdrop-filter blur + saturate, 1px inner highlight border, subtle grain) — a hero with a large, airy, light-weight sans headline; a centred "breathing orb" that expands and contracts on a 4-7-8 rhythm with a caption that cross-fades Inhale / Hold / Exhale; a row of three feature cards; a testimonial strip; and a pricing section whose monthly/yearly toggle animates a sliding glass pill. Delight: cards tilt in 3D toward the pointer with a moving specular glare; the aurora bends gently toward the cursor. Interaction: hover/tilt cards; click the orb to start/stop a guided one-minute session with a progress ring; pricing toggle. Mobile: cards stack, the orb stays hero-centred.

出处

miaai-lab · GitHub Pages : Claude Opus 5.5 100 HTML Files · 2026-09

收录页 : <https://miaai-lab.github.io/Claude-Opus-5.5-100-HTML-Files/001-aurora-glass.txt>

原帖或成片 : <https://miaai-lab.github.io/Claude-Opus-5.5-100-HTML-Files/001-aurora-glass.html>

灯塔守望者长文专题

滚动叙事 · 16:10

效果

灯塔光束扫过标题并真实照亮文字；滚动时天色由黄昏转入夜；菲涅耳透镜随滚动组装

适合用在

品牌故事、年度报告、杂志式长文

提示词（来源原文）

Design a long-read editorial feature: "The Last Keepers — Life at the Edge of the Light", a fictional magazine story about lighthouse keepers. Write original, evocative literary prose (~900 words), impressionistic rather than presenting invented facts as real history. Typography-led: a classic book serif ("Iowan Old Style", "Palatino Linotype", Palatino, "P052", Georgia, serif) for body text at a comfortable measure, a large Didone-feeling headline, an ornamental drop cap, small-caps bylines, pull quotes that break the column, and marginal notes on wide screens. Palette: cream paper #f6f1e7, ink navy #14213d, signal red #c0392b, fog grey. Hero: a full-bleed SVG illustration of a lighthouse on rocks at dusk with a rotating light beam that sweeps across the headline and a gently animated sea. Scroll storytelling: sections fade and rise in; a reading-progress bar styled as a lighthouse beam; a section where the background shifts from dusk to night as you scroll; and an illustrated "anatomy of a lens" figure (Fresnel lens rings) that assembles on scroll. Footnotes pop up on click. Must read beautifully on phones.

出处

miaai-lab · GitHub Pages : Claude Opus 5.5 100 HTML Files · 2026-09

收录页 : <https://miaai-lab.github.io/Claude-Opus-5.5-100-HTML-Files/008-lighthouse-longform.txt>

原帖或成片 : <https://miaai-lab.github.io/Claude-Opus-5.5-100-HTML-Files/008-lighthouse-longform.html>

装饰艺术风酒店落地页

落地页 · 16:10

效果

金色边框从中间向两侧自绘；旭日光芒旋转；标题掠过金箔光泽；电梯表盘指针跟随滚动

适合用在

酒店、奢侈品、复古主题活动页

提示词（来源原文）

Create a landing page for "The Aurelian", a fictional 1928 Art Deco grand hotel. Black lacquer (#0b0b0c) and deep emerald (#0f3d33) grounds with gold (#d4af37, grading to #f5e3a1) geometric ornament — sunbursts, stepped ziggurat frames, chevrons and fan motifs, all inline SVG. Typography: tall, thin, high-contrast display capitals (stack: Didot, "Bodoni 72", "Bodoni MT", "C059", Georgia, serif) with wide letter-spacing, plus refined small caps. Sections: a hero with an animated sunburst radiating behind the hotel name and a symmetrical Deco frame that draws itself in gold; "The Suites" as three arched cards with gilded hover states; a dining section with a menu styled as an engraved card; an elevator-dial floor selector that scrolls to sections while its needle rotates; and a reservation form with Deco-bordered inputs. Delight: a gold-foil shimmer sweeping across headings and fan patterns that open on scroll. Elegant and symmetrical on desktop, gracefully stacked on phones.

出处

miaai-lab · GitHub Pages : Claude Opus 5.5 100 HTML Files · 2026-09

收录页 : <https://miaai-lab.github.io/Claude-Opus-5.5-100-HTML-Files/015-art-deco-hotel.txt>

原帖或成片 : <https://miaai-lab.github.io/Claude-Opus-5.5-100-HTML-Files/015-art-deco-hotel.html>

PULSE 生成式音乐可视化

交互与声音 · 16:10

效果

点击后浏览器现场合成电子乐，128 根频谱花瓣随鼓点绽放，三种模式切换

适合用在

活动页、音乐产品、需要「能玩」的首屏

提示词（来源原文）

Build "PULSE — Generative Audio Visualizer". On first click, a built-in generative electronic track starts, synthesized entirely with Web Audio (kick, hi-hat from filtered noise, a bassline and an arpeggiated pad in a minor key at ~110 BPM, evolving every 8 bars). An `AnalyserNode` drives the centrepiece: a radial frequency bloom — 128 bars around a circle with mirrored symmetry, a pulsating core that swells on each kick, orbiting particles that accelerate with high frequencies, and a smoky trail (canvas feedback with a slight zoom/rotation each frame). Before audio starts, an idle breathing version of the visual must already look beautiful. Palette: sunset-to-violet gradient (`#ff9a3c` → `#ff3c78` → `#7b2ff7` → `#16d9e3`) on deep plum-black `#0c0612`. Typography: wide, spaced uppercase sans for the title and a small monospace readout of BPM, bar count and track section. Controls: play/pause; mode switch between "Bloom", "Tunnel" (concentric rings rushing toward the viewer) and "Horizon" (mirrored waveform landscape); volume. Optional "Use microphone" button with a graceful fallback if permission is denied.

出处

miaai-lab · GitHub Pages : Claude Opus 5.5 100 HTML Files · 2026-09

收录页 : <https://miaai-lab.github.io/Claude-Opus-5.5-100-HTML-Files/026-pulse-visualizer.txt>

原帖或成片 : <https://miaai-lab.github.io/Claude-Opus-5.5-100-HTML-Files/026-pulse-visualizer.html>

独立制表品牌官网（3D 机芯 + 滚动拆解）

滚动叙事 · 16:10

效果

真实齿轮比运转的 3D 机芯；滚动时机芯拆成零件并标注，再重新组装

适合用在

硬件/奢侈品官网；需要一个「招牌时刻」的品牌站

提示词（来源原文）

Build "Escapement" — the website for an independent mechanical watchmaker. A complete

MULTI-PAGE site: 6 interlinked pages sharing one design system, one nav, and smooth page

transitions. This is a luxury horology brand — the site must feel precise, patient, and

expensive. Restraint is the design.

STACK — pin this exact setup:

```
<script type="importmap">
```

```
{ "imports": {
```

```
  "three": "https://cdn.jsdelivr.net/npm/three@0.170.0/build/three.module.js",
```

```
  "three/addons/": "https://cdn.jsdelivr.net/npm/three@0.170.0/examples/jsm/"
```

```
}}
```

```
</script>
```

Plus GSAP 3.12 + ScrollTrigger, Lenis smooth scroll, Lucide icons, Google Fonts.

Modern API only — SRGBColorSpace, ACESFilmicToneMapping, BufferGeometry, no deprecated calls.

ALL imagery procedural — no external image files.

FILES:

shared.css · shared.js
index.html · calibre.html · collection.html · atelier.html · heritage.html ·
enquire.html
js/home.js · js/calibre.js · js/collection.js · js/atelier.js · js/heritage.js ·
js/enquire.js

DESIGN DIRECTION — "patient precision":

Light-first (luxury horology is photographed bright), with a full dark theme for the

movement pages. Palette: warm bone-white, deep graphite ink, and ONE metal accent —

a restrained rose-gold — plus a cool steel blue for technical annotation.

Fonts: a fine

high-contrast serif for display (the kind on a watch dial), a clean grotesk for body, and

a mono for specifications and reference numbers. Enormous whitespace.

Slow easings

(0.9–1.4s). Nothing bounces. Nothing flashes. The pacing IS the brand.

THE 3D HERO (real Three.js WebGL — the centerpiece, and the hardest thing on the site):

A mechanical watch MOVEMENT built from primitives — mainspring barrel, gear train (four

meshing wheels), escape wheel, pallet fork, and a balance wheel. And it must actually RUN:

the gears rotate at correct RELATIVE ratios (each wheel's angular velocity inversely proportional to its tooth count), the escape wheel ticks in discrete steps rather than sweeping, and the balance wheel oscillates back and forth at a steady beat. The pallet fork rocks in time with the escapement. Get the mechanical relationship right — that's the whole point of the object.

Materials: polished steel, brushed rose-gold plates, blued screws, jewel bearings as tiny translucent red cylinders. Env-map reflections, soft key light, and a shallow depth-of-field feel. Mouse parallax tilts the movement gently. Dispose on page transition; static gradient fallback if WebGL is unavailable.

CUSTOM CURSOR (fresh — must differ from every other cursor style):

A fine crosshair with a slowly sweeping second-hand tick around it — a thin line that advances one discrete step per second, like a watch's seconds hand. On hover over interactive elements the crosshair contracts and a hairline circle closes around it.

Hidden on touch devices.

PAGE 1 — index.html (11 sections):

1. Hero: the running 3D movement + brand name + a single line of positioning + two restrained CTAs. No urgency, no banners.
2. A quiet credibility strip (founded year, pieces per year, patents, awards) in mono

3. Three pillars (in-house calibre, hand finishing, limited production) — tilt cards

4. THE PINNED SCROLL INTERLUDE (400vh) — "the movement, assembled": the signature moment.

The watch movement DISASSEMBLES into its component parts, which drift apart and hold in

an exploded view with hairline annotation lines naming each part and its function — then

reassembles as the user continues scrolling. Each component labels itself as it separates.

This must be one continuous choreographed sequence driven by scroll scrub, not a slideshow.

5. The current collection preview (3 pieces, hover reveals the caseback) → collection.html

6. Hand-finishing detail: a macro comparison slider (machine-finished vs hand-finished

bevel), drawn procedurally as SVG

7. Numbers band (animated counters: components per movement, hours of finishing, power

reserve, beats per hour)

8. Owner testimonials — set as short, quiet pull quotes, not a carousel of faces

9. The atelier teaser (a wide procedural workshop illustration) → atelier.html

10. FAQ accordion (delivery times, servicing, waitlist, water resistance)

11. Final enquiry CTA + rich footer

PAGE 2 — calibre.html: the in-house movement. A sticky scroll-spy side nav through the

movement's systems (power, gear train, escapement, regulation, finishing); an interactive

exploded diagram where hovering a component highlights it and shows its specification;

a technical spec table (jewels, frequency, power reserve, dimensions, tolerance); a finishing-techniques section (Côtes de Genève, perlage, anglage) each illustrated procedurally; a patents list; CTA.

PAGE 3 — collection.html: the watches. A collection grid where each piece has a front view, a caseback view showing the movement, and a strap selector that recolors live; a filter by case material, dial colour, and complication; a piece detail view with full specification, edition size, and price on application; a size-on-wrist visualizer (a simple scale comparison); waitlist CTA.

PAGE 4 — atelier.html: how they are made. A production-stages walkthrough where an SVG line draws between stations as you scroll; the watchmakers (cards with hover reveal); tooling and machinery; the quality-control protocol; annual production philosophy and why the numbers are small; a workshop gallery; CTA.

PAGE 5 — heritage.html: the house. Founding story; a timeline whose SVG line draws on scroll with milestone pieces attached to it; historic calibres; the founder's philosophy as a full-bleed statement; press and awards; museum and exhibition appearances; footer.

PAGE 6 — enquire.html: acquisition. A considered enquiry form (piece of interest, strap size,

preferred contact, message) — validated, calm, no marketing language;
boutique and
authorized-dealer locations; the servicing programme; the waitlist
explanation; response-time
commitment; a closing macro shot of the movement. Footer.

SHARED SYSTEMS (shared.js):

- Lenis smooth scroll + a hairline scroll-progress bar
- The watch-tick cursor described above
- Theme toggle persisted in localStorage, slow crossfade
- [data-reveal] entrance system (up/left/right/scale, batched with stagger, slow easings)
- Magnetic buttons (very subtle — this is a luxury brand, not a tech startup)
- Tilt cards with a faint metal-sheen gradient following the cursor
- PAGE TRANSITION VEIL: intercept internal links → veil in → navigate → veil out on load

REQUIREMENTS: 6 distinct background patterns (guilloché, perlage dots, hairline grid, warm

paper grain, radial polish, fine diagonal); active nav link indicated; frosted nav after

scroll; mobile overlay menu; fully responsive; reduced-motion fully respected (the movement

slows and the explode becomes static); accessible (semantic HTML, visible focus, aria

labels, aria-hidden on decorative SVG); 60fps; cap pixel ratio at 2. Every specification

figure must be consistent across all six pages.

DELIVERY: output shared.css and shared.js complete FIRST, then each page with its JS. No

truncation, no "rest is similar" shortcuts. End with a validation checklist.

出处

Promptslove · 博客 (Opus 5.5 评测 Test 1) · 2026-09

收录页 : <https://promptslove.com/blog/claude-opus-5-5-review/>

霓虹流体模拟

3D 与 WebGL · 16:10

效果

GPU 流体随鼠标搅动，霓虹配色

适合用在

科技品牌首屏背景、互动装置

提示词（来源原文）

Write a complete, single-file HTML document containing a high-performance, GPU-accelerated interactive Eulerian Neon Fluid Simulation.

Strict Technical & Aesthetic Requirements:

1. Architecture & Performance:

- Single-file: All HTML, CSS, and JavaScript/GLSL shaders inline.
- Zero external dependencies: Pure WebGL 1.0 or 2.0 (no Three.js, no Pixi, no external libraries).
- GPU-Computed Fluid Dynamics: The simulation must run entirely via ping-pong Framebuffer Objects (FBOs) using custom fragment shaders for:
 - a) Advection (velocity & dye)
 - b) Divergence calculation
 - c) Pressure Poisson solver (Jacobi iteration, 20-30 iterations per frame)
 - d) Gradient subtraction / velocity projection
 - e) Vorticity confinement (adds turbulent swirls and prevents the fluid from turning into dull, blurry mush).

2. Visual Fidelity (The "Neon Smoke" Look):

- Pitch-black void background (`#050508`).
- Additive / High-Dynamic-Range blending for dye injection.
- Dynamic palette: Each cursor flick or touch drag injects high-luminosity neon dye that cycles smoothly through vivid cyber hues (electric cyan `#00F0FF`, hot magenta `#FF007F`, deep ultraviolet, and radiant gold).
- Display shader enhancements: Include a post-processing pass directly in the final render shader that applies subtle bloom/glow, tone mapping, and chromatic aberration around the swirling edges of the fluid.

3. Interaction:

- Mouse & Touch: Rapid cursor movement or dragging injects velocity proportional to mouse speed, along with dense glowing dye.
- Passive Ambient Motion: When idle, generate subtle procedural curl noise or gentle drifting vortices so the canvas is never completely static.
- Controls: A sleek, ultra-minimal glassmorphism HUD tucked into a corner (with auto-hide on inactivity):
 - * Viscosity slider
 - * Dye dissipation / persistence slider
 - * Splat radius slider
 - * "Clear Canvas" button
 - * Toggle button to cycle color themes (Cyberpunk, Thermal Inferno, Bioluminescent Deep).

4. Production Polish:

- Automatically handle high-DPI displays and `resize` events without stretching or clearing the FBO textures.
- Graceful fallback check for floating-point texture support (`OES_texture_float` / `OES_texture_half_float`).
- Clean, bug-free, fully implemented code with zero placeholders or truncated comments.

Return only the fully populated HTML file ready to run directly in Chrome/Safari/Firefox.

出处

theailoser · Tripo (3D Prompts , 收录自 X) · 2026-09-23

收录页 : <https://www.tripo3d.ai/3d-prompts/claude-opus-5-5-2102565611473661963>

原帖或成片 : <https://x.com/theailoser/status/2102565612874596411>

樱花山谷 3D 体素场景

3D 与 WebGL · 16:10

效果

体素风樱花谷，多机位切换，蓝调时刻/清晨/雨天氛围切换

适合用在

文旅、游戏官网、沉浸式首屏

提示词（来源原文）

Create a polished 3D landscape web experience that can be explored and interacted with in real time in a browser.

Theme: Japanese cherry blossom valley.

Use HTML, CSS, and JavaScript. Do not generate images or provide only a design concept, and do not fake 3D with a single background image and parallax effects. I need a working, explorable finished product.

【1. Creative Direction】

Create a complete, continuous valley landscape with clear depth across near and distant areas, not an isolated prop, floating island, diorama with a base, or mere technical demo.

The style is modern, refined voxel art: retain the visual language of cubic geometry, while keeping the image high-resolution, antialiased, and finely lit.

Do not use retro low-resolution pixelation, oversized block construction, or a pixel filter over the scene.

Prioritize visual quality. It is better to include fewer features than to sacrifice composition, materials, or lighting.

【2. How to Use Reference Images】

If reference images are provided, first understand their compositional layers, scale, lighting, and color relationships.

Use them only as inspiration for the atmosphere and visual language, then redesign the scene, without copying the positions of the buildings, trees, mountains, or roads or recreating the image 1:1.

The reference image is not background material for the web page. The scene itself must be built from real 3D geometry.

【3. Scene Composition】

When opened, the page should immediately show a complete, compelling composition,

so users should not have to rotate the camera first to find a good angle.

Use a perspective camera, not an orthographic, diorama-style top-down camera.

The composition must have a clear foreground, midground, and background:

Foreground:

a prominent old cherry tree with rocks, grasses, plants, a stone lantern, and a few fallen blossoms, creating a natural frame around the edge of the image without blocking the river, bridge, or main buildings.

Midground:

a winding river that leads the eye into the scene, crossed by a red wooden bridge;

a village, teahouse, shrine, and paths distributed along the terrain, with believable circulation between the buildings.

The ground must have elevation changes, shorelines, and natural transitions rather than models placed evenly on a flat plane.

Background:

a multi-tiered pagoda on the hillside, forests at varying distances, mountain ridges, and snow-capped mountains in the distance.

Show distance through changes in scale, occlusion, warm-to-cool shifts, and atmospheric perspective,

rather than simply shrinking distant objects.

Do not distribute every element evenly across the scene. Establish hierarchy, variation in density, negative space, and a clear visual focal point.

【4. Modeling and Image Quality】

Cherry tree:

the trunk should have bends, branches, forks, and visible roots; the canopy should consist of irregular clusters of blossoms, with gaps, variation in thickness, and visible branches. Do not make it out of a few regular spheres or blocky clumps.

Architecture:

roofs should include layered tiles, eaves, beams, columns, and lattice windows;

different buildings should vary in purpose, scale, and height. Do not fill the valley with copies of the same house.

Terrain:

include wet rocks, grasses, and vegetation transitions along the banks.

Avoid overly regular steps, repeating stripes, checkerboard patterns, and obvious procedural grids.

Water:

the surface must reflect its surroundings, with moderate ripples, depth variation, and natural transitions at the banks.

Use real scene reflections wherever possible; when reducing quality for performance, keep the result visually convincing.

Do not substitute flickering noise, extreme distortion, or a solid blue plane for water.

Details:

you may include a few koi, fallen blossoms, fireflies, waterfalls, and distant birds,

but they should support the atmosphere without making the image feel cluttered.

Do not pile on details just to advertise a high model count.

【5. Color and Atmosphere】

The default atmosphere is blue hour:

cool-toned valleys and distant mountains, soft pink cherry blossoms, and warm but not overexposed lantern and window light.

Keep the warm light concentrated in inhabited areas; do not tint the entire environment orange.

Use soft shadows, contact shading, sensible exposure, restrained bloom, antialiasing, and layered fog that conveys distance.

Avoid a washed-out or gray appearance, oversaturation, dense fog across the entire scene, overexposed lights, and obvious aliasing.

The cubic geometry can remain crisp, but the rendering itself must not look crude.

Also provide "Morning" and "Rainy" atmospheres;

when switching between them, update the sky, ambient light, fog, and local effects together, rather than merely changing the background color.

【6. Interaction and Interface】

Provide four designed camera views: valley panorama, low riverside angle, temple path, and hillside overlook. Transitions should be smooth, and each view must have its own compositional value.

Basic interaction: drag with the mouse to look around, and use the scroll wheel to zoom or move forward; support dragging and pinch-to-zoom on touchscreens. Provide controls to reset the view, hide the interface, and save the current image.

Optional enhancements: free exploration, a slow camera tour, and ambient sound. Ambient sound must be off by default and play only after the user clicks to enable it.

Additional features must not reduce the quality of the default composition.

Keep the interface restrained and thoughtfully designed, with the landscape taking priority.

Place the title and control bar at the edges so they do not obscure the visual focal point.

On both desktop and mobile, buttons must stay within the viewport, text must not overlap, and all controls must remain usable.

【7. Engineering and Performance】

You may use Three.js / WebGL and version-pinned, mutually compatible CDN dependencies.

Prefer mature rendering capabilities instead of rewriting an entire engine for the sake of "zero dependencies."

Keep the custom HTML, CSS, and JavaScript organized in a single HTML file wherever practical.

Generate the scenery with procedural geometry and materials; do not depend on external images or 3D model assets.

Use suitable batching or instanced rendering for repeated objects; manage subdivisions, shadows, reflections, and render resolution appropriately.

Provide high-quality and lightweight modes, with lighter settings enabled by default on mobile.

Do not pursue detail by endlessly increasing the voxel count.

Include a loading indicator, a message when WebGL is unsupported, and necessary error handling.

Do not autoplay audio when sound has not been enabled; respect the system preference for reduced motion.

【8. Pre-Delivery Validation】

Do not deliver immediately after writing the code.

If the current environment supports running a browser and taking screenshots, open the page first, check the default camera, all four views, atmosphere switching, and desktop and mobile layouts, then correct obvious composition, exposure, occlusion, and rendering issues based on the screenshots.

Pay particular attention to:

blank screens, failed loading, and console errors;

intersections, flickering, shadow acne, overexposure, and abnormal water;

whether the default view truly looks like a complete landscape rather than a small diorama;
and whether the feature buttons actually work and stay within bounds on mobile.

You may use browser screenshots for validation, but do not call image-generation tools.

State honestly which tests were not completed; do not claim that they have been verified.

Final deliverables:

1. An actual, openable HTML file or an interactive preview supported by the current environment.
2. If screenshots are possible, include one real screenshot of the browser rendering.
3. A brief explanation of the controls and any required runtime conditions.

Complete the build directly; make consistent design decisions for noncritical details yourself,
rather than repeatedly asking me to decide implementation issues you can resolve independently.

出处

@宝玉 (dotey) · Tripo (3D Prompts , 收录自 X) · 2026-09-23

收录页 : <https://www.tripo3d.ai/3d-prompts/claude-opus-5-5-2102565403109085669>

原帖或成片 : <https://x.com/dotey/status/2102565403109085669>