The measured values of the second trial are listed in the table below.

Each row is one sample and each column one reading taken that day.

Table 1: Measured values by sample.

Row 1	0.101	7.1
Row 2	0.102	14.2
Row 3	0.103	21.3
Row 4	0.104	28.4
Row 5	0.105	35.5
Row 6	0.106	42.6
Row 7	0.107	49.7
Row 8	0.108	56.8
Row 9	0.109	63.9
Row 10	0.110	70.0
Row 11	0.111	77.1
Row 12	0.112	84.2
Row 13	0.113	1.3
Row 14	0.114	8.4
Row 15	0.115	15.5
Row 16	0.116	22.6
Row 17	0.117	29.7
Row 18	0.118	36.8
Row 19	0.119	43.9
Row 20	0.120	50.0
Row 21	0.121	57.1
Row 22	0.122	64.2
Row 23	0.123	71.3

Table 1: Baseline characteristics (control vs. treatment)

Patient 1	0.101	7.1
Patient 2	0.102	14.2
Patient 3	0.103	21.3
Patient 4	0.104	28.4
Patient 5	0.105	35.5
Patient 6	0.106	42.6
Patient 7	0.107	49.7
Patient 8	0.108	56.8
Patient 9	0.109	63.9
Patient 10	0.110	70.0
Patient 11	0.111	77.1
Patient 12	0.112	84.2
Patient 13	0.113	1.3

The values above were checked twice by two different people in the lab.

Their sum agrees with the total given in the next section of this report.