The measured values of the second trial are listed in the table below.

Each row is one sample and each column one reading taken that day.

Table 1: Measured values by sample.

Row 1	0.101	7.1
Row 2	0.102	14.2
Row 3	0.103	21.3
Row 4	0.104	28.4
Row 5	0.105	35.5
Row 6	0.106	42.6
Row 7	0.107	49.7
Row 8	0.108	56.8
Row 9	0.109	63.9
Row 10	0.110	70.0
Row 11	0.111	77.1
Row 12	0.112	84.2
Row 13	0.113	1.3
Row 14	0.114	8.4
Row 15	0.115	15.5
Row 16	0.116	22.6
Row 17	0.117	29.7
Row 18	0.118	36.8
Row 19	0.119	43.9
Row 20	0.120	50.0
Row 21	0.121	57.1
Row 22	0.122	64.2
Row 23	0.123	71.3

Table 1 (continued)

Row 25	0.125	85.5
Row 26	0.126	2.6
Row 27	0.127	9.7
Row 28	0.128	16.8
Row 29	0.129	23.9
Row 30	0.130	30.0
Row 31	0.131	37.1
Row 32	0.132	44.2
Row 33	0.133	51.3
Row 34	0.134	58.4
Row 35	0.135	65.5
Row 36	0.136	72.6
Row 37	0.137	79.7
Row 38	0.138	86.8
Row 39	0.139	3.9
Row 40	0.140	10.0
Row 41	0.141	17.1
Row 42	0.142	24.2
Row 43	0.143	31.3
Row 44	0.144	38.4
Row 45	0.145	45.5
Row 46	0.146	52.6
Row 47	0.147	59.7
Row 48	0.148	66.8
Row 49	0.149	73.9
Row 50	0.150	80.0
Row 51	0.151	87.1
Row 52	0.152	4.2
Row 53	0.153	11.3
Row 54	0.154	18.4
Row 55	0.155	25.5

A note set above the rest of the table, line 1.
A note set above the rest of the table, line 2.
A note set above the rest of the table, line 3.
A note set above the rest of the table, line 4.
A note set above the rest of the table, line 5.
A note set above the rest of the table, line 6.
A note set above the rest of the table, line 7.

Table 1 (continued)

Row 49	0.149	73.9
Row 50	0.150	80.0
Row 51	0.151	87.1
Row 52	0.152	4.2
Row 53	0.153	11.3
Row 54	0.154	18.4
Row 55	0.155	25.5
Row 56	0.156	32.6
Row 57	0.157	39.7
Row 58	0.158	46.8
Row 59	0.159	53.9
Row 60	0.160	60.0
Row 61	0.161	67.1
Row 62	0.162	74.2
Row 63	0.163	81.3
Row 64	0.164	88.4
Row 65	0.165	5.5
Row 66	0.166	12.6
Row 67	0.167	19.7
Row 68	0.168	26.8
Row 69	0.169	33.9

Table 1 (continued)

Row 70	0.170	40.0
Row 71	0.171	47.1
Row 72	0.172	54.2
Row 73	0.173	61.3
Row 74	0.174	68.4
Row 75	0.175	75.5
Row 76	0.176	82.6
Row 77	0.177	89.7
Row 78	0.178	6.8
Row 79	0.179	13.9
Row 80	0.180	20.0
Row 81	0.181	27.1
Row 82	0.182	34.2

The values above were checked twice by two different people in the lab.
Their sum agrees with the total given in the next section of this report.