The measured values of the second trial are listed in the table below.
Each row is one sample and each column one reading taken that day.

Table 1: Results

Row 1	0.101	7.1
Row 2	0.102	14.2
Row 3	0.103	21.3
Row 4	0.104	28.4
Row 5	0.105	35.5
Row 6	0.106	42.6
Row 7	0.107	49.7
Row 8	0.108	56.8
Row 9	0.109	63.9
Row 10	0.110	70.0
Row 11	0.111	77.1
Row 12	0.112	84.2
Row 13	0.113	1.3
Row 14	0.114	8.4
Row 15	0.115	15.5
Row 16	0.116	22.6
Row 17	0.117	29.7
Row 18	0.118	36.8
Row 19	0.119	43.9
Row 20	0.120	50.0
Row 21	0.121	57.1
Row 22	0.122	64.2
Row 23	0.123	71.3

Table 1: Results

Row 25	0.125	85.5
Row 26	0.126	2.6
Row 27	0.127	9.7
Row 28	0.128	16.8
Row 29	0.129	23.9
Row 30	0.130	30.0
Row 31	0.131	37.1
Row 32	0.132	44.2
Row 33	0.133	51.3
Row 34	0.134	58.4
Row 35	0.135	65.5
Row 36	0.136	72.6
Row 37	0.137	79.7

The values above were checked twice by two different people in the lab. Their sum agrees with the total given in the next section of this report.

The measured values of the second trial are listed in the table below.

Each row is one sample and each column one reading taken that day.

Table 2: Wide results by sample.

Row 1	0.101	7.1
Row 2	0.102	14.2
Row 3	0.103	21.3
Row 4	0.104	28.4
Row 5	0.105	35.5
Row 6	0.106	42.6
Row 7	0.107	49.7
Row 8	0.108	56.8
Row 9	0.109	63.9
Row 10	0.110	70.0
Row 11	0.111	77.1
Row 12	0.112	84.2

The values above were checked twice by two different people in the lab.

Their sum agrees with the total given in the next section of this report.

Table 2 (continued)

Row 14	0.114	8.4
Row 15	0.115	15.5
Row 16	0.116	22.6
Row 17	0.117	29.7
Row 18	0.118	36.8
Row 19	0.119	43.9
Row 20	0.120	50.0
Row 21	0.121	57.1
Row 22	0.122	64.2
Row 23	0.123	71.3
Row 24	0.124	78.4
Row 25	0.125	85.5
Row 26	0.126	2.6

The values above were checked twice by two different people in the lab. Their sum agrees with the total given in the next section of this report.