
Every atlas cluster is enriched for a specific GO term — 93 of 95 clusters clear the 10× / p < 10⁻²⁰ threshold (hypergeometric)
A. Distribution across all 95 clusters
Number of clusters
0
2
4
6
8
10
12
74 / 82 clusters ≥ 10×
(8 in the ≥ 3× 'moderate' bucket)
10× threshold →
1×
10×
100×
1,000×
Fold-enrichment of the cluster's top GO term
B. Steroid-relevant exemplar clusters (curated)
cluster 12
sterol ester esterase (lipid catabolism)
cluster 15
bile acid:Na⁺ symporter (hepatic bile-acid uptake)
cluster 20
glutathione transporter (conjugated steroid efflux)
cluster 9
canalicular bile acid transport
cluster 22
7β-HSD / 11β-HSD (steroid catabolism)
cluster 0
cholesterol 24-hydroxylase (brain cholesterol turnover)
cluster 23
monoacylglycerol lipase (lipid metabolism)
cluster 4
sterol 14α-demethylase (cholesterol biosynthesis)
cluster 11
glycosyltransferase (sterol glucuronidation)
cluster 13
acetyl-CoA C-acyltransferase (fatty-acid β-oxidation)
cluster 7
β-glucosidase (glycosphingolipid metabolism)
cluster 2
aromatase (estrogen biosynthesis)
cluster 21
24S-hydroxycholesterol 7α-hydroxylase (bile acid biosynthesis)
cluster 17
3β-HSD (steroidogenesis)
1
10
100
1000
Fold-enrichment of top GO term