

S2 Table

	CBCL				YSR			
	F1	F2	F3	F4	F1	F2	F3	F4
Q01			-.439					.356
Q02		.748			.309	.505	.304	
Q03				.762		.510		
Q04			-.464					
Q05	-.488				.426			
Q06				.376				
Q07				.475		.359		
Q08			-.828			.323		.314
Q09	-.342		-.313		.316		-.315	
Q10			-.381	.415			-.328	
Q11	-.344	-.329						
Q12	-.447				.677			
Q13	-.318		-.601		.548			
Q14	-.562				.495			
Q15			-.365		.353			
Q16				.718		.613		
Q17			-.571		.309			
Q18	-.443	.301			.447			
Q19				.756				
Q20				.509		.360		
Q21				.594		.509	-.319	
Q22				.699		.708		
Q23				.627		.794		
Q24					.352			
Q25				.544			-.309	

Q26			.622	.380	
Q27			.607	.556	
Q28		.395	.623	.785	
Q29	-.440				
Q30	-.498			.557	
Q31	-.397			.454	
Q32	-.414			.498	
Q33	-.385		.565	.538	
Q34			.616	.389	
Q35	-.524			.740	
Q36	-.345				-.362
Q37			.638	.502	-.415
Q38			.388		-.381
Q39		.355	.388	.548	
Q40	-.404				-.696
Q41		-.430	.505	.358	
Q42	-.472			.433	
Q43		.403	.372	.563	
Q44					
Q45	-.526			.750	
Q46				.359	-.373
Q47	-.334				-.322
Q48			.507	.308	-.370
Q49	-.373				
Q50	-.714			.839	
Q51	-.568			.417	
Q52	-.651			.624	
Q53					
Q54	-.444			.463	
Q55					
Q56A	-.348				-.456

Q56B	-.396					-.522
Q56C	-.594					-.487
Q56D						-.367
Q56E	-.319					-.418
Q56F	-.480					-.525
Q56G	-.357					-.667
Q57			.617		.546	-.359
Q58			-.313			
Q59			-.869			.590
Q60			-.621			.428
Q61		.327	-.314		.414	
Q62			-.423		.339	
Q63					.316	
Q64			-.422			
Q65	-.358					-.353
Q66			-.395			-.306
Q67		.463	.356		.467	
Q68			.599			
Q69	-.393	.424			.400	
Q70	-.368		-.360			-.656
Q71	-.484				.669	
Q72		.313	-.443	.325	.584	
Q73		.323				
Q74			-.344	.489	.435	.451
Q75	-.503				.511	
Q76						
Q77	-.401	.355				
Q78			-.798			.370
Q79			-.448			-.356
Q80			-.459			.369
Q81		.400			.551	

Q82	.518	-.370		.732	
Q83					
Q84		-.341			-.316
Q85		-.369		.366	
Q86			.520	.363	
Q87	-.470		.396	.377	
Q88	-.470		.407		.610
Q89			.481		
Q90			.458	.568	
Q91	-.350		.530	.576	
Q92					.527
Q93		-.344	.609		.426
Q94			.649	.663	
Q95			.687	.442	
Q96		-.337	.346	.471	
Q97			.750	.701	
Q98	.334		.310		.511
Q99		.831		.749	
Q100	-.301			.357	-.353
Q101		.681		.563	
Q102	-.497			.560	
Q103	-.680			.720	
Q104			.573		-.345 .427
Q105		.862		.746	
Q106		.374	-.335 .392		.525
Q107			-.408		.762
Q108					.393
Q109			.554		.720
Q110	-.552			.427	
Q111	-.530				
Q112	-.550			.826	

Table 1. Factor structures for CBCL and YSR. Loadings smaller than 0.3 are suppressed. For the first 2 factors, two data shows similar patterns: the first large factor covers most items of the AD syndrome (an internalizing syndrome), and the second large factor covers most items of the RBB syndrome, an externalizing syndrome. However, the third factor loaded on AP, SP, and TP syndromes in CBCL, while in YSR it is loaded on SC and WD syndromes. The fourth factor is loaded on the items with no syndrome membership in YSR, while in CBCL this factor is loaded on most of the AB syndrome.