

# 심진주 << log >> 과제

2024-10-21

## Professor Test log

```
[INFO ] 24-10-21 12:32:08 [DepartmentMapperTest:50] - Starting
DepartmentMapperTest using Java 17.0.2 with PID 3500 (started by user in
D:\jinju\07_SpringBoot\08-database)
[DEBUG] 24-10-21 12:32:08 [DepartmentMapperTest:51] - Running with Spring Boot
v3.3.4, Spring v6.1.13
[INFO ] 24-10-21 12:32:08 [DepartmentMapperTest:654] - No active profile set,
falling back to 1 default profile: "default"
[DEBUG] 24-10-21 12:32:08 [LogFactory:109] - Logging initialized using 'class
org.apache.ibatis.logging.slf4j.Slf4jImpl' adapter.
[INFO ] 24-10-21 12:32:10 [DepartmentMapperTest:56] - Started DepartmentMapperTest
in 2.508 seconds (process running for 3.676)
[DEBUG] 24-10-21 12:32:11 [delete:135] - ==> Preparing: DELETE FROM department
WHERE deptno=?;
[DEBUG] 24-10-21 12:32:11 [delete:135] - ==> Parameters: 203(Integer)
[DEBUG] 24-10-21 12:32:11 [delete:135] - <== Updates: 0
[DEBUG] 24-10-21 12:32:11 [DepartmentMapperTest:58] - output: 0
[DEBUG] 24-10-21 12:32:11 [insert:135] - ==> Preparing: INSERT INTO department
(dname, loc) VALUES (?, ?);
[DEBUG] 24-10-21 12:32:11 [insert:135] - ==> Parameters: 스프링학과(String), 강의실
(String)
[DEBUG] 24-10-21 12:32:11 [insert:135] - <== Updates: 1
[DEBUG] 24-10-21 12:32:11 [DepartmentMapperTest:32] - output: 1
[DEBUG] 24-10-21 12:32:11 [DepartmentMapperTest:34] - new deptno: 0
[DEBUG] 24-10-21 12:32:11 [update:135] - ==> Preparing: UPDATE department SET
dname=?, loc=? WHERE deptno=?;
[DEBUG] 24-10-21 12:32:11 [update:135] - ==> Parameters: 스프링학과(String), 강의실
(String), 0(Integer)
[DEBUG] 24-10-21 12:32:11 [update:135] - <== Updates: 0
[DEBUG] 24-10-21 12:32:11 [DepartmentMapperTest:48] - output: 0
[DEBUG] 24-10-21 12:32:11 [selectList:135] - ==> Preparing: SELECT deptno, dname,
loc FROM department ORDER BY deptno DESC;
[DEBUG] 24-10-21 12:32:11 [selectList:135] - ==> Parameters:
[DEBUG] 24-10-21 12:32:11 [selectList:135] - <== Total: 17
[DEBUG] 24-10-21 12:32:11 [DepartmentMapperTest:77] - output:
Department(deptNo=328, dname=스프링학과, loc=강의실)
[DEBUG] 24-10-21 12:32:11 [DepartmentMapperTest:77] - output:
Department(deptNo=327, dname=스프링학과, loc=강의실)
[DEBUG] 24-10-21 12:32:11 [DepartmentMapperTest:77] - output:
Department(deptNo=326, dname=스프링학과, loc=강의실)
[DEBUG] 24-10-21 12:32:11 [DepartmentMapperTest:77] - output:
Department(deptNo=325, dname=스프링학과, loc=강의실)
[DEBUG] 24-10-21 12:32:11 [DepartmentMapperTest:77] - output:
Department(deptNo=324, dname=스프링학과, loc=강의실)
```

```

[DEBUG] 24-10-21 12:32:11 [DepartmentMapperTest:77] - output:
Department(deptNo=322, dname=테스트 학과, loc=강남)
[DEBUG] 24-10-21 12:32:11 [DepartmentMapperTest:77] - output:
Department(deptNo=321, dname=학과, loc=위치)
[DEBUG] 24-10-21 12:32:11 [DepartmentMapperTest:77] - output:
Department(deptNo=320, dname=자바, loc=학원)
[DEBUG] 24-10-21 12:32:11 [DepartmentMapperTest:77] - output:
Department(deptNo=319, dname=인터넷정보과, loc=공학관)
[DEBUG] 24-10-21 12:32:11 [DepartmentMapperTest:77] - output:
Department(deptNo=317, dname=💎💎, loc=💎n💎)
[DEBUG] 24-10-21 12:32:11 [DepartmentMapperTest:77] - output:
Department(deptNo=316, dname=수정학과, loc=수정위치)
[DEBUG] 24-10-21 12:32:11 [DepartmentMapperTest:77] - output:
Department(deptNo=315, dname=자바, loc=학원2)
[DEBUG] 24-10-21 12:32:11 [DepartmentMapperTest:77] - output:
Department(deptNo=202, dname=hello, loc=world)
[DEBUG] 24-10-21 12:32:11 [DepartmentMapperTest:77] - output:
Department(deptNo=201, dname=hello, loc=world)
[DEBUG] 24-10-21 12:32:11 [DepartmentMapperTest:77] - output:
Department(deptNo=103, dname=hello, loc=world)
[DEBUG] 24-10-21 12:32:11 [DepartmentMapperTest:77] - output:
Department(deptNo=102, dname=멀티미디어학과, loc=2호관)
[DEBUG] 24-10-21 12:32:11 [DepartmentMapperTest:77] - output:
Department(deptNo=101, dname=컴퓨터공학과, loc=1호관)
[DEBUG] 24-10-21 12:32:11 [selectItem:135] - ==> Preparing: SELECT deptno, dname,
loc FROM department WHERE deptno=?;
[DEBUG] 24-10-21 12:32:11 [selectItem:135] - ==> Parameters: 102(Integer)
[DEBUG] 24-10-21 12:32:11 [selectItem:135] - <== Total: 1
[DEBUG] 24-10-21 12:32:11 [DepartmentMapperTest:68] - output:
Department(deptNo=102, dname=멀티미디어학과, loc=2호관)
[DEBUG] 24-10-21 12:32:11 [selectList:135] - ==> Preparing: SELECT profno, name,
userid, position, sal, hiredate, comm, deptno FROM professor;
[DEBUG] 24-10-21 12:32:11 [selectList:135] - ==> Parameters:
[DEBUG] 24-10-21 12:32:11 [selectList:135] - <== Total: 10
[DEBUG] 24-10-21 12:32:11 [ProfessorMapperTest:86] - output:
Professor(profNo=9901, name=김도훈, userId=capool, position=교수, sal=500,
hireDate=1982-06-12 00:00:00, comm=20, deptNo=101)
[DEBUG] 24-10-21 12:32:11 [ProfessorMapperTest:86] - output:
Professor(profNo=9902, name=이재우, userId=sweat413, position=조교수, sal=320,
hireDate=1995-04-12 00:00:00, comm=0, deptNo=201)
[DEBUG] 24-10-21 12:32:11 [ProfessorMapperTest:86] - output:
Professor(profNo=9903, name=성연희, userId=pascal, position=조교수, sal=360,
hireDate=1993-03-17 00:00:00, comm=15, deptNo=101)
[DEBUG] 24-10-21 12:32:11 [ProfessorMapperTest:86] - output:
Professor(profNo=9904, name=염일웅, userId=blue77, position=전임강사, sal=240,
hireDate=1998-10-11 00:00:00, comm=0, deptNo=102)
[DEBUG] 24-10-21 12:32:11 [ProfessorMapperTest:86] - output:
Professor(profNo=9905, name=권혁일, userId=refresh, position=교수, sal=450,
hireDate=1986-02-11 00:00:00, comm=25, deptNo=102)
[DEBUG] 24-10-21 12:32:11 [ProfessorMapperTest:86] - output:
Professor(profNo=9906, name=이만식, userId=pocari, position=부교수, sal=420,
hireDate=1988-07-11 00:00:00, comm=0, deptNo=101)
[DEBUG] 24-10-21 12:32:11 [ProfessorMapperTest:86] - output:
Professor(profNo=9907, name=전은지, userId=totoro, position=전임강사, sal=210,

```

```

hireDate=2001-05-11 00:00:00, comm=0, deptNo=101)
[DEBUG] 24-10-21 12:32:11 [ProfessorMapperTest:86] - output:
Professor(profNo=9908, name=남은혁, userId=bird13, position=부교수, sal=400,
hireDate=1990-10-18 00:00:00, comm=17, deptNo=202)
[DEBUG] 24-10-21 12:32:11 [ProfessorMapperTest:86] - output:
Professor(profNo=9910, name=심진주, userId=jinju0323, position=총장, sal=9000,
hireDate=2023-10-01 00:00:00, comm=500, deptNo=101)
[DEBUG] 24-10-21 12:32:11 [ProfessorMapperTest:86] - output:
Professor(profNo=9912, name=테스트이름, userId=abcd1234, position=교수, sal=500,
hireDate=2024-01-01 00:00:00, comm=20, deptNo=101)
[DEBUG] 24-10-21 12:32:11 [delete:135] - ==> Preparing: DELETE FROM professor
WHERE profno=?;
[DEBUG] 24-10-21 12:32:11 [delete:135] - ==> Parameters: 0(Integer)
[DEBUG] 24-10-21 12:32:11 [delete:135] - <== Updates: 0
[DEBUG] 24-10-21 12:32:11 [ProfessorMapperTest:67] - output: 0
[DEBUG] 24-10-21 12:32:11 [update:135] - ==> Preparing: UPDATE professor SET
name=?, userid=?, position=?, sal=?, hiredate=?, comm=?, deptno=? WHERE profno=?;
[DEBUG] 24-10-21 12:32:11 [update:135] - ==> Parameters: 테스트이름(String),
abcd1234(String), 교수(String), 500(Integer), 20240101(String), 20(Integer),
101(Integer), 0(Integer)
[DEBUG] 24-10-21 12:32:11 [update:135] - <== Updates: 0
[DEBUG] 24-10-21 12:32:11 [ProfessorMapperTest:57] - output: 0
[DEBUG] 24-10-21 12:32:11 [selectItem:135] - ==> Preparing: SELECT profno, name,
userid, position, sal, hiredate, comm, deptno FROM professor WHERE profno=?;
[DEBUG] 24-10-21 12:32:11 [selectItem:135] - ==> Parameters: 9908(Integer)
[DEBUG] 24-10-21 12:32:11 [selectItem:135] - <== Total: 1
[DEBUG] 24-10-21 12:32:11 [ProfessorMapperTest:77] - output:
Professor(profNo=9908, name=남은혁, userId=bird13, position=부교수, sal=400,
hireDate=1990-10-18 00:00:00, comm=17, deptNo=202)
[DEBUG] 24-10-21 12:32:11 [insert:135] - ==> Preparing: INSERT INTO professor
(name, userid, position, sal, hiredate, comm, deptno) VALUES (?, ?, ?, ?, ?, ?,
?);
[DEBUG] 24-10-21 12:32:11 [insert:135] - ==> Parameters: 테스트이름(String),
abcd1234(String), 교수(String), 500(Integer), 20240101(String), 20(Integer),
101(Integer)
[DEBUG] 24-10-21 12:32:11 [insert:135] - <== Updates: 1
[DEBUG] 24-10-21 12:32:11 [ProfessorMapperTest:37] - output: 1
[DEBUG] 24-10-21 12:32:11 [ProfessorMapperTest:39] - new profno: 0

```

profno	name	userid	position	sal	hiredate	comm	deptno
9901	김도훈	capool	교수	500	1982-06-12 00:00:00	20	101
9902	이재우	sweat413	조교수	320	1995-04-12 00:00:00	NULL	201
9903	성역희	pascal	조교수	360	1993-03-17 00:00:00	15	101
9904	염일웅	blue77	전임강사	240	1998-10-11 00:00:00	NULL	102
9905	권혁일	refresh	교수	450	1986-02-11 00:00:00	25	102
9906	이만식	pocari	부교수	420	1988-07-11 00:00:00	NULL	101
9907	전은지	totoro	전임강사	210	2001-05-11 00:00:00	NULL	101
9908	남은혁	bird13	부교수	400	1990-10-18 00:00:00	17	202
9910	심진주	jinju0323	총장	9000	2023-10-01 00:00:00	500	101
9912	테스트이름	abcd1234	교수	500	2024-01-01 00:00:00	20	101
9913	테스트이름	abcd1234	교수	500	2024-01-01 00:00:00	20	101

11 rows in set (0.00 sec)

# Student Test log

---

```
[INFO ] 24-10-21 13:04:25 [StudentMapperTest:50] - Starting StudentMapperTest
using Java 17.0.2 with PID 12456 (started by user in D:\jinju\07_SpringBoot\08-
database)
[DEBUG] 24-10-21 13:04:25 [StudentMapperTest:51] - Running with Spring Boot
v3.3.4, Spring v6.1.13
[INFO ] 24-10-21 13:04:25 [StudentMapperTest:654] - No active profile set, falling
back to 1 default profile: "default"
[DEBUG] 24-10-21 13:04:26 [LogFactory:109] - Logging initialized using 'class
org.apache.ibatis.logging.slf4j.Slf4jImpl' adapter.
[INFO ] 24-10-21 13:04:27 [StudentMapperTest:56] - Started StudentMapperTest in
2.487 seconds (process running for 3.687)
[DEBUG] 24-10-21 13:04:29 [delete:135] - ==> Preparing: DELETE FROM student WHERE
studno=?;
[DEBUG] 24-10-21 13:04:29 [delete:135] - ==> Parameters: 500000(Integer)
[DEBUG] 24-10-21 13:04:29 [delete:135] - <== Updates: 0
[DEBUG] 24-10-21 13:04:29 [StudentMapperTest:74] - output: 0
[DEBUG] 24-10-21 13:04:29 [selectItem:135] - ==> Preparing: SELECT studno, name,
userid, grade, idnum, birthdate, tel, height, weight, deptno, profno FROM student
WHERE studno=?;
[DEBUG] 24-10-21 13:04:29 [selectItem:135] - ==> Parameters: 10101(Integer)
[DEBUG] 24-10-21 13:04:29 [selectItem:135] - <== Total: 1
[DEBUG] 24-10-21 13:04:29 [StudentMapperTest:84] - output: Student(studNo=10101,
name=전인하, userId=jun123, grade=4, idNum=7907021369824, birthDate=1979-07-02
00:00:00, tel=051)781-2158, height=176, weight=72, deptNo=101, profNo=9903)
[DEBUG] 24-10-21 13:04:29 [selectList:135] - ==> Preparing: SELECT studno, name,
userid, grade, idnum, birthdate, tel, height, weight, deptno, profno FROM student;
[DEBUG] 24-10-21 13:04:29 [selectList:135] - ==> Parameters:
[DEBUG] 24-10-21 13:04:29 [selectList:135] - <== Total: 19
[DEBUG] 24-10-21 13:04:29 [StudentMapperTest:93] - output: Student(studNo=10101,
name=전인하, userId=jun123, grade=4, idNum=7907021369824, birthDate=1979-07-02
00:00:00, tel=051)781-2158, height=176, weight=72, deptNo=101, profNo=9903)
[DEBUG] 24-10-21 13:04:29 [StudentMapperTest:93] - output: Student(studNo=10102,
name=박미경, userId=ansel414, grade=1, idNum=8405162123648, birthDate=1984-05-16
00:00:00, tel=055)261-8947, height=168, weight=52, deptNo=101, profNo=0)
[DEBUG] 24-10-21 13:04:29 [StudentMapperTest:93] - output: Student(studNo=10103,
name=김영균, userId=mandu, grade=3, idNum=8103211063421, birthDate=1981-03-21
00:00:00, tel=051)824-9637, height=170, weight=88, deptNo=101, profNo=9906)
[DEBUG] 24-10-21 13:04:29 [StudentMapperTest:93] - output: Student(studNo=10104,
name=지은경, userId=gomo00, grade=2, idNum=8004122298371, birthDate=1980-04-12
00:00:00, tel=055)418-9627, height=161, weight=42, deptNo=101, profNo=9907)
[DEBUG] 24-10-21 13:04:29 [StudentMapperTest:93] - output: Student(studNo=10105,
name=임유진, userId=youjin12, grade=2, idNum=8301212196482, birthDate=1983-01-21
00:00:00, tel=02)312-9838, height=171, weight=54, deptNo=101, profNo=9907)
[DEBUG] 24-10-21 13:04:29 [StudentMapperTest:93] - output: Student(studNo=10106,
name=서재진, userId=seolly, grade=1, idNum=8511291186273, birthDate=1985-11-29
00:00:00, tel=051)239-4861, height=186, weight=72, deptNo=101, profNo=0)
[DEBUG] 24-10-21 13:04:29 [StudentMapperTest:93] - output: Student(studNo=10107,
name=이광훈, userId=huriky, grade=4, idNum=8109131276431, birthDate=1981-09-13
00:00:00, tel=055)736-4981, height=175, weight=92, deptNo=101, profNo=9903)
```

```
[DEBUG] 24-10-21 13:04:29 [StudentMapperTest:93] - output: Student(studNo=10108,
name=류민정, userId=cleansky, grade=2, idNum=8108192157498, birthDate=1981-08-19
00:00:00, tel=055)248-3679, height=162, weight=72, deptNo=101, profNo=9907)
[DEBUG] 24-10-21 13:04:29 [StudentMapperTest:93] - output: Student(studNo=10201,
name=김진영, userId=simply, grade=2, idNum=8206062186327, birthDate=1982-06-06
00:00:00, tel=055)419-6328, height=164, weight=48, deptNo=102, profNo=9905)
[DEBUG] 24-10-21 13:04:29 [StudentMapperTest:93] - output: Student(studNo=10202,
name=오유석, userId=yousuk, grade=4, idNum=7709121128379, birthDate=1977-09-12
00:00:00, tel=051)724-9618, height=177, weight=92, deptNo=102, profNo=9905)
[DEBUG] 24-10-21 13:04:29 [StudentMapperTest:93] - output: Student(studNo=10203,
name=하나리, userId=hanal, grade=1, idNum=8501092378641, birthDate=1985-01-09
00:00:00, tel=055)296-3784, height=160, weight=68, deptNo=102, profNo=0)
[DEBUG] 24-10-21 13:04:29 [StudentMapperTest:93] - output: Student(studNo=10204,
name=윤진욱, userId=samba7, grade=3, idNum=7904021358671, birthDate=1979-04-02
00:00:00, tel=053)487-2698, height=171, weight=70, deptNo=102, profNo=9905)
[DEBUG] 24-10-21 13:04:29 [StudentMapperTest:93] - output: Student(studNo=20101,
name=이동훈, userId=dals, grade=1, idNum=8312101128467, birthDate=1983-12-10
00:00:00, tel=055)426-1752, height=172, weight=64, deptNo=201, profNo=0)
[DEBUG] 24-10-21 13:04:29 [StudentMapperTest:93] - output: Student(studNo=20102,
name=박동진, userId=ping2, grade=1, idNum=8511241639826, birthDate=1985-11-24
00:00:00, tel=051)742-6384, height=182, weight=70, deptNo=201, profNo=0)
[DEBUG] 24-10-21 13:04:29 [StudentMapperTest:93] - output: Student(studNo=20103,
name=김진경, userId=lovely, grade=2, idNum=8302282169387, birthDate=1983-02-28
00:00:00, tel=052)175-3941, height=166, weight=51, deptNo=201, profNo=9902)
[DEBUG] 24-10-21 13:04:29 [StudentMapperTest:93] - output: Student(studNo=20104,
name=조명훈, userId=rader214, grade=1, idNum=8412141254963, birthDate=1984-12-14
00:00:00, tel=02)785-6984, height=184, weight=62, deptNo=201, profNo=0)
[DEBUG] 24-10-21 13:04:29 [StudentMapperTest:93] - output: Student(studNo=20106,
name=심진주, userId=jinju, grade=1, idNum=1112223333444, birthDate=2020-10-10
00:00:00, tel=02)1010-1010, height=123, weight=123, deptNo=101, profNo=9910)
[DEBUG] 24-10-21 13:04:29 [StudentMapperTest:93] - output: Student(studNo=20107,
name=테스트추가, userId=test1234, grade=4, idNum=7907021369824, birthDate=2001-03-
23 00:00:00, tel=02)1234-1234, height=170, weight=50, deptNo=101, profNo=9903)
[DEBUG] 24-10-21 13:04:29 [StudentMapperTest:93] - output: Student(studNo=20108,
name=테스트추가, userId=test1234, grade=4, idNum=7907021369824, birthDate=2001-03-
23 00:00:00, tel=02)1234-1234, height=170, weight=50, deptNo=101, profNo=9903)
[DEBUG] 24-10-21 13:04:29 [insert:135] - ==> Preparing: INSERT INTO student
(name, userid, grade, idnum, birthdate, tel, height, weight, deptno, profno)
VALUES (?, ?, ?, ?, ?, ?, ?, ?, ?, ?);
[DEBUG] 24-10-21 13:04:29 [insert:135] - ==> Parameters: 테스트추가(String),
test1234(String), 4(Integer), 7907021369824(String), 20010323(String), 02)1234-
1234(String), 170(Integer), 50(Integer), 101(Integer), 9903(Integer)
[DEBUG] 24-10-21 13:04:29 [insert:135] - <== Updates: 1
[DEBUG] 24-10-21 13:04:29 [StudentMapperTest:40] - output: 1
[DEBUG] 24-10-21 13:04:29 [StudentMapperTest:42] - new studno: 0
[DEBUG] 24-10-21 13:04:29 [update:135] - ==> Preparing: UPDATE student SET
name=?, userid=?, grade=?, idnum=?, birthdate=?, tel=?, height=?, weight=?,
deptno=?, profno=? WHERE studno=?;
[DEBUG] 24-10-21 13:04:29 [update:135] - ==> Parameters: 테스트수정(String),
test5678(String), 2(Integer), 8511241639826(String), 20050525(String), 02)7777-
7777(String), 150(Integer), 40(Integer), 201(Integer), 9907(Integer), 0(Integer)
[DEBUG] 24-10-21 13:04:29 [update:135] - <== Updates: 0
[DEBUG] 24-10-21 13:04:29 [StudentMapperTest:64] - output: 0
```



studno	name	userid	grade	idnum	birthdate	tel	height	weight	deptno	profno
10101	전인하	jun123	4	7907021369824	1979-07-02 00:00:00	051)781-2158	176	72	101	9903
10102	박미영	ansel414	1	8405162123648	1984-05-16 00:00:00	055)261-8947	168	52	101	NULL
10103	김민준	mandu	3	8103211063421	1981-03-21 00:00:00	051)824-9637	170	88	101	9906
10104	지성민	gomo00	2	8004122298371	1980-04-12 00:00:00	055)418-9627	161	42	101	9907
10105	임유진	youjin12	2	8301212196482	1983-01-21 00:00:00	02)312-9838	171	54	101	9907
10106	서재진	seolly	1	8511291186273	1985-11-29 00:00:00	051)239-4861	186	72	101	NULL
10107	이광민	huriky	4	8109131276431	1981-09-13 00:00:00	055)736-4981	175	92	101	9903
10108	류정영	cleansky	2	8108192157498	1981-08-19 00:00:00	055)248-3679	162	72	101	9907
10201	김유성	simply	2	8206062186327	1982-06-06 00:00:00	055)419-6328	164	48	102	9905
10202	오유석	yousuk	4	7709121128379	1977-09-12 00:00:00	051)724-9618	177	92	102	9905
10203	한나리	hanal	1	8501092378641	1985-01-09 00:00:00	055)296-3784	160	68	102	NULL
10204	윤우정	samba7	3	7904021358671	1979-04-02 00:00:00	053)487-2698	171	70	102	9905
20101	이영훈	dals	1	8312101128467	1983-12-10 00:00:00	055)426-1752	172	64	201	NULL
20102	박진영	ping2	1	8511241639826	1985-11-24 00:00:00	051)742-6384	182	70	201	NULL
20103	김정민	lovely	2	8302282169387	1983-02-28 00:00:00	052)175-3941	166	51	201	9902
20104	조성민	rader214	1	8412141254963	1984-12-14 00:00:00	02)785-6984	184	62	201	NULL
20106	심진주	jiniu	1	1112223333444	2020-10-10 00:00:00	02)1010-1010	123	123	101	9910
20107	테스트추가	test1234	4	7907021369824	2001-03-23 00:00:00	02)1234-1234	170	50	101	9903
20108	테스트추가	test1234	4	7907021369824	2001-03-23 00:00:00	02)1234-1234	170	50	101	9903
20109	테스트추가	test1234	4	7907021369824	2001-03-23 00:00:00	02)1234-1234	170	50	101	9903

20 rows in set (0.00 sec)

- 추후에 비밀번호 암호화: MD5("#{userPw})
- 업데이트 할 때 필요없는 부분 직접 지정

## mysite.members Test log

```
[INFO ] 24-10-21 15:01:44 [MembersMapperTest:50] - Starting MembersMapperTest
using Java 17.0.2 with PID 12300 (started by user in D:\jinju\07_SpringBoot\08-
database)
[DEBUG] 24-10-21 15:01:44 [MembersMapperTest:51] - Running with Spring Boot
v3.3.4, Spring v6.1.13
[INFO ] 24-10-21 15:01:44 [MembersMapperTest:654] - No active profile set, falling
back to 1 default profile: "default"
[DEBUG] 24-10-21 15:01:45 [LogFactory:109] - Logging initialized using 'class
org.apache.ibatis.logging.slf4j.Slf4jImpl' adapter.
[INFO ] 24-10-21 15:01:46 [MembersMapperTest:56] - Started MembersMapperTest in
2.417 seconds (process running for 3.486)
[DEBUG] 24-10-21 15:01:47 [selectList:135] - ==> Preparing: SELECT id, name,
email, user_pw, gender, birthdate, tel, postcode, addr1, addr2, profile_img,
is_out, reg_date, edit_date FROM members ORDER BY id DESC;
[DEBUG] 24-10-21 15:01:47 [selectList:135] - ==> Parameters:
[DEBUG] 24-10-21 15:01:47 [selectList:135] - <==          Total: 2
[DEBUG] 24-10-21 15:01:47 [MembersMapperTest:99] - output: Members(id=3, name=테스
트회원, email=test@naver.com, userPw=123456, gender=M, birthDate=2001-01-01
00:00:00, tel=02)1234-1234, postcode=1234, addr1=테스트주소1, addr2=테스트주소2,
profileImg=테스트이미지, isOut=N, regDate=2024-10-20 00:00:00, editDate=2024-10-20
00:00:00)
[DEBUG] 24-10-21 15:01:47 [MembersMapperTest:99] - output: Members(id=2, name=테스
트회원, email=test@naver.com, userPw=123456, gender=M, birthDate=2001-01-01
00:00:00, tel=02)1234-1234, postcode=1234, addr1=테스트주소1, addr2=테스트주소2,
profileImg=테스트이미지, isOut=N, regDate=2024-10-20 00:00:00, editDate=2024-10-20
00:00:00)
[DEBUG] 24-10-21 15:01:47 [update:135] - ==> Preparing: UPDATE members SET
name=?, email=?, user_pw=?, gender=?, birthdate=?, tel=?, postcode=?, addr1=?,
addr2=?, profile_img=?, is_out=?, reg_date=?, edit_date=? WHERE id=?;
```

```
[DEBUG] 24-10-21 15:01:47 [update:135] - ==> Parameters: 테스트123(String),
test123@naver.com(String), 78910(String), M(String), 20030303(String), 02)5555-
1234(String), 1234(String), 테스트주소1-1(String), 테스트주소2-2(String), 테스트이미
지2(String), N(String), 20241020(String), 20241020(String), 0(Integer)
[DEBUG] 24-10-21 15:01:47 [update:135] - <== Updates: 0
[DEBUG] 24-10-21 15:01:47 [MembersMapperTest:70] - output: 0
[DEBUG] 24-10-21 15:01:47 [insert:135] - ==> Preparing: INSERT INTO members
(name, email, user_pw, gender, birthdate, tel, postcode, addr1, addr2,
profile_img, is_out, reg_date, edit_date) VALUES (?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?,
?, ?);
[DEBUG] 24-10-21 15:01:47 [insert:135] - ==> Parameters: 테스트회원(String),
test@naver.com(String), 123456(String), M(String), 20010101(String), 02)1234-
1234(String), 1234(String), 테스트주소1(String), 테스트주소2(String), 테스트이미지
(String), N(String), 20241020(String), 20241020(String)
[DEBUG] 24-10-21 15:01:47 [insert:135] - <== Updates: 1
[DEBUG] 24-10-21 15:01:47 [MembersMapperTest:43] - output: 1
[DEBUG] 24-10-21 15:01:47 [MembersMapperTest:45] - new id: 0
[DEBUG] 24-10-21 15:01:47 [delete:135] - ==> Preparing: DELETE FROM members WHERE
id=?;
[DEBUG] 24-10-21 15:01:47 [delete:135] - ==> Parameters: 2(Integer)
[DEBUG] 24-10-21 15:01:47 [delete:135] - <== Updates: 1
[DEBUG] 24-10-21 15:01:47 [MembersMapperTest:80] - output: 1
[DEBUG] 24-10-21 15:01:47 [selectItem:135] - ==> Preparing: SELECT id, name,
email, user_pw, gender, birthdate, tel, postcode, addr1, addr2, profile_img,
is_out, reg_date, edit_date FROM members WHERE id=?;
[DEBUG] 24-10-21 15:01:47 [selectItem:135] - ==> Parameters: 3(Integer)
[DEBUG] 24-10-21 15:01:47 [selectItem:135] - <== Total: 1
[DEBUG] 24-10-21 15:01:47 [MembersMapperTest:90] - output: Members(id=3, name=테스
트회원, email=test@naver.com, userPw=123456, gender=M, birthDate=2001-01-01
00:00:00, tel=02)1234-1234, postcode=1234, addr1=테스트주소1, addr2=테스트주소2,
profileImg=테스트이미지, isOut=N, regDate=2024-10-20 00:00:00, editDate=2024-10-20
00:00:00)
```

```
mysql> select * from members;
```

id	name	email	user_pw	gender	birthdate	tel	postcode	addr1	addr2	profile_img	is_out	reg_date	edit_date
3	테스트회원	test@naver.com	123456	M	2001-01-01 00:00:00	02)1234-1234	1234	테스트주소1	테스트주소2	테스트이미지	N	2024-10-20 00:00:00	2024-10-20 00:00:00
4	테스트회원	test@naver.com	123456	M	2001-01-01 00:00:00	02)1234-1234	1234	테스트주소1	테스트주소2	테스트이미지	N	2024-10-20 00:00:00	2024-10-20 00:00:00

```
2 rows in set (0.00 sec)
```