Programming Assignment 1 Getting Started with C++

Time due: 11:00 PM Monday, October 12

The purpose of this assignment is to have you start learning how to use the g++ and either the Visual C++ or Xcode environments, and understand a variety of programming errors.

Here's what you are to do:

- 1. (optional) Obtain a copy of <u>Visual C++</u> and install it. You don't need to do this if you prefer to use Visual C++ on the SEASnet Windows Server or if you prefer using Xcode.
 - (optional) Obtain a copy of <u>Xcode</u> and install it. You don't need to do this if you prefer using Visual C++.
- 2. Enter <u>this C++ program</u> into your development environment. Do not change the program.
- 3. Build the executable from the program. (Fix any typos you may have made when entering the program.)
- 4. Execute the program with a variety of reasonable input integers to see if it runs as one would expect from reading the source code. If the Visual C++ console window disappears when your program finishes executing, before you have a chance to see the output, either you launched your program by double-clicking on the .exe file, or you're running Visual C++ 2017 and you selected Start Debugging or you forgot to do step 4 from the Visual C++ writeup.
- 5. Using the program as given, without changing it in any way, run it with input integers that cause it to produce incorrect, unusual, or nonsensical output. (Notice we're saying to try input integers, not input like 124765.23 or vote.)
- 6. Starting from the program as given, introduce into the source code at least one error that someone might make that, while not preventing a successful build, causes the program when it runs to produce incorrect results from reasonable input.
- 7. Again starting from the program as given, introduce at least two distinct types of mistakes that someone might make, each of which would cause the program to fail to compile correctly.

You should create a separate project for each of steps 2, 6, and 7, since you're not allowed to have multiple files in the same project if more than one has a main routine.

In addition to running the programs under Visual C++ or Xcode, run them using g31 as the g++ with Linux writeup tells you. (As the <u>Project Requirements</u> document tells you, "run using g31" is shorthand for "run using g31 on cs31.seas.ucla.edu" — that specific command (g31, not g++) on a SEASnet machine reached via that specific name.)

What you will turn in for this assignment is a compressed file in zip format containing exactly four files:

- 1. A file named **original.cpp** that contains the program as given.
- 2. A file named logic_error.cpp with the program you produced in step 6.
- 3. A file named **compile error.cpp** with the program you produced in step 7.
- 4. A file named **report.docx** or **report.doc** (in Microsoft Word format) or **report.txt** (an ordinary text file) that describes the input you provided in step 5 and each of the errors you introduced into the logic_error.cpp and compile_error.cpp programs. Briefly discuss any error messages the compiler reported, and incorrect, unusual, or nonsensical results. This report may well end up being much less than a page long.

The zip file itself may be named whatever you like.

Do **not** include anything else in the zip file. (Some Windows users seem not to be aware of <u>Windows filename extensions</u>, so end up putting the wrong files in their zip file.) To create a zip file on a SEASnet machine, you can select the four files you want to turn in, right click, and select "Send To / Compressed (zipped) Folder". Under macOS, copy the files into a new folder, select the folder in Finder, and select File / Compress "folderName"; make sure you copied the files into the folder instead of creating aliases to the files.

We will be using software tools to help us grade your projects, so there are certain requirements you must meet for the tools to work: The zip file you turn in for this project must have exactly four files in it, with exactly the names indicated. If you do not follow these requirements, your score on this project will be zero. "Do you mean that if I do everything right except misspell a file name or include an extra file, I'll get no points whatsoever?" Yes. That seems harsh, but attention to detail is an important skill in this field. A draconian grading policy certainly encourages you to develop this skill.

The only exception to the requirement that the zip file contain exactly four files of the indicated names is that if you create the zip file under macOS, it is acceptable if it contains the additional files that the macOS zip utility sometimes introduces: __MACOSX, .DS_Store, and names starting with ._ that contain your file names.

By October 11, there will be links on the class webpage that will enable you to turn in your zip file electronically. Turn in the file by the due time above. Remember that most computing tasks take longer than expected; this applies especially to steps 1, 2, and 3 above. Start this assignment now!

Use this project as an opportunity to learn what happens when you make mistakes. After you've turned in what's required for this project, play around. Introduce a mistake into the program and see what happens. Fix it. Introduce a different mistake and see what happens then. Fix it. Keep doing this so you can see the kinds of problems that might arise when you develop your own programs and what the compilers say for each particular problem (if they even detect them at all). See what happens if you make more than one mistake in the program. Will they all be detected? Will an earlier mistake interfere with the reporting of a later one?

Here is the C++ program:

```
// Code for Project 1
// Report poll results
#include <iostream>
using namespace std;
int main()
    int numberSurveyed;
    int forJoe;
    int forDonald;
    cout << "How many registered voters were surveyed? ";</pre>
    cin >> numberSurveyed;
    cout << "How many of them say they will vote for Joe? ";</pre>
    cin >> forJoe;
    cout << "How many of them say they will vote for Donald? ";</pre>
    cin >> forDonald;
    double pctJoe = 100.0 * forJoe / numberSurveyed;
    double pctDonald = 100.0 * forDonald / numberSurveyed;
    cout.setf(ios::fixed);
    cout.precision(1);
    cout << endl;</pre>
    cout << pctJoe << "% say they will vote for Joe." << endl;</pre>
    cout << pctDonald << "% say they will vote for Donald." << endl;</pre>
    if (forJoe > forDonald)
        cout << "Joe is predicted to win the election." << endl;
    else
        cout << "Donald is predicted to win the election." << endl;
}
```