

題目 / 主題	System-level Diagnosis - An Introduction and Recent Result 系統診斷與容錯		日期	9/15
講者 / 教師	王大進	姓名	連晉隆	學號 115 63 102

關鍵字 / 線索 (CUES)	課堂筆記 (NOTES)
interconnection network fault nodes System-Level Diagnosis mutually check	multiprocessor and multiprocomputer (nodes) Hypercube star graph k-ary n-cube bubble-sort Graph How to deal with fault nodes? 1. finding multiple fault in the system method: mutually check $i \overset{0}{\longleftrightarrow} j$ (0/1) (good/bad) (falty / falty-free) $i \overset{0}{\rightarrow} j$ $i \overset{1}{\leftarrow} j$ However the tester node itself could be a falty node!

總結 / 摘要 (SUMMARY)

題目 / 主題	System-level Diagnosis - An Introduction and Recent Result 系統診斷與容錯		日期	9/15
講者 / 教師	王大進	姓名	連晉隆	學號 115 63 102

關鍵字 / 線索 (CUES)	課堂筆記 (NOTES)
PMC model t-Diagnosability Syndrome	If there are many faulty nodes? can't be too many faulty nodes! maximally allowed number t nodes if only 1-diagnosable mutually checking works!

總結 / 摘要 (SUMMARY)

