
# Carpark NF

Pineapple Potala, Jin Min, Nicholas, Wei Hong, Haozheng, Jia Ying



### TABLE OF CONTENTS

01

**Overview** 

02

**Use Case Model** 

03

Software Engineering Practices

04

System Design

05

**Traceability** 

06

**Demonstration** 

Live demo





# 01 Overview Introduction of Carpark NF





See you at 12pm. If you are late then we are **OVER!** 







## Carpark NF


- Web application that allows users to search for a location and then showing them a list of carparks nearby (within 500m) that location
  - Shows the availability of the carpark so that users can plan their journey beforehand
- Allows users to favourite their frequently visited carparks, and navigate to them
- Target/Expected users of our application is drivers



# 02 Use Case Model








# 03 SE Practices





### **Software Development Lifecycle**



## **Design Practices**



#### Single Responsibility

- Easier to maintain
- Reusability



#### **Dependency Injection**


- Allows ease of testing, reusability of code, modularity
- Helps with loose coupling



# 04 System Design







## **Design Patterns**



#### **Facade Pattern**

- Makes code easier to use and understand
- Reduces
   dependencies on
   classes



#### **Observer Pattern**

- Enables loose coupling
- Classes are only linked when necessary
- When one class needs to be changed, only a few will be affected - making codes reusable



# 05 Traceability








- Throughout the SDLC, we ensured our requirements are atomic such that it can be verifiable, traceable and unambiguous
- Example: Search functionality requirement

#### 2. Search


- a. The system must allow user to search for a location.
  - The user must be able to search for a location by entering a 6-digit postal code or a street name.
  - ii. The system must be able to recommend a list of carparks within a radius of 500 metres of the searched location.
    - Each carpark in the list of carparks displayed must contain information related to that carpark.
      - a. Information includes:
        - i. Carpark distance from searched location
        - ii. Carpark address
        - iii. Carpark availability
        - iv. Carpark rate
  - The user must be able to sort the list of carparks by ascending order of distance from searched location or descending order of availability.
    - By default, the list of carparks is sorted by ascending order of distance from searched location.



## Traceability

Use Case ID:	1		
Use Case Name:	Search Location	8).	8
Created By:	Haozheng	Last Updated By:	Jin Min
Date Created:	30/08/2023	Date Last Updated:	13/09/2023

<u> </u>		
Actor:	User, Google Maps API	
Description:	To search for carparks near the user's searched location	
Preconditions:	Device must be connected to Wi-Fi/Mobile Data	
Postconditions:	<ol> <li>Carparks that fall within the radius of the searched location will be found and saved.</li> </ol>	
Priority:	High	
Frequency of Use:	0-20 times per day	
Flow of Events:	User navigate to the Search page from the sidebar     User will enter the 6-digit postal code or street name of his desired location     System will search for <u>carparks</u> that are near the location     Nearby <u>carparks</u> will be saved as a search result.	
Alternative Flows:	5.	
Exceptions:	F1	
Includes:	Recommend nearby carpark	
Special Requirements:	(-)	
Assumptions:	.53	
Notes and Issues:	<u> </u>	






## **Traceability**

Test ID	Scenario	Expected Result	Actual Result
1	Search by 6-digit postal code (searched location)	List of carparks within 500 metres radius of searched location is displayed to the user	List of carparks within 500 metres radius of searched location is displayed to the user
2	Search by street name (searched location)	List of carparks within 500 metres radius of searched location is displayed to the user	List of carparks within 500 metres radius of searched location is displayed to the user
3	Search empty string	Popup <u>stating</u> "No results found for search."	Popup <u>stating</u> "No results found for search."

Search string	Expected Result	Actual Result
"530115" (Kovan)	List of carparks within 500 metres radius of an HDB block in Kovan is displayed to the user	List of carparks within 500 metres radius of an HDB block in Kovan is displayed to the user
"Nanyang CC"	List of carparks within 500 metres radius of Nanyang CC is displayed to the user	List of carparks within 500 metres radius of Nanyang CC is displayed to the user
"NTU"	"No results found" message displayed on results page. (No carparks nearby)	"No results found" message displayed on results page. (No carparks nearby)
"abcdefg"	Popup <u>stating</u> "No results found for search."	Popup <u>stating</u> "No results found for search."
"" (empty string)	Popup <u>stating</u> "No results found for search."	Popup <u>stating</u> "No results found for search."




# 06 Demo





### Flow

- 1. Enter app
- 2. Search
  - a. Gibberish
  - b. "Nanyang CC"
  - c. **"310256"**
- 3. Sort
  - a. By descending availability
  - b. **By ascending distance**
- 4. Select carpark (from search results)
- 5. Navigate
- 6. Favourite carpark
- 7. Go to favourites page
- 8. Click on carpark
- 9. Unfavourite carpark
- 10. Back to favourites page





## Try it for yourself!





# Thank you



