

Remote structuring of near-field landscapes

Vincent Ginis, Marco Piccardo, Michele Tamagnone, Jinsheng Lu, Min Qiu, Simon Kheifets and Federico Capasso

Science **369** (6502), 436-440.
DOI: 10.1126/science.abb6406

Sculpting the optical near field

In the generation of electromagnetic fields, light can be broken down into two components: the far field, which we generally see and is caused by propagating waves, and the near field. The near field presents the nonpropagating component of the electromagnetic field at subwavelength distance from the source of radiation. Probing the near field, however, can also provide detailed, subwavelength information about the emitting source. Ginis *et al.* present a nanophotonic-based method for controlling and manipulating the near-field landscape. This approach provides the possibility of exploiting the near-field component of light for on-chip applications that would normally require bulky optics.

Science, this issue p. 436

ARTICLE TOOLS

<http://science.sciencemag.org/content/369/6502/436>

SUPPLEMENTARY MATERIALS

<http://science.sciencemag.org/content/suppl/2020/07/22/369.6502.436.DC1>

REFERENCES

This article cites 33 articles, 10 of which you can access for free
<http://science.sciencemag.org/content/369/6502/436#BIBL>

PERMISSIONS

<http://www.sciencemag.org/help/reprints-and-permissions>

Use of this article is subject to the [Terms of Service](#)

Science (print ISSN 0036-8075; online ISSN 1095-9203) is published by the American Association for the Advancement of Science, 1200 New York Avenue NW, Washington, DC 20005. The title *Science* is a registered trademark of AAAS.

Copyright © 2020 The Authors, some rights reserved; exclusive licensee American Association for the Advancement of Science. No claim to original U.S. Government Works