

Ex. No. 4	Webpage Design Using Advanced CSS3
Date of Exercise	07.08.2026
GitHub Host Link	https://jinto-joseph.github.io/WEB_TECH_LAB/08_August_2026/lab4.html

Aim

To develop a website using HTML5 tags and apply styles to the website using advanced CSS3 properties such as rounder corners, border images, multiple backgrounds, gradients, shadows.

Description

Rounded Corners

- The CSS border-radius property defines the radius of an element's corners.
border-radius: 25px
- Four values - border-radius: 15px 50px 30px 5px; (first value applies to top-left corner, second value applies to top-right corner, third value applies to bottom-right corner, and fourth value applies to bottom-left corner):

Border Image

The CSS border-image property allows you to specify an image to be used instead of the normal border around an element. The property has three parts:

1. The image to use as the border
2. Where to slice the image
3. Define whether the middle sections should be repeated or stretched

border-image: url(border.png) 30 round

border-image: url(border.png) 30 stretch

Multiple Backgrounds

CSS allows to add multiple background images for an element, through the background-image property. The different background images are separated by commas, and the images are stacked on top of each other, where the first image is closest to the viewer. The following example has

two background images, the first image is a flower (aligned to the bottom and right) and the second image is a paper background (aligned to the top-left corner):

```
#example1 {  
    background-image: url(img_flwr.gif), url(paper.gif);  
    background-position: right bottom, left top;  
    background-repeat: no-repeat, repeat;  
}
```

Background Size

The CSS background-size property allows you to specify the size of background images. The size can be specified in lengths, percentages, or by using one of the two keywords: contain or cover. The following example resizes a background image to much smaller than the original image (using pixels):

```
#div1 {  
    background: url(img_flower.jpg);  
    background-size: 100px 80px;  
    background-repeat: no-repeat;  
}
```

Pseudo classes

Use pseudo-classes focus, required, valid, hover to enable CSS in the <input> elements.

```
input:focus {  
    border: 3px solid red;  
    background-color: green;  
}  
  
input:required {
```

```

border: 3px solid blue;

background-color: yellow;

}

input[type="email"]:invalid{ color:red; }

input[type="email"]:valid{ color:blue; }

<table><tr><td class="itemName">item1</td>

<td class="itemImg"></td></tr> </table>


.itemImg{ opacity:0.2; }

.itemName:hover .itemImg{ opacity: 1; }

```

Hint: itemName and itemImg are adjacent sibling. On hover of itemName select its adjacent sibling itemImg. Set different colors for odd and even rows and change the background color on mouse over. [hint: nth-child(odd) and nth-child(even)].

Program



```
Ex.No:04 lab4.html
lab4.html > html > head > style > *
2   tml lang="en">
4   ead>
7   <style>
42  .nav a {
48      font-size: 14px;
49  }
50
51  .nav a.active {
52      background: red;
53      color: white;
54  }
55
56  .sec1 {
57      background: #ffc0cb;
58      padding: 20px;
59      display: flex;
60      justify-content: center;
61  }
62
63  .fav {
64      width: 250px;
65      background: #15803d;
66      border-radius: 12px;
67      overflow: hidden;
68      text-align: center;
69  }
70
71  .fav-head {
72      background: #22c55e;
73      padding: 5px;
74      font-weight: bold;
75      font-size: 12px;
76  }
77
78  table {
79      width: 100%;
80      border-collapse: collapse;
81  }
82
83  tr:nth-child(odd) {
84      background: #84cc16;
85  }
86
87  tr:nth-child(even) {
88      background: #166534;
89  }
90
91  td {
```

```
Ex.No:04 lab4.html
lab4.html > html > head > style > *
2   tml lang="en">
4   ead>
7   <style>
91  td {
92      padding: 10px;
93      font-size: 13px;
94      font-weight: bold;
95  }
96
97  td img {
98      width: 22px;
99      float: right;
100     opacity: 0.3;
101  }
102
103  tr:hover img {
104      opacity: 1;
105  }
106
107  .sec2 {
108      background: url('images/desk-bg.jpg') center/cover;
109      padding: 30px 10px;
110      display: flex;
111      justify-content: center;
112      gap: 20px;
113      flex-wrap: wrap;
114  }
115
116  .card {
117      background: white;
118      border-radius: 15px;
119      padding: 20px;
120      width: 280px;
121  }
122
123  .card h2 {
124      text-align: center;
125      margin-bottom: 15px;
126  }
127
128  label {
129      display: block;
130      font-size: 12px;
131      margin: 8px 0 4px;
132      font-weight: bold;
133  }
134
135  input {
```

```

Ex.No:04 lab4.html
lab4.html > html > head > style > *
2 <html lang="en">
4 <head>
7 <style>
135 input {
136 width: 100%;
137 padding: 8px;
138 border: 1px solid #ccc;
139 border-radius: 5px;
140 background: #e5e7eb;
141 }
142
143 button {
144 width: 100%;
145 padding: 10px;
146 background: #0066ff;
147 color: #ffffff;
148 border: none;
149 border-radius: 5px;
150 font-weight: bold;
151 margin-top: 15px;
152 cursor: pointer;
153 }
154
155 .footer {
156 background: #ffedd5;
157 padding: 15px;
158 font-size: 13px;
159 }
160 </style>
161 </head>
162
163 <body>
164 <div class="border">
165 <div class="header">
166 <div class="nav"><a class="active">Home</a><a>About</a><a>Myself</a><a>Others</a></div>
167 </div>
168 <div class="sec1">
169 <div class="fav">
170 <div class="fav-head">Favourites</div>
171 <table>
172 <tr>
173 <td>item1 </td>
174 </tr>
175 <tr>
176 <td>item2 </td>
177 </tr>
178 <tr>
179 <td>item3 </td>


```

```

Ex.No:04 lab4.html
lab4.html > html > head > style > *
163 <body>
164 <div class="border">
165 <div class="header">
166 <div class="nav"><a class="active">Home</a><a>About</a><a>Myself</a><a>Others</a></div>
167 </div>
168 <div class="sec1">
169 <div class="fav">
170 <div class="fav-head">Favourites</div>
171 <table>
172 <tr>
173 <td>item1 </td>
174 </tr>
175 <tr>
176 <td>item2 </td>
177 </tr>
178 <tr>
179 <td>item3 </td>
180 </tr>
181 <tr>
182 <td>item4 </td>
183 </tr>
184 </table>
185 </div>
186 </div>
187 <div class="sec2">
188 <div class="card">
189 <h2>Sign In</h2>
190 <form><label>Username</label><input
191 placeholder="Enter Username / Email / Phone Number"><label>Password</label><input type="password"
192 placeholder="Enter Password"><button>Sign In</button></form>
193 </div>
194 <div class="card">
195 <h2>Sign Up</h2>
196 <form><label>Name</label><input placeholder="Enter Name"><label>Email</label><input type="email"
197 placeholder="Enter Email"><label>Password</label><input type="password"
198 placeholder="Enter Password"><button>Sign Up</button></form>
199 </div>
200 </div>
201 <div class="footer">
202 <p><em>Your address .</em></p>
203 <p><b><i>&copy; 2026-2027. (URK24CS1210) - Web Technology Lab Batch 3. All Rights Reserved.</i></b></p>
204 </div>
205 </div>
206 </body>
207
208 </html>

```

Output



Result

A Travel World website was successfully created using HTML5 and Advanced CSS3. The webpage included rounded corners, gradients, border images, multiple backgrounds, shadows, pseudo-classes, hover effects, and table styling, meeting the objectives of the experiment.