

Ex. No. 1	Basic Structure of a HTML program
Date of Exercise	17.07.2026
GitHub Host Link	https://jinto-joseph.github.io/WEB_TECH_LAB//17_July_Exp_1/index.html

Aim

To design and develop a simple Infosys Employee Training Portal webpage using basic HTML elements, attributes, hyperlinks, images, lists, and inline CSS for formatting and styling.

Description


This experiment demonstrates the creation of a professional HTML webpage for an employee training portal. The webpage includes a header with the Infosys logo and title, a digital skills development section with an image and description, a list of available training courses, links to the official Infosys website and careers page, and a footer. Inline CSS is used to improve the appearance of the webpage with colors, borders, spacing, alignment, rounded corners, and shadow effects.

Procedure

1. Create a new HTML file (index.html).
2. Set the language and webpage title.
3. Add a header with the Infosys logo, title, and tagline.
4. Create sections for the training program and available courses.
5. Add training images, course list, and hyperlinks.
6. Apply inline CSS for styling.
7. Add a footer and save the file.
8. Open the file in a web browser to view the output.


Question 1a

Program



```
<> 1a.html x
<> 1a.html > ...
1  <!DOCTYPE HTML>
2  <html>
3  <head>
4  <title>My First Page</title>
5  </head>
6  <body> Welcome to My First Web Page</body>
7  </html>
8  |
```

Output



Question 1b

Program

```
<> 1b.html x
<> 1b.html > ...
1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4      <meta charset="UTF-8">
5      <meta name="viewport" content="width=device-width, initial-scale=1.0">
6      <title>Exercise 2</title>
7  </head>
8  <body>
9      <p>Welcome to my second Web page!</p>
10     <br>
11     <h1>Hello, World!</h1>
12     <hr>
13 </body>
14 </html>
```

Output



Question 1c

Program

```
<> 1c.html ×
<> 1c.html > ...
1  <!DOCTYPE html>
2  <html>
3  <head>
4  <title>Six Header Tags</title>
5  </head>
6  <body>
7  <h1>This is Heading 1</h1>
8  <h2>This is Heading 2</h2>
9  <h3>This is Heading 3</h3>
10 <h4>This is Heading 4</h4>
11 <h5>This is Heading 5</h5>
12 <h6>This is Heading 6</h6>
13 </body>
14 </html>
```

Output

← → ↺ 🏠 📄 🔍 jinto-joseph.github.io/WEB_TECH_LAB/17_July_Exp_1/1c.html

This is Heading 1

This is Heading 2

This is Heading 3

This is Heading 4

This is Heading 5

This is Heading 6

Question 1d

Program

```
<> 1d.html X
<> 1d.html > ...
1  <!DOCTYPE html>
2  <html>
3  <head>
4  <title>Break Tag Example</title>
5  </head>
6  <body>
7  <h1>Address</h1>
8  <p> Jason<br>
9  Karunya University<br>
10 Coimbatore<br>
11 Tamil Nadu </p>
12 </body>
13 </html>
```

Output

```
<  >  ↻  🏠  📄  🔍  jinto-joseph.github.io/WEB_TECH_LAB/17_July_Exp_1/1d.html
```

Address

Jason
Karunya University
Coimbatore
Tamil Nadu

Question 1e

Program

```
<> 1e.html > ...  
1  <!DOCTYPE html>  
2  <html>  
3  <body>  
4  <h1>My First Heading</h1>  
5  <p>My first<br> paragraph.</p>  
6  </body>  
7  </html>
```

Output

← → ↺ 🏠 📄 🔍 jinto-joseph.github.io/WEB_TECH_LAB/17_July_Exp_1/1e.html

My First Heading

My first
paragraph.

Question 1f

Program

```
<> 1f.html x
<> 1f.html > ...
1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4      <meta charset="UTF-8">
5      <meta name="viewport" content="width=device-width, initial-scale=1.0">
6      <title>Formatting code challenge</title>
7  </head>
8  <body>
9      <p>Hi this is <strong>Important</strong></p>
10     <p>do this <em>carefully</em></p>
11     <p>Cow gives us <mark>milk</mark></p>
12     <h1>H<sub>2</sub></h1>
13     <p>this is not <del>blue</del></p>
14 </body>
15 </html>
```

Output

```
<  >  ↺  🏠  📄  🔍 jinto-joseph.github.io/WEB_TECH_LAB/17_July_Exp_1/1f.html
Hi this is Important
do this carefully
Cow gives us milk
H2O
this is not blue
```

Question 1g

Program

```
<> 1g.html x
<> 1g.html > html > body
1  <p><cite>The Scream</cite> by Edvard Munch. Painted in 1893.</p>
2
3  <!DOCTYPE html>
4
5  <html>
6
7  <body>
8
9  <p>The HTML cite element defines the title of a work.</p>
10 |
11 <p>Browsers usually display cite elements in italic.</p>
12
13 
14
15 <p><cite>The Scream</cite> by Edvard Munch. Painted in 1893.</p>
16
17 </body>
18
19 </html>
```

Output

The Scream by Edvard Munch. Painted in 1893.

The HTML cite element defines the title of a work.


Browsers usually display cite elements in italic.



The Scream by Edvard Munch. Painted in 1893.


Question 1h

Program



```
<> 1h.html ×
<> 1h.html > ...
1  <!DOCTYPE html>
2  <html>
3  <body>
4
5  <blockquote cite="https://www.w3schools.com">
6  The future belongs to those who believe in the beauty of their dreams.
7  </blockquote>
8
9  <p>
10 <abbr title="Hyper Text Markup Language">HTML</abbr> is the standard language for creating web pages.
11 </p>
12
13 </body>
14 </html>
```

Output




Question 1i

Program

```
<> 1i.html ×
<> 1i.html > ...
1  <!DOCTYPE html>
2  <html>
3  <body>
4  <h1 style="background-color: Tomato; width:250px" align="center">Tomato</h1>
5  <h1 style="background-color: Orange; width:250px" align="center">Orange</h1>
6  <h1 style="background-color: DodgerBlue; width:250px" align="center">DodgerBlue</h1>
7  <h1 style="background-color: MediumSeaGreen; width:250px" align="center">MediumSeaGreen</h1>
8  <h1 style="background-color: Gray; width:250px" align="center">Gray</h1>
9  <h1 style="background-color: SlateBlue; width:250px" align="center">SlateBlue</h1>
10 <h1 style="background-color: Violet; width:250px" align="center">Violet</h1>
11 <h1 style="background-color: LightGray; width:250px" align="center">LightGray</h1>
12 </body>
13 </html>
```

Output



Question 1j

Program

```
<> 1j.html x
<> 1j.html > html
1  <!DOCTYPE html>
2  <html>
3  <body>
4  <h1 style="border: 2px solid Tomato;">Hello World</h1>
5  <h1 style="border: 2px solid DodgerBlue;">Hello World</h1>
6  <h1 style="border: 2px solid Violet;">Hello World</h1>
7  </body>
8  </html>
```

Output



Question 1k

Program

```
index.html X
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Experiment 1 – Interactive HTML Fundamentals Hub</title>
  <style>
    :root {
      --primary: #0066ad;
      --primary-dark: #004580;
      --accent: #239c44;
      --bg-dark: #121824;
      --panel-bg: #1a2232;
      --card-bg: #222d42;
      --text-light: #a9a9af;
      --text-dim: #666666;
      --border: #2e3c54;
      --active-glow: rgba(0, 96, 173, 0.4);
    }
    * {
      box-sizing: border-box;
      margin: 0;
      padding: 0;
    }
    body {
      font-family: -apple-system, BlinkMacSystemFont, "Segoe UI", Roboto, sans-serif;
      background-color: var(--bg-dark);
      color: var(--text-light);
      display: flex;
      flex-direction: column;
      height: 100vh;
      overflow: hidden;
    }
    /* Top Navigation Header */
    header {
      background-color: var(--panel-bg);
    }
```

```
index.html X
  <html lang="en">
  <head>
    <style>
      header {
        border-bottom: 1px solid var(--border);
        padding: 14px 24px;
        display: flex;
        align-items: center;
        justify-content: space-between;
        gap: 16px;
      }
      .brand-title {
        display: flex;
        align-items: center;
        gap: 12px;
      }
      .badge {
        background: linear-gradient(135deg, var(--primary), #0088ff);
        color: white;
        font-size: 12px;
        font-weight: 700;
        padding: 4px 10px;
        border-radius: 20px;
        text-transform: uppercase;
        letter-spacing: 0.5px;
      }
      .brand-title h1 {
        font-size: 18px;
        font-weight: 600;
      }
      .repo-link {
        color: var(--text-dim);
        text-decoration: none;
        font-size: 14px;
        display: flex;
```

```
index.html X
index.html > ...
2 <html lang="en">
3 <head>
7 <style>
70 .repo-link {
75     align-items: center;
76     gap: 6px;
77     transition: color 0.2s;
78 }
79
80 .repo-link:hover {
81     color: white;
82 }
83
84 /* Main Workspace Layout */
85 .workspace {
86     display: grid;
87     grid-template-columns: 320px 1fr;
88     flex: 1;
89     overflow: hidden;
90 }
91
92 /* Sidebar Navigation */
93 .sidebar {
94     background-color: var(--panel-bg);
95     border-right: 1px solid var(--border);
96     display: flex;
97     flex-direction: column;
98     overflow-y: auto;
99 }
100
101 .sidebar-header {
102     padding: 16px;
103     font-size: 13px;
104     font-weight: 700;
105     text-transform: uppercase;
106     letter-spacing: 1px;
107     color: var(--text-dim);
108     border-bottom: 1px solid var(--border);
109 }
```

Ln 1, Col 1

```
index.html X
index.html > ...
2 <html lang="en">
3 <head>
7 <style>
111 .exercise-list {
112     list-style: none;
113     padding: 10px;
114     display: flex;
115     flex-direction: column;
116     gap: 6px;
117 }
118
119 .exercise-btn {
120     background: transparent;
121     border: 1px solid transparent;
122     color: var(--text-light);
123     padding: 12px 14px;
124     border-radius: 8px;
125     text-align: left;
126     cursor: pointer;
127     display: flex;
128     flex-direction: column;
129     gap: 4px;
130     transition: all 0.2s ease;
131     width: 100%;
132 }
133
134 .exercise-btn:hover {
135     background-color: var(--card-bg);
136     border-color: var(--border);
137 }
138
139 .exercise-btn.active {
140     background: linear-gradient(135deg, rgba(0, 96, 173, 0.25), rgba(0, 96, 173, 0.1));
141     border-color: var(--primary);
142     box-shadow: 0 0 12px var(--active-glow);
143 }
144
145 .ex-num {
146     font-size: 11px;
147     font-weight: 700;
```

Ln 1, Col 1 Sp

```

<> index.html X
<> index.html > ...
  2  <html lang="en">
  3  <head>
  7    <style>
145      .ex-num {
148        color: var(--primary);
149        text-transform: uppercase;
150      }
151
152      .exercise-btn.active .ex-num {
153        color: #38bdf8;
154      }
155
156      .ex-title {
157        font-size: 14px;
158        font-weight: 500;
159      }
160
161      .ex-file {
162        font-size: 11px;
163        color: var(--text-dim);
164        font-family: monospace;
165      }
166
167      /* Preview Stage */
168      .stage {
169        display: flex;
170        flex-direction: column;
171        background-color: var(--bg-dark);
172        height: 100%;
173      }
174
175      .stage-bar {
176        background-color: var(--panel-bg);
177        border-bottom: 1px solid var(--border);
178        padding: 10px 20px;
179        display: flex;
180        align-items: center;
181        justify-content: space-between;
182      }

```

```

<> index.html X
<> index.html > ...
  2  <html lang="en">
  3  <head>
  7    <style>
183
184      .stage-info {
185        display: flex;
186        align-items: center;
187        gap: 12px;
188      }
189
190      .stage-title {
191        font-size: 15px;
192        font-weight: 600;
193      }
194
195      .action-btn {
196        background-color: var(--card-bg);
197        border: 1px solid var(--border);
198        color: var(--text-light);
199        padding: 6px 14px;
200        border-radius: 6px;
201        font-size: 13px;
202        cursor: pointer;
203        text-decoration: none;
204        display: inline-flex;
205        align-items: center;
206        gap: 6px;
207        transition: all 0.2s;
208      }
209
210      .action-btn:hover {
211        background-color: var(--primary);
212        border-color: var(--primary);
213      }
214
215      .preview-container {
216        flex: 1;
217        padding: 20px;
218        display: flex;
219        justify-content: center;

```

```

index.html X
index.html > ...
2 <html lang="en">
3 <head>
7 <style>
215 .preview-container {
220 align-items: center;
221 overflow: auto;
222 }
223
224 iframe {
225 width: 100%;
226 height: 100%;
227 border: 1px solid var(--border);
228 border-radius: 10px;
229 background-color: #ffffff;
230 box-shadow: 0 10px 30px rgba(0,0,0,0.5);
231 }
232
233 @media (max-width: 768px) {
234 .workspace {
235 grid-template-columns: 1fr;
236 }
237 .sidebar {
238 display: none;
239 }
240 }
241 </style>
242 </head>
243 <body>
244 <header>
245 <div class="brand-title">
246 <span class="badge">EXP 1</span>
247 <h1>Web Technology Lab – HTML Fundamentals Hub</h1>
248 </div>
249 <div style="display: flex; gap: 16px; align-items: center;">
250 <a href="./index.html" class="repo-link">
251 <span>< Back to Record Portal</span>
252 </a>
253 <a href="https://github.com/jinto-joseph/WEB_TECH_LAB" target="_blank" class="repo-link" style="opacity:
254 <span>GitHub Repo </span>

```

```

index.html X
index.html > ...
2 <html lang="en">
243 <body>
244 <header>
249 <div style="display: flex; gap: 16px; align-items: center;">
255 </a>
256 </div>
257 </header>
258
259 <div class="workspace">
260 <!-- Sidebar Navigation -->
261 <aside class="sidebar">
262 <div class="sidebar-header">Practice Exercises (12)</div>
263 <ul class="exercise-list" id="exerciseList">
264 <!-- Populated via JS -->
265 </ul>
266 </aside>
267
268 <!-- Preview Stage -->
269 <main class="stage">
270 <div class="stage-bar">
271 <div class="stage-info">
272 <span id="currentExHum" class="badge">EX 12</span>
273 <span id="currentExTitle" class="stage-title">Real-World Scenario – Infosys Portal</span>
274 </div>
275 <div>
276 <a id="openTabBtn" href="./Scenario.html" target="_blank" class="action-btn">
277 <span> Open Full Screen</span>
278 </a>
279 </div>
280 </div>
281
282 <div class="preview-container">
283 <iframe id="previewFrame" src="./Scenario.html" title="Exercise Live Preview"></iframe>
284 </div>
285 </main>
286 </div>
287
288 <script>
289 const exercises = [

```

```

index.html X
index.html > ...
2   <html lang="en">
243 <body>
288   <script>
289     const exercises = [
291       { num: "Exercise 2", title: "Headings & Paragraph Tags", file: "1b.html" },
292       { num: "Exercise 3", title: "All Six Heading Tags (h1-h6)", file: "1c.html" },
293       { num: "Exercise 4", title: "Line Break Address Format", file: "1d.html" },
294       { num: "Exercise 5", title: "Paragraph Line Break Flow", file: "1e.html" },
295       { num: "Exercise 6", title: "Text Formatting Tags", file: "1f.html" },
296       { num: "Exercise 7", title: "Cite Element & Image Tag", file: "1g.html" },
297       { num: "Exercise 8", title: "Quotations & Abbreviations", file: "1h.html" },
298       { num: "Exercise 9", title: "Inline CSS Background Colors", file: "1i.html" },
299       { num: "Exercise 10", title: "Inline CSS Color & Alignment", file: "1j.html" },
300       { num: "Exercise 11", title: "Inline CSS Custom Borders", file: "1j.html" },
301       { num: "Exercise 12", title: "Infosys Training Portal Scenario", file: "Scenario.html" }
302     ];
303
304     const listEl = document.getElementById("exerciseList");
305     const iframe = document.getElementById("previewFrame");
306     const titleEl = document.getElementById("currentExTitle");
307     const numEl = document.getElementById("currentExNum");
308     const openBtn = document.getElementById("openTabBtn");
309
310     exercises.forEach((ex, idx) => {
311       const li = document.createElement("li");
312       const btn = document.createElement("button");
313       btn.className = `exercise-btn ${idx === 11 ? "active" : ""}`;
314       btn.innerHTML = `
315         <span class="ex-num">${ex.num}</span>
316         <span class="ex-title">${ex.title}</span>
317         <span class="ex-file">${ex.file}</span>
318       `;
319       btn.onclick = () => loadExercise(ex, btn);
320       li.appendChild(btn);
321       listEl.appendChild(li);
322     });
323
324     function loadExercise(ex, btnEl) {
325       document.querySelectorAll(".exercise-btn").forEach(b => b.classList.remove("active"));


```

```

index.html X
index.html > ...
2   <html lang="en">
243 <body>
288   <script>
310     exercises.forEach((ex, idx) => {
311       btn.onclick = () => loadExercise(ex, btn);
312       li.appendChild(btn);
313       listEl.appendChild(li);
314     });
315
316     function loadExercise(ex, btnEl) {
317       document.querySelectorAll(".exercise-btn").forEach(b => b.classList.remove("active"));
318       btnEl.classList.add("active");
319       iframe.src = `./${ex.file}`;
320       titleEl.textContent = ex.title;
321       numEl.textContent = ex.num.toUpperCase();
322       openBtn.href = `./${ex.file}`;
323     }
324   </script>
325 </body>
326 </html>
327
328
329
330
331
332
333
334
335

```

Output



Result

The Infosys Employee Training Portal webpage was successfully created using HTML and inline CSS. The webpage correctly displays the company logo, training information, course list, navigation links, and footer with an attractive layout, meeting all the requirements specified in the experiment.