Notes of "The Limit of A Function"

Jinxin Wang

1 Definitions and Examples

Definition 1 (The Limit of a Function (Basic Type)). $(\epsilon - \delta)$

$$\forall \epsilon > 0, \exists \delta > 0, \forall x \in E(0 < |x - a| < \delta \Rightarrow |f(x) - A| < \epsilon) \tag{1}$$

Remark 1. Based on the definition, we can see that limits are a kind of local characteristic of a function. With that, when using the definition to prove the limit of a function at $x = x_0$, we can discuss it within a certain neighborhood $O(x_0, \delta_0)$.

Definition 2 (去心邻域). A deleted neighborhood of a point is a neighborhood of the point from which the point itself has been removed.

Definition 3 (函数极限的邻域定义).

$$\left(\lim_{E\ni x\to a} f(x) = A\right) := \forall U_{\mathbb{R}}(A) \exists \dot{U}_{E}(a) (f(\dot{U}_{E}(a)) \subset U_{\mathbb{R}}(A)) \tag{2}$$

Remark 2. If f is convergent at a, a must be a limit point of its domain E.

Example 1 (符号函数 sgn x).

Proposition 1 (Heine's Proposition).

Corollary 1 (Existence of the Limit of a Function by Limits of Sequences).

2 Properties of the Limit of a Function

Remark 3. In order to establish the properties of the limit of a function, we need only two properties of deleted neighborhoods of a limit point of a set:

- $\dot{U}_E(a) \neq \emptyset$
- $\bullet \ \forall \dot{U}_E^1(a)\dot{U}_E^2(a) \exists \dot{U}_E(a) (\dot{U}_E(a) \subset \dot{U}_E^1(a) \cap \dot{U}_E^2(a))$

This observation leads us to a general concept of a limit of a function and the possibility of using the theory of limits in the future not only for functions defined on sets of numbers.

2.1 General Properties

Definition 4 (局部常值函数).

Definition 5 (有界函数/局部有界函数,上有界函数/局部上有界函数,下有界函数/局部下有界函数).

Theorem 1. 1. (Ultimate Constant has the Limit) $(f : E \to \mathbb{R} \text{ is ultimately the constant } A \text{ as } E \ni x \to a) \Rightarrow \lim_{E\ni x\to a} f(x) = A$

- 2. (Ultimately Boundness of the Limit) $(\exists \lim_{E\ni x\to a} f(x)) \Rightarrow (f:E\to\mathbb{R} \text{ is ultimately bounded as } E\ni x\to a)$
- 3. (Uniqueness of the Limit) $(\lim_{E\ni x\to a} f(x) = A_1) \wedge (\lim_{E\ni x\to a} f(x) = A_2) \Rightarrow A_1 = A_2$

证明.

2.2 Properties Involving Arithmetic

Definition 6 (两个函数的和、积与商).

Theorem 2 (四则运算中的函数极限).

Definition 7 (无穷小函数).

Proposition 2 (无穷小函数的四则运算性质).

2.3 Properties Involving Inequalities

Theorem 3. • (局部保序性)

(夹逼性)

Corollary 2 (局部保号性).

Corollary 3 (极限值的不等关系).

Example 2 (研究 $\frac{\sin x}{x}$ 在 x = 0 处的极限).

$$\lim_{x \to 0} \frac{\sin x}{x} = 1 \tag{3}$$

Example 3 (定义指数函数、对数函数和幂函数).

3 The General Definition of the Limit of a Function

3.1 Definition and Examples of a Base

Definition 8. A set \mathcal{B} of subsets $B \subset X$ of a set X is called a base in X if the following conditions hold:

- $\forall B \in \mathcal{B} \ (B \neq \emptyset)$
- $\forall B_1, B_2 \in \mathcal{B} \exists B \in \mathcal{B} \ (B \subset B_1 \cap B_2)$

Some useful bases in analysis

$$x \to a \qquad \text{Deleted neighborhoods of } a \in \mathbb{R} \qquad \dot{U}(a) := \{x \in \mathbb{R} \mid a - \delta_1 < x < a + \delta_2 \land x \neq x \neq x \to \infty \qquad \text{Neighborhoods of infinity} \qquad U(\infty) := \{x \in \mathbb{R} \mid |x| > \delta, \delta \in E \ni x \to a \quad \text{Deleted neighborhoods of } a \in E \ (a \text{ is a limit point of } E)) \qquad \dot{U}_E(a) := E \cap \dot{U}(a)$$

$$E \ni x \to \infty \qquad \text{Neighborhoods of infinity} \in E \ (E \text{ is not bounded}) \qquad U_E(\infty) := E \cap U(\infty)$$

3.2 Limit over a Base

4 The Existence of the Limit of a Function

4.1 Cauchy's Criterion

Definition 9 (Oscillation).

Theorem 4 (Cauchy's Criterion on the Limit of a Function).

4.2 The Limit of a Composite Function

Theorem 5 (Theorem of the Limit of a Composite Function).

Example 4.

$$\lim_{x \to \infty} \left(1 + \frac{1}{x}\right)^x = e \tag{4}$$

4.3 The Limit of a Monotonic Function

Definition 10 (Monotonic Functions). A function $f: E \to \mathbb{R}$ defined on a set $E \subset \mathbb{R}$ is said to be

- increasing if $\forall x_1, x_2 \in E(x_1 < x_2 \Rightarrow f(x_1) < f(x_2))$
- nondecreasing if $\forall x_1, x_2 \in E(x_1 < x_2 \Rightarrow f(x_1) \leq f(x_2))$
- decreasing if $\forall x_1, x_2 \in E(x_1 < x_2 \Rightarrow f(x_1) > f(x_2))$
- nonincreasing if $\forall x_1, x_2 \in E(x_1 < x_2 \Rightarrow f(x_1) \ge f(x_2))$

Remark 4. Be mindful of that the monotonicity is defined on the complete domain of the definition, and thus the condition is $\forall x_1, x_2 \in E$ no matter what a set E is.

Theorem 6 (The Existence Criterion of the Limit of a Monotonic Function).

4.4 Comparison of the Limiting Behaviors of Functions

Proposition 3.

Remark 5. The above proposition can not be generalized to the limit of a sum of functions.

5 方法与技巧 4

5 方法与技巧

5.1 证明与研究函数极限

- 定义法
- 变量代换

Remark 6. 在研究函数极限时使用变量代换是否总是成立? 这个问题使用数学语言来描述如下: Suppose that $\lim_{x\to a} g(x) = A$, $\lim_{x\to A} f(x) = B$, is it true that

$$\lim_{x \to a} f(g(x)) = \lim_{y \to A} f(y)$$

Here are two propositions related to this problem:

Proposition 4. Suppose that $\lim_{x\to a} g(x) = A$, $\lim_{x\to A} f(x) = B$. If any of the following conditions is true:

- $\exists \delta_0 > 0 \text{ such that } \forall x \in O(a, \delta_0) \setminus \{a\}: g(x) \neq A.$
- $\lim_{x\to A} f(x) = f(A)$.
- $A = \infty$, and $\lim_{x \to \infty} f(x)$ is defined.

then the following is true:

$$\lim_{x \to a} f(g(x)) = \lim_{y \to A} f(y)$$

证明. Hint:

• Notice the difference between the conclusion of the definition of $\lim_{x\to a} g(x) = A$, and the condition of the definition of $\lim_{x\to A} f(x) = B$.

• Notice what change the fact of continuity brings to the definition of $\lim_{x\to A} f(x) = B$.

Proposition 5. If $\lim_{x\to a} g(x) = A$, $\lim_{x\to A} f(x) = B$, then exact one of the following situation is true:

- $\lim_{x\to a} f(g(x)) = B$
- $\lim_{x\to a} f(g(x)) = g(A)$
- $\lim_{x\to a} f(g(x))$ is not defined

证明. Hint: Using the first condition of the previous proposition to discuss different kinds of g(x).