





LI-COR Odyssey (fluorescence detection)

Exposition:
whole blot

Exposition:
selected region (expected protein)




e



Supplementary Figure. Whole membrane for Figure 2.




LI-COR Odyssey (fluorescence detection)

Exposition:
whole blot





Coculture: Jurkat cells + OVCAR8 cells.
72h incubation
Combo: Olaparib 600nM/CMP 400uM


Exposition:
selected region (expected protein)



Coculture: Jurkat cells + OVCA429 cells.
72h incubation
Combo: Olaparib 600nM/CMP 400uM
PMA: 100nM
Iono: 500nM
Jurkat cells were pretreated with PMA/iono 4h. Then they were added to the OVCAR3 cells.




Supplementary Figure. Whole membrane for Figure 6.



Supplementary Figure. Whole membrane for Supplementary Figure 4.


Exposition:
whole blot

Exposition:
selected region (expected protein)



Supplementary Figure. Whole membrane for Supplementary Figure 5.


Exposition:
selected region (expected protein)




LI-COR Odyssey (fluorescence detection)

Exposition:
whole blot

Exposition:
selected region (expected protein)



Supplementary Figure. Whole membrane for Supplementary Figure 7.




Supplementary Figure. Whole membrane for Supplementary Figure 8.

LI-COR Odyssey (fluorescence detection)

Exposition:
whole blot

Exposition:
selected region (expected protein)



Supplementary Figure. Whole membrane for Supplementary Figure 9.

Supplementary Figure. Whole membrane for Supplementary Figure 10.