







## Project One

### Website Files

**Buckets (1)** [Info](#)

Buckets are containers for data stored in S3. [Learn more](#)

  Copy ARN  Empty  Delete  Create bucket









< 1 > 


	Name ▲	AWS Region ▼	Access ▼	Creation date ▼
<input type="radio"/>	<a href="#">my-524754169520-bucket</a>	US East (N. Virginia) us-east-1	Objects can be public	May 20, 2022, 12:08:57 (UTC+01:00)


Description: The Above Shows S3Bucket Created





**Objects (4)**

Objects are the fundamental entities stored in Amazon S3. You can use [Amazon S3 inventory](#) to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. [Learn more](#)

  Copy S3 URI  Copy URL  Download  Open  Delete  Actions ▼  Create folder

 Upload

< 1 > 

<input type="checkbox"/>	Name ▲	Type ▼	Last modified ▼	Size ▼	Storage class ▼
<input type="checkbox"/>	 <a href="#">css/</a>	Folder	-	-	-
<input type="checkbox"/>	 <a href="#">img/</a>	Folder	-	-	-
<input type="checkbox"/>	 <a href="#">index.html</a>	html	May 20, 2022, 13:14:09 (UTC+01:00)	6.1 KB	Standard
<input type="checkbox"/>	 <a href="#">vendor/</a>	Folder	-	-	-

Description: The Above Shows Files Successfully Uploaded To S3 Bucket

## Edit static website hosting [Info](#)

### Static website hosting

Use this bucket to host a website or redirect requests. [Learn more](#) [↗](#)

#### Static website hosting

- ☐ Disable
- ☒ Enable

#### Hosting type

- ☒ Host a static website  
Use the bucket endpoint as the web address. [Learn more](#) [↗](#)
- ☐ Redirect requests for an object  
Redirect requests to another bucket or domain. [Learn more](#) [↗](#)

Description: The Above Shows S3 Configured To Support Static Website Hosting

### Policy

```
1 {
2   "Version": "2012-10-17",
3   "Statement": [
4     {
5       "Sid": "AddPerm",
6       "Effect": "Allow",
7       "Principal": "*",
8       "Action": ["s3:GetObject"],
9       "Resource": ["arn:aws:s3:::my-524754169520-bucket/*"]
10    }
11  ]
12 }
13
```

[Cancel](#) [Save changes](#)

Description: The Above Shows S3 Bucket Policy Configuration

## Website Distribution

[CloudFront](#) > [Distributions](#) > create

### Create distribution

#### Origin

**Origin domain**  
Choose an AWS origin, or enter your origin's domain name.

**Origin path - optional** [Info](#)  
Enter a URL path to append to the origin domain name for origin requests.

**Name**  
Enter a name for this origin.

Add custom header - optional

[CloudFront](#) > [Distributions](#)


**Distributions (1)** [Info](#)

< 1 >

<input type="checkbox"/>	ID	Descrip...	Domain name	Alterna...	Origins	Status
<input type="checkbox"/>	E3I8GG26HRBJ9H	-	d1lthee1byc2.cloudfro...	-	my-524754169	✔ Enabled

Description: The Above Shows CloudFront Distribution Configured.

## Web Browser Access



Description: The Above Shows The Site being Accessed In The Browser Via The CloudFront Endpoint