

AWS GENERATIVE AI PROFESSIONAL

12. VSMS - Offline Screening and Safe Review

Detailed tutorial with metaphor, worked architecture case, design-first contract, failure laboratory, and certification practice

BUSINESS INVARIANT

Every station result is recorded exactly once with its rule version; AI cannot alter readings, diagnose, or approve referral.

Certification alignment: Cross-domain Applied Case Study

Tutorial promise: You will move from concept to an architecture decision, then prove the decision through contracts, tests, operational evidence, and scenario questions.

1. Learning Map and Mental Model

The Visual Screening Management System coordinates configurable screening stations during intermittent connectivity. Results are recorded locally, synchronized idempotently, validated against schemas, and evaluated with versioned deterministic rules. AI may summarize recorded evidence but cannot diagnose or issue an unapproved referral.

PLAIN ENGLISH

Each station is a careful checkpoint in a relay race. If the Wi-Fi takes a tea break, the baton stays safely with the runner until the next handover succeeds.

MEMORY HOOK

The network may be offline; the audit trail does not get permission to become imaginary.

Learning outcomes

- Explain the topic to a nontechnical stakeholder without losing the control boundary.
- Identify the accountable actor, protected business truth, and prohibited AI action.
- Select AWS capabilities from requirements instead of starting with a service list.
- Design the normal workflow and the safe-failure workflow.
- Specify measurable evidence that can accept or reject the solution.

Core vocabulary

Term	Meaning in this tutorial
Business outcome	The measurable value the organization expects.
Invariant	Every station result is recorded exactly once with its rule version; AI cannot alter readings, diagnose, or approve referral.
Probabilistic component	A model output that may vary even when the request appears similar.
Deterministic boundary	Code, policy, schema, or approval that produces a repeatable enforceable decision.
Evidence contract	P95 API latency, zero duplicates, golden-rule regression, sync recovery, and zero unapproved referrals.

2. Step-by-Step Architecture Tutorial

Begin with intent, then introduce technology only when a requirement needs a capability.

1	Frame the business problem Registration creates a participant code. Screeners capture visual acuity, colour vision, refraction, and eye-health observations in an offline PWA. After sync, a rule engine derives GREEN, AMBER, or RED with matched rule ID. A reviewer confirms follow-up or referral.
2	Freeze the invariant Every station result is recorded exactly once with its rule version; AI cannot alter readings, diagnose, or approve referral.
3	Define authority The accountable human or deterministic service owns the final business state. The AI assists only within this rule: Use versioned rules for flags, AI for cited summaries, and qualified reviewers for referrals.
4	Design the interface contract Specify identity, required fields, schemas, idempotency, accepted and rejected responses, status transitions, and audit identifiers before implementation.
5	Separate fast intake from variable work Choose synchronous processing only for bounded validation and durable acceptance. Use asynchronous coordination when latency, bursts, or retries vary. Candidate services: Cognito, offline PWA, IndexedDB, API Gateway, Lambda, DynamoDB or PostgreSQL, EventBridge, SQS, Bedrock
6	Add deterministic gates Validate authorization, schema, policy, calculations, citations, safety, and allowed state transitions outside the model.
7	Define safe failure Keep results locally, retry with the same key, flag rule mismatches, and surface incomplete evidence to the reviewer.
8	Accept with evidence P95 API latency, zero duplicates, golden-rule regression, sync recovery, and zero unapproved referrals.

3. Worked Case Study

CASE CONTEXT

Registration creates a participant code. Screeners capture visual acuity, colour vision, refraction, and eye-health observations in an offline PWA. After sync, a rule engine derives GREEN, AMBER, or RED with matched rule ID. A reviewer confirms follow-up or referral.

Architecture reasoning

Question	Professional decision
What is business truth?	Every station result is recorded exactly once with its rule version; AI cannot alter readings, diagnose, or approve referral.
Where does AI add value?	Use versioned rules for flags, AI for cited summaries, and qualified reviewers for referrals.
What must AI never own?	Authorization, identity, official calculations, irreversible state changes, and final release authority unless the contract explicitly assigns and proves them.
How does the system fail?	Keep results locally, retry with the same key, flag rule mismatches, and surface incomplete evidence to the reviewer.
What proves readiness?	P95 API latency, zero duplicates, golden-rule regression, sync recovery, and zero unapproved referrals.

End-to-end walkthrough

- The actor authenticates and submits a schema-valid request with a correlation identifier and idempotency key.
- The API enforces authorization and business preconditions before recording durable acceptance.
- The workflow obtains only authorized, versioned context and calls the selected model within latency, token, and safety budgets.
- Deterministic controls verify structure, grounding, calculations, permissions, and allowed state transition.
- The system records PASS, REVIEW, RETRY, or REJECT with evidence and exposes the status to the actor.
- An accountable owner reviews exceptions; monitoring detects threshold breaches and can stop or roll back the release.

4. Design-First Contract and Test Plan

Plain-English contract

WHEN	An authenticated, authorized actor submits a request that satisfies the published input contract.
THE SYSTEM PROMISES	Use versioned rules for flags, AI for cited summaries, and qualified reviewers for referrals.
THE SYSTEM REFUSES	Every station result is recorded exactly once with its rule version; AI cannot alter readings, diagnose, or approve referral.
IF SOMETHING FAILS	Keep results locally, retry with the same key, flag rule mismatches, and surface incomplete evidence to the reviewer.

Acceptance tests

Test	Injection or stimulus	Pass condition
Contract validation	Remove a required field or change its type.	Rejected before model invocation or side effect; reason is traceable.
Authorization	Use another role or tenant identity.	Access denied; no protected context is retrieved or disclosed.
Idempotency	Replay the same request or event.	One logical business result; replay returns the known state.
AI quality	Return schema-invalid, unsupported, or unsafe output.	Deterministic gate blocks release and routes RETRY, REVIEW, or REJECT.
Dependency failure	Throttle or time out an AWS or model dependency.	Keep results locally, retry with the same key, flag rule mismatches, and surface incomplete evidence to the reviewer.
Evidence	P95 API latency, zero duplicates, golden-rule regression, sync recovery, and zero unapproved referrals.	Every threshold is observable, attributable, and linked to a release.

5. Operations, Evidence, and Well-Architected Review

Pillar	Questions to ask
Operational excellence	Can operators trace a request, reproduce the decision, run the failure playbook, and roll back?
Security	Is identity enforced before retrieval and tool use? Are secrets, data, and logs protected?
Reliability	Are retries bounded and idempotent? Does every accepted item reach a terminal state?
Performance efficiency	Which latency component dominates? Is the selected model and retrieval pattern appropriate?
Cost optimization	Is cost measured per accepted outcome? Are tokens, caching, batching, and capacity governed?
Sustainability	Is the smallest capable model used? Does the design scale to zero or process efficiently when idle?

Evidence dashboard

Layer	Measure	Why it matters
Business	Outcome KPI and protected invariant	Proves the system creates value without violating business truth.
Application	Acceptance latency, error rate, terminal-state completion	Separates user experience from downstream AI processing.
AI quality	Grounding, factuality, safety, variance	Measures probabilistic quality directly.
Security	Denied access, leakage tests, suspicious prompts	Shows the authority boundary remains intact.
Operations	Queue age, retries, DLQ, alarm response, rollback time	Shows safe recovery rather than silent failure.
Economics	Cost per accepted outcome and model utilization	Prevents cheap tokens from masking expensive failed work.

6. Certification-Style Knowledge Check

Choose the best architectural response. Answers are on the next page.

1. Which design choice BEST protects the business requirement in this tutorial?

- A. Allow the model to make the final decision when it sounds confident.
- B. Use versioned rules for flags, AI for cited summaries, and qualified reviewers for referrals.
- C. Optimize speed first and add authority controls after launch.
- D. Share cached answers across users without authorization.

2. The AI dependency times out after the business request is accepted. What should the system do?

- A. Delete the request and ask the user to retry from memory.
- B. Mark the workflow successful without processing.
- C. Repeat every side effect without an idempotency key.
- D. Keep results locally, retry with the same key, flag rule mismatches, and surface incomplete evidence to the reviewer.

3. Which evidence package MOST strongly demonstrates production readiness?

- A. One successful demonstration.
- B. P95 API latency, zero duplicates, golden-rule regression, sync recovery, and zero unapproved referrals.
- C. A fluent response screenshot.
- D. A claim that the largest model should be reliable.

4. A generated response contains an unsupported but plausible claim. What is the BEST action?

- A. Publish it because users probably will not notice.
- B. Raise the temperature and regenerate creatively.
- C. Block the business side effect and route the result through the defined review or failure path.
- D. Remove the citation requirement.

5. What is the correct interpretation of these services: Cognito, offline PWA, IndexedDB, API Gateway, Lambda, DynamoDB or PostgreSQL, EventBridge, SQS, Bedrock?

- A. Managed services remove the need for business ownership.
- B. The model should dynamically grant its own IAM permissions.
- C. They implement capabilities, while contracts, deterministic controls, tests, and accountable owners establish trust.
- D. Their use guarantees zero hallucinations.

7. Answers, Explanations, and Teaching Prompts

1. Correct answer: B

The architecture should use versioned rules for flags, AI for cited summaries, and qualified reviewers for referrals. This directly protects the invariant: Every station result is recorded exactly once with its rule version; AI cannot alter readings, diagnose, or approve referral.

Key knowledge: Business authority and invariant

Teaching prompt: Ask which business fact, authority, or evidence would be lost if the selected control were removed.

2. Correct answer: D

The documented safe-failure response is: Keep results locally, retry with the same key, flag rule mismatches, and surface incomplete evidence to the reviewer. Accepted state must not disappear because a probabilistic dependency is unavailable.

Key knowledge: Safe failure and durable state

Teaching prompt: Ask which business fact, authority, or evidence would be lost if the selected control were removed.

3. Correct answer: B

The required evidence is measurable and repeatable: P95 API latency, zero duplicates, golden-rule regression, sync recovery, and zero unapproved referrals.

Key knowledge: Measurable evidence

Teaching prompt: Ask which business fact, authority, or evidence would be lost if the selected control were removed.

4. Correct answer: C

Unsupported output is a controlled failure. Grounding and deterministic validation must prevent it from becoming business truth.

Key knowledge: Grounding and deterministic validation

Teaching prompt: Ask which business fact, authority, or evidence would be lost if the selected control were removed.

5. Correct answer: C

AWS services provide capabilities, scaling, and operational mechanisms. The business contract still defines authority, safe failure, and measurable acceptance.

Key knowledge: Managed services within a governed architecture

Teaching prompt: Ask which business fact, authority, or evidence would be lost if the selected control were removed.

Final recap

- Business invariant: Every station result is recorded exactly once with its rule version; AI cannot alter readings, diagnose, or approve referral.
- Architecture decision: Use versioned rules for flags, AI for cited summaries, and qualified reviewers for referrals.
- Safe failure: Keep results locally, retry with the same key, flag rule mismatches, and surface incomplete evidence to the reviewer.
- Acceptance evidence: P95 API latency, zero duplicates, golden-rule regression, sync recovery, and zero unapproved referrals.

EXAM TIP

Prefer the option that satisfies the explicit requirement, preserves authority, fails safely, minimizes unnecessary operational burden, and can be proven with measurable evidence.

Original teaching material. Verify current AWS service documentation and the current certification exam guide before production or examination decisions.