

Dead Code & Cleanup Plan — FixIt Pro Landing Page

Generated: 14 May 2026 | Project: PhoneRepairLanding | ESLint result:  0 errors, 0 warnings

Executive Summary

The codebase is already in **very good shape** after the P1 refactor. ESLint reports zero issues. There is no dead JavaScript (no unused imports, no unreachable functions, no orphaned vars). The cleanup opportunities that do exist are in **CSS** — a handful of unused or redundant selectors — and in **documentation files** that were left over from earlier analysis rounds.

Risk level of all items below: LOW. Every change is purely cosmetic or structural; none affects runtime behavior.

1 — JavaScript (`script.js`) — Clean

ESLint (`no-unused-vars` , recommended ruleset) reports **zero findings**.

Every function defined is called exactly once from the `DOMContentLoaded` bootstrap:

Function	Called from	Status
<code>setCurrentYear</code>	<code>DOMContentLoaded</code>	 Used
<code>initNavbarScroll</code>	<code>DOMContentLoaded</code>	 Used
<code>initMobileMenu</code>	<code>DOMContentLoaded</code>	 Used
<code>initRevealAnimations</code>	<code>DOMContentLoaded</code>	 Used
<code>initFaqAccordion</code>	<code>DOMContentLoaded</code>	 Used
<code>initBackToTop</code>	<code>DOMContentLoaded</code>	 Used
<code>initSmoothScroll</code>	<code>DOMContentLoaded</code>	 Used
<code>initContactForm</code>	<code>DOMContentLoaded</code>	 Used
<code>createValidationRules</code>	<code>initContactForm</code>	 Used
<code>validateField</code>	<code>initContactForm</code>	 Used
<code>setSubmitLoadingState</code>	<code>initContactForm</code>	 Used

No orphaned helpers, no commented-out code blocks, no stale `console.log` calls.

Verdict: nothing to remove.

2 — CSS — 4 Items Found

2a. Redundant `@media (width <= 480px)` block — LOW VALUE

File: `responsive.css` , lines 62–68

Current code:

```
@media (width <= 480px) {  
  .services__grid,  
  .why-us__grid,  
  .pricing__grid,  
  .testimonials__grid {  
    grid-template-columns: 1fr;  
  }  
}
```

Why it's redundant: All four grids already use `repeat(auto-fit, minmax(280px-300px, 1fr))` . On a 480 px viewport, `auto-fit` collapses to a single column automatically — no explicit override is needed. This block does nothing that the grid definition doesn't already do.

Before → After:

Before (responsive.css bottom):

```
@media (width <= 480px) {  
  .services__grid,  
  .why-us__grid,  
  .pricing__grid,  
  .testimonials__grid {  
    grid-template-columns: 1fr;  
  }  
}
```

After: (block deleted — 8 lines removed)

Safety: Zero visual change. Can be verified by resizing browser to 375 px before and after.

2b. Unused CSS variable `--color-dark-4` — LOW

File: `base.css` , line 11

```
--color-dark-4: #333;
```

This token is defined in `:root` but is **never referenced** anywhere across `base.css` , `layout.css` , `sections.css` , `components.css` , or `responsive.css` .

Before → After:

Before:

```
--color-dark-3: #252525;  
--color-dark-4: #333;
```

```
--color-light: #F8F8F8;
```

After:

```
--color-dark-3: #252525;  
--color-light: #F8F8F8;
```

Safety: Zero visual change. Grep confirms `--color-dark-4` has 0 usages outside its declaration.

2c. Unused CSS variable `--color-light` — LOW

File: `base.css`, line 12

```
--color-light: #F8F8F8;
```

Defined in `:root` but **never referenced** in any stylesheet rule. The project uses `--color-white` (`#FFF`) and `--color-text` (`#E0E0E0`) for light surfaces instead.

Before → After:

Before:

```
--color-dark-4: #333;  
--color-light: #F8F8F8;  
--color-white: #FFF;
```

After (with 2b applied):

```
--color-white: #FFF;
```

Safety: Zero visual change. Grep confirms `--color-light` has 0 usages outside its declaration.

2d. Dead `--shadow-glow` variable — LOW

File: `base.css`, line 24

```
--shadow-glow: 0 0 40px rgba(255, 107, 53, 0.15);
```

Defined in `:root` but **never applied** anywhere. `--shadow-card` is used (on `.service-card:hover`), but `--shadow-glow` was likely left over from an earlier design iteration.

Before → After:

Before:

```
--shadow-card: 0 4px 24px rgba(0, 0, 0, 0.3);  
--shadow-glow: 0 0 40px rgba(255, 107, 53, 0.15);  
--transition: all 0.25s ease;
```

After:

```
--shadow-card: 0 4px 24px rgba(0, 0, 0, 0.3);
--transition: all 0.25s ease;
```

Safety: Zero visual change. Grep confirms `--shadow-glow` has 0 usages outside its declaration.

3 — HTML (index.html) — Clean

Every element ID referenced in `script.js` exists in the HTML:

JS reference	HTML element	Status
#navbar	<header id="navbar">	
#navLinks	<nav id="navLinks">	
#hamburger	<button id="hamburger">	
#backToTop	<button id="backToTop">	
#currentYear		
#contactForm	<form id="contactForm">	
#submitBtn	<button id="submitBtn">	
#formSuccess	<div id="formSuccess">	
#formFail	<div id="formFail">	
#name, #phone, #device, #service	All present	
#nameError, #phoneError, #deviceError, #serviceError	All present	

All CSS classes applied in JS (`.scrolled` , `.open` , `.visible` , `.active` , `.error`) have corresponding rules in the stylesheets.

Verdict: nothing to remove.

4 — Stale Documentation Files

These files exist in the project root from earlier analysis/planning rounds and serve no runtime purpose:

File	Status	Action
codebase-analysis-progress.md	Progress tracker from analysis session	Safe to delete
landing-page-progress.md	Old build progress notes	Safe to delete
CODEBASE_ANALYSIS.md	Pre-refactor analysis (now superseded)	Safe to archive/delete

Recommendation: Move these to a `/docs/archive/` folder rather than deleting outright, in case you want the history.

5 — Cleanup Summary

#	File	Change	Lines Removed	Risk
2a	responsive.css	Delete redundant 480px grid override	8	● None
2b	base.css	Delete --color-dark-4 token	1	● None
2c	base.css	Delete --color-light token	1	● None
2d	base.css	Delete --shadow-glow token	1	● None
4	Root dir	Archive 3 stale .md files	~200 lines	● None

Total runtime code removed: 11 lines Total stale docs archived: ~200 lines JavaScript: zero changes needed HTML: zero changes needed

6 — How to Apply

Apply in this order (each step is independently safe to skip):

Step 1 — Remove dead CSS tokens (base.css)

Open `base.css` and delete these 3 lines from the `:root` block:

```
--color-dark-4: #333;  
--color-light: #F8F8F8;  
--shadow-glow: 0 0 40px rgba(255, 107, 53, 0.15);
```

Step 2 — Remove redundant media query (responsive.css)

Open `responsive.css` and delete the entire `@media (width <= 480px)` block at the bottom (lines 62–70).

Step 3 — Archive stale docs

```
mkdir docs\archive  
move codebase-analysis-progress.md docs\archive\  
move landing-page-progress.md docs\archive\  
move CODEBASE_ANALYSIS.md docs\archive\
```

Step 4 — Verify

Run the smoke tests to confirm nothing broke:

```
npm run check
```

All tests should still pass (they were passing before — these changes touch no runtime behavior).

7 — What NOT to Touch

A few things might look like candidates but should be left alone:

- `--color-accent: #00D4FF` — used in `.hero__badge` , `.why-card:hover` , `.gradient-text` , `.testimonial-card__avatar` . Keep it.
- `--radius-xl: 32px` — used on `.contact-form` . Keep it.
- `@media (width <= 480px)` **media query itself** — only the grid override block inside it is redundant. The media query format (`width <=`) is intentional modern syntax.
- `btn-spinner` **hidden attribute logic** — looks unusual but is correctly paired with `btn-text` in `setSubmitLoadingState` . Keep it.
- **Netlify form attributes** (`data-netlify` , `netlify-honeypot` , `hidden` `bot-field`) — these are required for Netlify Forms to work. Not dead code.

✅ **Bottom line:** This is a clean, well-structured codebase. The P1 refactor already solved the biggest debt. The 4 CSS items above are minor polish. No functional behavior needs to change.