

Quiz 3

Deadline	N/A
Latest Submission	Friday, 23 August 2019 at 9:51AM
Raw Mark	5.00/5.00 (100.00%)
Late Penalty	N/A
Final Mark	5.00/5.00 (100.00%)

Question 1 (1 mark)

Which one of the following is not a code smell?

(a) <input checked="" type="radio"/>	Classes that not only passively store data, but also methods to operate on the data
(b) <input type="radio"/>	Large conditional logic blocks
(c) <input type="radio"/>	Methods making extensive use of another class

✓ Your response was correct.

Mark: 1.00

Question 2 (1 mark)

A class that isn't doing enough work to justify its maintenance is an example of code smell

(a) <input type="radio"/>	Data Class
(b) <input type="radio"/>	Inappropriate intimacy
(c) <input type="radio"/>	Data Clumps
(d) <input checked="" type="radio"/>	Lazy class

✓ Your response was correct.

Mark: 1.00

Question 3 (1 mark)

When code has sets of variables usually passed together in multiple places, this is an example of the code smell

(a) <input type="radio"/>	Duplicated code
(b) <input type="radio"/>	Inappropriate intimacy
(c) <input checked="" type="radio"/>	Data Clumps
(d) <input type="radio"/>	Lazy class

✓ Your response was correct.

Mark: 1.00

Question 4 (1 mark)

Which of the following statements about design pattern is NOT true?

(a) <input type="radio"/>	The collections.sort() method is a good example of the strategy Pattern
(b) <input checked="" type="radio"/>	The Java IO makes use of the composite pattern
(c) <input type="radio"/>	The Java collection framework makes use of the Iterator Pattern

✓ Your response was correct.

Mark: 1.00

Question 5 (1 mark)

An online camping store, sells different kinds of camping equipment. Items selected by the customer are added to a shopping cart. When a user clicks on the checkout Button, the application is required to calculate the total amount to be paid. The calculation logic for each item type varies, and we want to move all the calculation logic to one separate class, to decouple the different items from the calculation logic applied on them. As the application iterates through the disparate set of items of the shopping cart, we apply the price computation logic in the class to each item type. Which of the following patterns would be useful to design this scenario?

(a) <input type="radio"/>	Strategy Pattern
(b) <input type="radio"/>	Decorator Pattern
(c) <input type="radio"/>	Iterator Pattern
(d) <input checked="" type="radio"/>	Visitor Pattern

✓ Your response was correct.

Mark: 1.00

✓ Submit