

Test number → #1

F-1/HP-IB 35665 Adrs: 11
Print Adrs: 4


Plot Adrs: 5
Disk Adrs: 5

Config: 2

↳ Accelerometer @ Center

Date: 10-45-91 Time: 27:02:00 AM

A: Freq Resp X: 4.888 kHz Y: 26.6439



↳ male on bottom
↳ w/ Tabs

Initial Tests

Start: 1 kHz
Stop: 7.4 kHz
10-45-91 Time: 27:07:00 AM


Resoltn: 400 lines

• Config 2
#2

↳ Accelerometer @ Center

↳ male on bottom

↳ w/ Tabs




#3

Strt: 1 kHz
Stop: 7.4 kHz
10-45-91 Time: 27:13:00 AM

Resoltn: 400 lines

Config 1
↳ Accelerometer @
Center



↳ make on bottom


↳ w/ tabs

Valid
2 attempts

strt: 1 kHz
Stop: 7.4 kHz
0-45-91 Time: 27:26:00 AM

Resoltn: 400 lines

- Config 1
↳ upside down
(female on bottom)



- ↳ accelerometer
@ center

- ↳ w/ TABS

strt: 1 kHz
stop: 7.4 kHz
0-45-91 Time: 27:28:00 AM


Resoltn: 400 lines

• Config 2


↳ upside down
(female on bottom)

↳ accelerometer
@ center

↳ w/ tabs



Freq Strt: 1 kHz Resoltn: 400 lines
[FFT] Stop: 7.4 kHz
Date: 10-45-91 Time: 27:52:00 AM



Config 2
↳ male on bottom
↳ no spacers


was
→ Test to see if results
consistent ~~with~~ with k without tabs

#1

eq
[FFT]
Date: 10-45-91 Time: 27:49:00 AM

Resoltn: 400 lines

Config 2
• male/tabs down
No spacer



↳ male on bottom
↳ no spacers

→ Test was to see if results
consistent with & without tabs

Freq
[FFT]

Strt: 0 Hz
Stop: 6.4 kHz

Resoltn: 400 lines


Date: 10-45-91 Time: 09:13:00 PM

A: Freq Resp

X: 256

Hz

Y: 54.7428



Config 2

↳ Accel @ edge
between Tabs

↳ hammer strike
on tab