


gradient-compression: 589,824 candidates; batch=1; input 773ccccc25; split degree=8


gradient-compression-small — AIR median / backend median; >1 is faster

Bars: backend IQR; AIR median fixed

Full operator



Isolated selection




- bits (degree=1, block=128, items=4)
- bits (degree=1, block=128, items=7)
- bits (degree=1, block=128, items=8)
- bits (degree=1, block=128, items=13)
- bits (degree=1, block=128, items=16)
- bits (degree=1, block=256, items=4)
- bits (degree=1, block=256, items=7)
- bits (degree=1, block=256, items=8)
- bits (degree=1, block=256, items=13)
- bits (degree=1, block=256, items=16)
- bits (degree=1, block=512, items=4)
- bits (degree=1, block=512, items=7)
- bits (degree=1, block=512, items=8)
- bits (degree=1, block=512, items=13)
- bits (degree=1, block=512, items=16)
- bits (split) (degree=8, block=128, items=4)
- bits (split) (degree=8, block=128, items=7)
- bits (split) (degree=8, block=128, items=8)
- bits (split) (degree=8, block=128, items=13)
- bits (split) (degree=8, block=128, items=16)
- bits (split) (degree=8, block=256, items=4)
- bits (split) (degree=8, block=256, items=7)
- bits (split) (degree=8, block=256, items=8)
- bits (split) (degree=8, block=256, items=13)
- bits (split) (degree=8, block=256, items=16)
- bits (split) (degree=8, block=512, items=4)
- bits (split) (degree=8, block=512, items=7)
- bits (split) (degree=8, block=512, items=8)
- bits (split) (degree=8, block=512, items=13)
- bits (split) (degree=8, block=512, items=16)
- AIR Top-K (degree=1, block=512, items=0)
- GridSelect (degree=1, block=0, items=0)
- BlockSelect (degree=1, block=128, items=2)
- BlockSelect (degree=1, block=128, items=3)
- BlockSelect (degree=1, block=128, items=4)
- BlockSelect (degree=1, block=128, items=8)

gradient-compression: 589,824 candidates; batch=1; input 773ccccc25; split degree=32


gradient-compression-small — AIR median / backend median; >1 is faster

Bars: backend IQR; AIR median fixed

Full operator



Isolated selection




- bits (degree=1, block=128, items=4)
- bits (degree=1, block=128, items=7)
- bits (degree=1, block=128, items=8)
- bits (degree=1, block=128, items=13)
- bits (degree=1, block=128, items=16)
- bits (degree=1, block=256, items=4)
- bits (degree=1, block=256, items=7)
- bits (degree=1, block=256, items=8)
- bits (degree=1, block=256, items=13)
- bits (degree=1, block=256, items=16)
- bits (degree=1, block=512, items=4)
- bits (degree=1, block=512, items=7)
- bits (degree=1, block=512, items=8)
- bits (degree=1, block=512, items=13)
- bits (degree=1, block=512, items=16)
- bits (split) (degree=32, block=128, items=4)
- bits (split) (degree=32, block=128, items=7)
- bits (split) (degree=32, block=128, items=8)
- bits (split) (degree=32, block=256, items=4)
- bits (split) (degree=32, block=256, items=7)
- bits (split) (degree=32, block=256, items=8)
- bits (split) (degree=32, block=256, items=13)
- bits (split) (degree=32, block=256, items=16)
- bits (split) (degree=32, block=512, items=4)
- bits (split) (degree=32, block=512, items=7)
- bits (split) (degree=32, block=512, items=8)
- bits (split) (degree=32, block=512, items=13)
- bits (split) (degree=32, block=512, items=16)
- AIR Top-K (degree=1, block=512, items=0)
- GridSelect (degree=1, block=0, items=0)
- BlockSelect (degree=1, block=128, items=2)
- BlockSelect (degree=1, block=128, items=3)
- BlockSelect (degree=1, block=128, items=4)
- BlockSelect (degree=1, block=128, items=8)

gradient-compression: 589,824 candidates; batch=1; input 773cccc25; split degree=128


gradient-compression-small — AIR median / backend median; >1 is faster

Bars: backend IQR; AIR median fixed

Full operator



Isolated selection




- bits (degree=1, block=128, items=4)
- bits (degree=1, block=128, items=7)
- bits (degree=1, block=128, items=8)
- bits (degree=1, block=128, items=13)
- bits (degree=1, block=128, items=16)
- bits (degree=1, block=256, items=4)
- bits (degree=1, block=256, items=7)
- bits (degree=1, block=256, items=8)
- bits (degree=1, block=256, items=13)
- bits (degree=1, block=256, items=16)
- bits (degree=1, block=512, items=4)
- bits (degree=1, block=512, items=7)
- bits (degree=1, block=512, items=8)
- bits (degree=1, block=512, items=13)
- bits (degree=1, block=512, items=16)
- bits (split) (degree=128, block=128, items=4)
- bits (split) (degree=128, block=128, items=7)
- bits (split) (degree=128, block=128, items=8)
- bits (split) (degree=128, block=128, items=13)
- bits (split) (degree=128, block=128, items=16)
- bits (split) (degree=128, block=256, items=4)
- bits (split) (degree=128, block=256, items=7)
- bits (split) (degree=128, block=256, items=8)
- bits (split) (degree=128, block=256, items=13)
- bits (split) (degree=128, block=256, items=16)
- bits (split) (degree=128, block=512, items=4)
- bits (split) (degree=128, block=512, items=7)
- bits (split) (degree=128, block=512, items=8)
- bits (split) (degree=128, block=512, items=13)
- bits (split) (degree=128, block=512, items=16)
- AIR Top-K (degree=1, block=512, items=0)
- GridSelect (degree=1, block=0, items=0)
- BlockSelect (degree=1, block=128, items=2)
- BlockSelect (degree=1, block=128, items=3)
- BlockSelect (degree=1, block=128, items=4)
- BlockSelect (degree=1, block=128, items=8)

gradient-compression: 589,824 candidates; batch=1; input 773cccc25; split degree=512


gradient-compression-small — AIR median / backend median; >1 is faster

Bars: backend IQR; AIR median fixed

Full operator



Isolated selection



- bits (degree=1, block=128, items=4)
- bits (degree=1, block=128, items=7)
- bits (degree=1, block=128, items=8)
- bits (degree=1, block=128, items=13)
- bits (degree=1, block=128, items=16)
- bits (degree=1, block=256, items=4)
- bits (degree=1, block=256, items=7)
- bits (degree=1, block=256, items=8)
- bits (degree=1, block=256, items=13)
- bits (degree=1, block=256, items=16)
- bits (degree=1, block=512, items=4)
- bits (degree=1, block=512, items=7)
- bits (degree=1, block=512, items=8)
- bits (degree=1, block=512, items=13)
- bits (degree=1, block=512, items=16)
- bits (split) (degree=512, block=128, items=4)
- bits (split) (degree=512, block=128, items=7)
- bits (split) (degree=512, block=128, items=8)
- bits (split) (degree=512, block=256, items=4)
- bits (split) (degree=512, block=256, items=7)
- bits (split) (degree=512, block=256, items=8)
- bits (split) (degree=512, block=256, items=13)
- bits (split) (degree=512, block=256, items=16)
- bits (split) (degree=512, block=512, items=4)
- bits (split) (degree=512, block=512, items=7)
- bits (split) (degree=512, block=512, items=8)
- bits (split) (degree=512, block=512, items=13)
- bits (split) (degree=512, block=512, items=16)
- AIR Top-K (degree=1, block=512, items=0)
- GridSelect (degree=1, block=0, items=0)
- BlockSelect (degree=1, block=128, items=2)
- BlockSelect (degree=1, block=128, items=3)
- BlockSelect (degree=1, block=128, items=4)
- BlockSelect (degree=1, block=128, items=8)