One immutable source session, one checked execution plan

Architecture comparison only · original numerical order, proof requirements and fallback semantics remain required

BEFORE THIS SLICE

Parser syntax already sealed
Semantic namespaces and registries remain mutable

Repeated source authentication
Recheck files, scopes, bindings, kinds and namespace state during queries

Separate execution handoffs
Discovery, placement and emission consume mutable owner inventories

Coupled authority and work state
Copies and speculative work must preserve original proof identities

AFTER THIS SLICE

Authenticate inputs and parse their captured text
Original / configured source + dependencies · uncaptured external INCLUDE blocks session sealing

Immutable source session
Original syntax, scopes, bindings, kinds, type schemas and registries
Queries authenticate exact owned identities; private projections stay distinct

Checked ordered execution plan
Operations, guards, mappings and definitions stay in admitted order
execution_identity: complete-window calibration · identity: local proof tokens

Placement
Price this exact interval

Emission
Emit the admitted order

Diagnostics
Describe the same plan

Publication: recheck live files, configuration and registered proofs

Mutable services remain separate
Proof caches, generation builders, transactions and emission results
Copies detach work state and rebind builder references

Borrowed authorities retain their own validation
Registered preparation, extraction, completion and source proofs
A frozen copy does not gain original source authority

No application speedup, transfer reduction or automatic qualification is claimed by this map.

Compiler ff9565f8ac94 · compatible pipeline 494df4e9221b · source-bound evidence in README / report.json