Native arrays and rebuild checkpoint · diagnostics only



Complete storage coverage

```
Pr:  -1:130, -1:66, -1:66
Pr_avg:  1:128, 1:64, 1:64
U:  -2:131, -2:67, -2:67
U2:  -2:131, -2:67, -2:67
U_avg:  -2:131, -2:67, -2:67
Ustar:  -2:131, -2:67, -2:67
V:  -2:131, -2:67, -2:67
V2:  -2:131, -2:67, -2:67
V_avg:  -2:131, -2:67, -2:67
Viscosity:  -1:130, -1:66, -1:66
Vstar:  -2:131, -2:67, -2:67
W:  -2:131, -2:67, -2:66
W2:  -2:131, -2:67, -2:66
W_avg:  -2:131, -2:67, -2:66
Wstar:  -2:131, -2:67, -2:66
Moisture:  1:0, 1:0, 1:0
Scalar:  1:0, 1:0, 1:0, 1:0
Scalar_avg:  1:0, 1:0, 1:0, 1:0
TDiff:  1:0, 1:0, 1:0
Temperature:  1:0, 1:0, 1:0
```

Private six-declaration repair · complete 72-object native rebuild

72 / 72

Executable sections
byte-identical

72 / 72

Nondebug relocations
byte-identical

70 / 72

All allocated sections
byte-identical

2 / 72

Only source-path strings
and their symbol offsets

The repaired application was not executed. Original source and binary remain unchanged.
Native repeatability does not establish Fortran definedness or automatic-offload correctness. No performance qualification.