Started on	Saturday, 10 October 2026, 11:52 AM
State	Finished
Completed on	Saturday, 10 October 2026, 12:01 PM
Time taken	9 mins 48 secs
Marks	1.00/1.00
Grade	**10.00** out of 10.00 (**100**%)

Question 1 | Correct Mark 1.00 out of 1.00

Given two strings find the length of the common longest subsequence(need not be contiguous) between the two.

Example:

s1: ggtabe

s2: tgatasb

s1	a	g	**g**	**t**	**a**	**b**	
s2	**g**	x	**t**	**x**	**a**	**y**	**b**

The length is 4

Solveing it using Dynamic Programming

For example:

Input	Result
aab azb	2

Answer: (penalty regime: 0 %)

```
#include<stdio.h>
#include<string.h>
int main(){
    char s1[1001],s2[1001];
    scanf("%s %s",s1,s2);
    int n=strlen(s1),m=strlen(s2);
    static int dp[1001][1001];
    for(int i=1;i<=n;i++)
       for(int j=1;j<=m;j++)
          if(s1[i-1]==s2[j-1])
             dp[i][j]=dp[i-1][j-1]+1;
           else
             dp[i][j]=dp[i-1][j]>dp[i][j-1]?dp[i-1][j]:dp[i][j-1];
    printf("%d",dp[n][m]);
    return 0;
}

```

	Input	Expected	Got	
✔	aab azb	2	2	✔
✔	ABCD ABCD	4	4	✔

Passed all tests! ✔

Correct

Marks for this submission: 1.00/1.00.